



Wildlife & Water **HABITATS**

4-H YOUTH CURRICULUM



WILDLIFE & WATER HABITATS

4-H YOUTH CURRICULUM

Jim Ekins and Marcie Galbreath-Rawls

Authors

Written by **Marcie Galbreath-Rawls, PhD** and **Jim Ekins, PhD**. Dr. Galbreath-Rawls is the founding director of NexGen Learning Institute, LLC. Dr. Ekins is area water educator and an associate Extension faculty member with the University of Idaho. Dr. Galbreath-Rawls created all the activities in section 1. Used with the author's permission. Dr. Ekins adapted the IDAH₂O Master Water Stewards volunteer water-quality monitoring program and handbook, University of Idaho Extension Bulletin 882 (2013). Other activities in section 2 are created by Dr. Ekins. Used with permission.

The graphic design and layout of this publication is by University of Idaho Extension Publications team, Lynna Stewart and Erin Doty. This was done as a part of the official state-level peer-review and publication process.



Issued in furtherance of cooperative extension work in agriculture and home economics, Acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Barbara Petty, Director of University of Idaho Extension, University of Idaho, Moscow, Idaho 83844. The University of Idaho has a policy of nondiscrimination on the basis of race, color, religion, national origin, sex, sexual orientation, gender identity/expression, age, disability or status as a Vietnam-era veteran.

ECS 014 | Published April 2022 | Revised July 2023 | © 2023 by the University of Idaho



TABLE OF CONTENTS

SECTION 1: WILDLIFE HABITAT

Chapter 1: What Is a Habitat?	2
Habitat Diversity.....	3
Activity 1: All Kinds of Homes.....	3
Who Lives There?.....	5
Activity 2: Habitat Hike.....	6
Habitat Modeling.....	7
Activity 3: Create Your Own Habitat Model.....	7
Looking at Pieces of the Whole.....	8
Activity 4: Microhike.....	8
Taking a Different View.....	9
Activity 5: What Do You See?.....	9
Chapter 2: Human Impacts, Yesterday and Today..	10
People and the Environment.....	11
Activity 6: Human Impacts, Yesterday and Today.....	11
Science in Action.....	12
Activity 7: Evidence of You and Me: Tracking Human Impact.....	13
Chapter 3: Soil Science.....	15
Erosion: Where and Why?.....	16
Activity 8: Erosion Hike.....	16
Changes, Big and Small.....	17
Activity 9: The Changing Landscape.....	17
Soil at Work.....	19
Activity 10: The Cleaning Power of Soil.....	19

SECTION 2: WATER HABITAT

Chapter 4: Watersheds.....	24
What Is the Water Cycle?.....	25
Activity 11: The Water Cycle Goes Round and Round.....	25
Exploring Your Watershed.....	27
Activity 12: Basic Watershed Mapping.....	28
Functions of Watersheds.....	30
Activity 13: Advanced Watershed Mapping.....	31
Chapter 5: Water Quantity and Quality.....	33
How Do We Use Water?.....	34
Activity 14: Water-Use Calculations.....	34
What Is Water Quality?.....	37
Activity 15: Physical/Chemical Water-Quality Assessment.....	39
What Is Water Pollution?.....	41
Activity 16: Water-Quality Issue Report.....	45
Chapter 6: Water Walk.....	48
Aquatic Habits: An Overview.....	49
Activity 17: Exploring and Modeling Your Water Habitat.....	51

Stream Habitats.....	53
Activity 18: Assessing Stream Habitat.....	54
Pond/Lake Habitats.....	56
Activity 19: Assessing Pond/Lake Habitat.....	56
Aquatic Macroinvertebrates Tell a Story.....	60
Activity 20: Assessing Aquatic Macroinvertebrates.....	61

Chapter 7: Presentations and Community

Engagement.....	66
------------------------	-----------

APPENDICES

Appendix 1: Detailed Instructions for Activities..... 71

Activity 14: Indoor Water-Use Calculation Instructions.....	71
Activity 14: Outdoor Water-Use Calculation Instructions.....	73
Activity 15: Physical/Chemical Assessment Instructions.....	75
Activity 18: Stream Habitat Assessment Instructions.....	83
Activity 18: Make Your Own Transparency Tube Instructions.....	88
Activity 19: Pond/Lake Habitat Assessment Instructions.....	88
Activity 19: Make Your Own Secchi Disk Instructions.....	89
Activity 20: Aquatic Macroinvertebrate Assessment Instructions.....	92
Activity 20: Make Your Own Aquatic Macroinvertebrate Kick-Net Instructions.....	92

Appendix 2: Advanced Activities..... 94

Adv. Activity 1: Watershed Precipitation Volume.....	94
Adv. Activity 2: Preserving Aquatic Macroinvertebrates.....	95
Adv. Activity 3: Crayfish Identification.....	95
Adv. Activity 4: Trash Cleanup and/or Streambank/Lakeshore Restoration Plan.....	100

Appendix 3: Data Sheets and Things to Print..... 102

Soil Erosion Data Recording Sheet.....	102
Soil-Filtering Data Recording Sheet.....	103
Indoor Water-Use Calculation Table.....	104
Outdoor Water-Use Calculation Table.....	105
Water Cycle Poster.....	106
Monitoring Plan Worksheet.....	107
Physical/Chemical Assessment Form.....	108
Stream Habitat Assessment Form.....	109
Pond/Lake Habitat Assessment Form.....	112
Biological (Aquatic Macroinvertebrate) Assessment Form.....	114
Crayfish Study Assessment Form.....	116
Aquatic Macroinvertebrate Identification Key.....	118

Appendix 4: Glossary..... 120

1 SECTION

CHAPTER 1

WHAT IS A HABITAT?

CHAPTER 2

HUMAN IMPACTS,
YESTERDAY AND TODAY

CHAPTER 3

SOIL SCIENCE

Wildlife HABITAT

SECTION 1 INTRODUCTION

Logan and Emily grew up as neighbors. By the time they were eleven, they were old friends. Both of their parents moved to different parts of the state. Logan's family lives in a small, hilly, forested town by a big lake and Emily's family lives in a small city of about 50,000 people in the plains, but they stayed in touch and visit each other a couple of times each year.

Forestown

Logan lives in a small house in town with a yard six blocks from a lake-shore. His town receives about 32 inches of precipitation each year, including over 70 inches of snow. When it rains, hardscape like roofs, sidewalks, and streets prevents water from seeping into the ground. Instead, water runs into the street, along the gutter, and into a storm drain. Permeable surfaces like lawns, garden beds, and gravel driveways are better at accepting rainwater into the soil. Many of the neighborhood yards along the lake, Logan's included, are mostly lawns that run all the way to the shore. Natural vegetation that exists along this shore, which some of the families have taken the time to maintain, helps to prevent rain runoff. During the winter, dealing with the runoff becomes more challenging. Sometimes after a snow, the weather warms above freezing, making it possible to receive rain. If the storm drains are clogged, these rain-on-snow events cause local flooding. Widespread flooding in low-lying areas can also occur. This is due to natural stream channels or undersized driveways and road culverts that can't handle the precipitation and meltwater.



Meadowville

Emily lives in a farmhouse built in the early 1900s just outside a small city of 50,000 people. Her family's house sits next to a potato farm and across the street from a local dairy. Emily's close proximity to the river, farms, and natural spaces provides her with different habitat types to explore. Meadowville only gets about 9.5 inches of precipitation a year, including about 28 inches of snow. So rain-on-snow events happen here, too. But flooding because of them occurs less frequently than in Forestown. During one winter, however, a series of severe rain events that melted snow caused widespread flooding in the area, the worst of which caused a dairy lagoon in a nearby town to overflow and almost burst.



Both are learning about the water cycle and how water moves around the Earth—that it's been recirculating since shortly after the planet was formed. That is, the Earth uses and reuses its water over and over again.

Marcie Galbreath-Rawls created all the activities in section 1. Used with the author's permission.

CHAPTER 1:

What Is a Habitat?

HABITAT DIVERSITY

ACTIVITY 1: ALL KINDS OF HOMES

WHO LIVES THERE?

ACTIVITY 2: HABITAT HIKE

HABITAT MODELING

ACTIVITY 3: CREATE YOUR OWN HABITAT MODEL

LOOKING AT PIECES OF THE WHOLE

ACTIVITY 4: MICROHIKE

TAKING A DIFFERENT VIEW

ACTIVITY 5: WHAT DO YOU SEE?

HABITAT DIVERSITY

Emily is studying ecosystems in her science class at school. Ecosystems contain many different types of organisms (like plants, animals, and people) as well as natural resources (soil, water, and air).

There are several kinds of ecosystems—forest, grassland, desert, and freshwater. Each ecosystem plays a key role in living things' subsistence (maintenance or support). Biodiversity, which is diversity within an ecosystem or the diversity of several ecosystems within the world, is important. The stability of an ecosystem depends on the diversity of the natural resources that thrive within it. Next time you are outside stop and notice the diversity in your location. How many different plants and animals can you identify?

You may have heard the term *habitat*, but do you know what it means? Emily does. In her science class, she learned that habitat is often defined as the natural environment or home base within which an organism lives—or as a natural place that supports the growth and life of an organism.

Emily also learned that ecosystems contain several habitats. She decided to use the internet to learn what kind of habitats exist along the river near her home. She compared them to the habitats along the lake near Logan's house. In her journal, Emily took notes and made sketches about the similarities and differences. She was really interested in the plants and animals found in both regions.

How can you discover what kind of habitats are near your home or school? This activity will help you answer that question while exploring more about habitats.

LEARNING/INQUIRY ACTIVITY 1: ALL KINDS OF HOMES

Procedure: Develop a Research Tool

What is a habitat? The following activities will help you answer this question. Start by taking two cardstock paper halves and punch three holes down the left edge. Punch three holes in the plain paper halves to match the holes in the cardstock. Use clasps or string to attach your field journal together. If you would like a larger field journal, use a small 3-ring binder.

In addition to the usual 4-H presentation, we expect you to **develop one of the following research tools** to record the information you gather during your field investigations:

- Design Portfolio
- Engineering Notebook
- Field Journal

The exact “look” or style of your portfolio, notebook, or journal is less important than capturing your learning experiences in it as you progress through the program. These are commonly used types of documentation (see Figure 1). Do what feels right for you. The goal is to capture all the work that you did for this project in an organized format (see Research Tool Options 1–3 on the next page).

Remember, the research tool you create will house and show all your work, including drafts of your maps and any and all of your reflections as you work through each assignment.

Anticipated Time

45–60 minutes

Learning Objectives

- To understand habitat assessment
- To understand and construct arguments around animal behavior, survival, and reproduction

Materials

- paper (plain and cardstock)
- hole punch
- colored pens or pencils
- clasps or string



Figure 1. Portfolio/Notebook/Journal example. Photo Credit: Marcie Galbreath-Rawls.

In addition to your portfolio/notebook/journal, you will also develop and keep a regular 4-H Record Book.

Let's Do It!

Use colored pens or pencils to **decorate the cover of your field portfolio/notebook/journal**. Make sure to include a title for your portfolio/notebook/journal and your name.

On page 1 of your field portfolio/notebook/journal, **answer (in your own words) the following question: What is a habitat?**

On page 2, **list at least five different habitats and who or what lives in them.**

Reflection

In your portfolio/notebook/journal: Choose one of the habitats you listed on page 2 of your portfolio/notebook/journal. Write a description of that habitat. Include what (animal or person) lives there, what plants live in or near the habitat, what the habitat is made of, what food and water is in or near the habitat, and any other details you can think of.

So, now that you have explored different habitats, look around your house and yard and think about all the habitats that are located there. Reflect on the ways they affect you. List as many of these ways as you can.

Research Tool Option 1: Design Portfolio

A person with a more **artistic bent** might develop a design portfolio, heavy on labeled drawings, sketches with written descriptions, and other images with some context. There are many ways to create a design portfolio, including using a 3-ring binder, plain paper (no lines) drawing journal, or hardcover composition notebook. Whatever you choose, it will need to have enough pages to complete this three-year curriculum. Make sure you create a label for your portfolio—include your name, 4-H club or other affiliation, title: *Wildlife and Water Habitats Curriculum Design Portfolio*, and any other identifying information.

Research Tool Option 2: Engineering Notebook

A person with a more **mathematical mind** might develop an engineering notebook with formulas, graphs, tables, and scale drawings, again with notations and context included. Like the portfolio, there are many ways to create an engineering notebook. You can use a hardcover or softcover graph paper notebook, 3-ring binder, plain (drawing) or lined (writing) journal, or hardcover composition notebook. Whatever you choose, it will need to have enough pages to complete this three-year curriculum. Make sure you create a label for your notebook that includes your name, 4-H club or other affiliation, title: *Wildlife and Water Habitats Curriculum Engineering Notebook*, and any other identifying information.

Research Tool Option 3: Field Journal

A person who **likes to write narrative descriptions** might develop a field journal with written reflections about her/his experiences, but also include sketches, drawings, and mathematical formulas. There are many ways to create a field journal, including using a plain (no lines) drawing journal, hardcover or softcover graph paper notebook, 3-ring binder, or journal you create from scratch (described at the beginning of this *Procedure* section) using cardstock (or other equally thick paper) for the cover and plain paper for the inside. Whatever you choose, it will need to have enough pages to complete this three-year curriculum. Make sure you create a label for your journal that includes your name, 4-H club or other affiliation, title: *Wildlife and Water Habitats Curriculum Field Journal*, and any other identifying information.

WHO LIVES THERE?

Emily decided to continue exploring habitats in and around her community by observing and comparing those in urban and rural areas. She took walks around town after school and hiked places near her house on weekends.

After spending two afternoons walking around town, Emily noticed that human habitats are not all the same. Although she noticed some single-story houses, most people near her school live in two-story dwellings. The area further from the school, toward the downtown area, showed even more diversity. There are many apartment buildings, some older single-story houses, and some of the older houses are now businesses. Soon, Emily started to think about what makes a home.

Take a moment and think about your idea of what makes a home. During her walks around town, Emily stopped to journal about the different kinds of human habitats she was seeing. She also drew pictures and wrote notes about the animal habitats she saw. She recorded several bird nests near the school. A few blocks from the downtown area, she observed a dog sitting outside his doghouse under a tree behind a small single-story house. While waiting to cross the street, she looked down and observed ants busily running in and out of a small mound in the dirt.

When Saturday came, Emily woke up early. She was excited to go on a hike. At breakfast, Emily told her family she wanted to hike up to the top of the ridge behind their house. Her parents said it was okay. With the family dog running ahead, Emily headed out toward the ridge. She knew there was a narrow trail that would take her to the top of the ridge. As she walked through her family's property, she noticed several habitats. Every time she spotted one she stopped and recorded it in her field journal. She wanted to capture as much information as she could about each habitat she saw so when she talked to Logan on the phone the next day she could tell him all about it.

By the time Emily reached the bottom of the ridge, she had documented a snake hole, three bird nests, and the henhouse her chickens live in. With her dog staying nearby, Emily began walking up the rocky ridge, stopping to record any habitat she saw. When she reached the top of the ridge, she sat on a large rock and looked around. She could see much of the valley from here. Opening her field journal, she took another look at the habitats whose details she had just documented. Emily started to notice the differences between the habitats on



the ridge compared to the ones in the grassy fields below. Habitats higher up the ridge are largely located in the trees (such as squirrel and bird nests) or hidden among the rocks (such as spider or snake holes). Low on the ridge, Emily spotted evidence of deer living in an “edge” habitat. An *edge habitat* is a natural or human-made habitat break. Emily was very excited to share with Logan everything she had seen in town and around her home.

Anticipated Time

45–90 minutes

Learning Objectives

- To develop reasoning and critical thinking skills
- To understand and construct arguments around environmental phenomena as well as cause and effect relationships
- To understand interdependent relationships in ecosystems

Materials

- Your field journal and pencil/pen

LEARNING/INQUIRY ACTIVITY 2: HABITAT HIKE

Procedure: Explore, Observe, and Record

Find a natural location (hiking trail, urban forest, unpaved/natural area of your schoolyard, etc.) to explore with your education leaders, clubmates, family, or friends. Bring your field portfolio/notebook/journal and pencil/pen so you can record your observations and make sure you are wearing appropriate clothing for the location.

Let’s Do It!

What can be a habitat? What signs can you see in nature that a habitat is nearby?

Hike the location, looking for different kinds of habitats. Stop and record the habitats as you find them. You can record them in many ways: (a) **draw the habitat**, (b) **write a poem or short story about the habitat**, or (c) **write a song about the habitat**. Include as much information about the habitat itself, the surrounding area (is it protected from weather, predators, etc.?), the availability of food and water, and so on. Find and record at least six different habitats.

Reflection

In your portfolio/notebook/journal:

Answer the following questions based on your reflections from the beginning of this activity.

What makes a home?

Are habitats (human and animal) impacted by the geography around them? Explain.

Does weather impact how and/or where animals build their habitats? Explain.

Activity Extension: You may choose to hike more than one location and compare the habitats you see across them.



Figure 2. Students hiking.
Photo Credit: Jim Ekins.

HABITAT MODELING

Emily was inspired by the habitat hike. She decided to create a 3D model of one of the habitats she had observed and sketched. Emily created the model using materials she found around her house, in the yard, and a few things from the hobby store near her school.

Pleased with her completed model, Emily took pictures to add to her field journal. She then emailed the photos to Logan. He was so excited by her model he created one of the mallard duck's nest he spotted while hiking along the lake.

This activity offers you the opportunity to create your own 3D habitat model.

LEARNING/INQUIRY ACTIVITY 3: CREATE YOUR OWN HABITAT MODEL

Procedure: Collect and Create

Gather all supplies needed for model making. Put butcher paper or other protective material on your table. Have your portfolio/notebook/journal and any pictures (as a resource/reference) of habitats you'd like to refer to near your workspace.

Let's Do It!

Look at the different habitats you recorded in your portfolio/notebook/journal. Select one that you want to create as a 3D model using the supplies you have collected for this activity. Create the 3D model in your protected workspace.

If you have the time and supplies, include environmental elements into your model. Examples of environmental elements are plants, geographic markers (rocks, rivers, hills, etc.), and man-made structures.

Reflection

In your portfolio/notebook/journal:

Explain why you chose that habitat from all the ones you recorded in your portfolio/notebook/journal.

Anticipated Time

30–60 minutes

Learning Objectives

- To understand modeling: design, materials, construction
- To understand measurements and engineering principles

Materials

Various materials that can be used to construct a 3D model of a habitat. Materials include clay, sand, feathers, string, moss, small rocks/polished glass, twigs (If you choose to collect materials from nature, make sure you do not collect on private land or in state parks. Also, only collect items that are already on the ground.)



Figure 3. Outdoor science activity. Photo Credit: Jim Ekins.

LOOKING AT PIECES OF THE WHOLE

Emily's science class began exploring biodiversity. Then she started looking at the areas around her home and community differently. She noticed that many kinds of plants and animals live in her neighborhood. Since she lives several miles out of town, there are few man-made features near her home. The area around her school, however, barely contains any natural space. It mostly has sidewalks, blacktop, and other concrete areas, with few manicured grassy areas. An exception is a small creek located a short walk from her school. Just as she remembered that it runs through town and ends at the river, Emily noticed landscapers spraying insecticide on the school grass. She began to think about how what happens at her school may impact the small creek.

A few days later she called Logan to discuss her thoughts on ecosystems. She was thinking about how they interact. Logan's science class had just finished a unit on humans impacting nature. He told Emily about a project he did, which focused on microhabitats within an ecosystem. A *microhabitat* is a small area that differs from nearby larger areas. Logan and his classmates each chose an area of the school campus. They examined it in detail. They journaled about several aspects of the microhabitat. These notes included information on plants, animals/insects, geography, and erosion. His class then came back together. They discussed how changes in one of the microhabitats impact neighboring habitats.

LEARNING/INQUIRY ACTIVITY 4: MICROHIKE

Procedure: Take a Closer Look

Take all your supplies outside to a location you have chosen to hike. Find a spot you want to hike that is near, but not right next to, other members/participants.

Let's Do It!

All members/participants go out to a field location (for instance, a natural location, community nature trail, or unpaved schoolyard/campus area). Think about the kinds of things you should be recording in your portfolio/notebook/journal (education leaders may help with prompts). Lay your string/marker on the ground in the area you selected to "hike" and, beginning at one end, use the magnifying glass to view your part of the "place." Record your observations in your field portfolio/notebook/journal as you "hike."

Note: Make sure you are within earshot or eyesight of the adult leader at all times.

Reflection

Come back together with the other members/participants for a postactivity discussion. The instructor/facilitator will begin the discussion by posing inquiry questions (questions like: Did hiking only 12, 18, or 24 inches of the place make you see it differently? Did you see organisms like insects or plants that you didn't know would be there?) Share your observations about your 12, 18, or 24 inches of the place with all members/participants. Then, tie all the individual hikes together by focusing on how any individual part makes up one larger place (make connections to which fellow students will relate; that is, a town is a part of the state, a state is a part of the United States).

If you are completing this activity on your own, answer the above questions in your portfolio/notebook/journal. Include any other thoughts you have at activity's end.

Anticipated Time

20–30 minutes

Learning Objectives

- To understand and interpret effects of resource availability on populations in an ecosystem
- To understand and explain biodiversity and interactions among differing ecosystems

Materials

- 12 inches (possibly 18–24 inches for larger "hikes") of string/cord
- A ruler, a marker, magnifying glass, field journal, and pencil/pen



Figure 4. Outdoor science activity. Photo Credit: Jim Ekins.

TAKING A DIFFERENT VIEW

Now that she is studying ecosystems in school and on her own, Emily is beginning to understand the deep connections among all types of resources and living things. She has learned about water and habitat environments near her home in the southern part of the state as well as those near her best friend Logan, who lives in the northern part of the state. The impact humans have on the environment has become an important concept for Emily. Recently, she began keeping track of her water usage. She asked Logan to do the same, so they could compare their usage. She also talked with her dad about the impact of the family's gardening and animal husbandry on the land and nearby river.

One Saturday afternoon, Emily walked down to the river's edge. She found a comfortable spot and sat down on a large rock. Journal in hand, Emily sat quietly, hoping to see local wildlife. She wanted to observe how the wildlife interacted in the natural space. Emily had previously noticed that animals such as deer were prevalent on her family's property. They did not seem to be afraid of her and her family, yet they were frightened by the family dog. Take a moment and think about wildlife you have seen near your home. What kind of animals have you seen? How do they behave? The following activity will help you to gain a deeper understanding of the relationship between humans and animals when they inhabit the same places.

LEARNING/INQUIRY ACTIVITY 5: WHAT DO YOU SEE?

Procedure: Think Like an Animal

Go to a natural or seminatural area in your community (like a park, schoolyard, etc.).

Let's Do It!

How do animals view the world they live in? Are animals impacted by living near/among humans?

Discuss with your fellow members, volunteer, and/or family the animals that you think live in or near the area. Discuss and document in your portfolio/notebook/journal the needs of the animals you discussed and how being close to and/or interacting with humans may impact all aspects of those animals (like resources and behaviors). Choose one animal from your portfolio/notebook/journal. Imagine for a few minutes how that animal sees the area you are in (for instance, a bird sees the tops of buildings, trees, etc.). Using the graph paper (or your journal if you do not have graph paper), draw the area the way you—as the animal—see it. Include as many details as possible.

Reflection

Come together as a group. Take turns discussing the animal each member chose, including how it sees the world. Share your drawings with the group. In your portfolio/notebook/journal, answer the following questions:

How are animals impacted by human presence in their environment?

How are humans impacted by living in remote, rural, or natural spaces near/among animals?

Anticipated Time

30–40 minutes

Learning Objectives

- To understand interdependent relationships in an ecosystem
- To understand stability in an ecosystem and how small changes can lead to large impacts

Materials

- Field journal
- graph paper
- pencil/pen



Figure 5. Outdoor classroom example. Photo Credit: Marcie Galbreath-Rawls.

CHAPTER 2:

Human Impacts, Yesterday and Today

PEOPLE AND THE ENVIRONMENT

ACTIVITY 6: HUMAN IMPACTS, YESTERDAY AND TODAY

SCIENCE IN ACTION

ACTIVITY 7: EVIDENCE OF YOU AND ME: TRACKING HUMAN IMPACT

PEOPLE AND THE ENVIRONMENT

As part of its social studies unit, Emily’s class has also been learning about her state’s early history. She and her fellow students first studied the early culture of the local tribes. They learned about how they traveled and lived off the land. Next, they studied the time when Europeans entered the region. She found out that Europeans, mostly traders, came later. Emily began wondering about how people have lived in her area over time. Imagine it’s a couple hundred years ago. What would your life be like? Do you have electricity? How does your family heat your home?

Emily soon wanted to combine what she was learning about her state’s early history with her field project. She is considering the impact of settlement on the area’s water quality. Emily remembered her teacher saying that indigenous people did not necessarily build permanent homes. Europeans did, though. They also relied on riding horses but didn’t use wagons. The wagons Europeans used drove deep grooves in the land. However, time and erosion diminished them. Many of the grooves nearly disappeared. Eventually, roads crossed the landscape. Then developers constructed more and bigger buildings. Meanwhile, farmers irrigated crops using surface water.

Emily called Logan and told him what she was learning in her social studies class. He recommended she do her own research on water quality in the local stream. Logan had done a similar research project in his social studies class. Logan and his fellow students had to keep a journal. They recorded their individual and family water use for a month. Logan told Emily that for the final assignment, he had to create a story (from all the information he had collected) that depicted the human impact in his area over time. Emily thought this was a great idea and made a mental note to suggest it to her teacher.

LEARNING/INQUIRY ACTIVITY 6: HUMAN IMPACTS, YESTERDAY AND TODAY

Procedure: Research and Storyboard

Consider/list possible subsistence activities that previous generations living in your area may have engaged in. Use the internet and/or locate other various media materials (like books) to find out more. Identify people and companies in your area that work with or impact natural resources. Gather supplies for creating a storyboard.

Let’s Do It!

Conduct research on the human history and activity in your county or surrounding area using various media types. Document your findings in your field portfolio/notebook/journal. Include printed pictures, drawings, or other visuals. After gathering the historical information, collect information on current agricultural and natural resource use and management practices. Interview farmers, ranchers, business owners, and natural resource employees—such as those working for the US Forest Service, Fish and Wildlife Service, or the Bureau of Land Management —about practices that potentially impact the environment and resources in your county or surrounding area. Record each interview and/or keep notes in your field journal.

Based on your research findings, create a storyboard (using digital media such as an

Anticipated Time

3–5 hours

Learning Objectives

- To obtain and understand information from different media sources
- To understand the human impact on Earth’s systems and how individuals and communities are helping to protect resources and environments

Materials

- Different media types (like internet, books, magazines, etc.)
- Poster board (optional)
- Field journal
- Pencil/pen




Figure 6. Storyboard example. Photo Credit: Marcie Galbreath-Rawls.

electronic slide show or nondigital media such as poster board) that portrays the impact of human activities and current practices (positive and negative) on the resources and environment in which you live (see Figure 6). Share your storyboard with family, friends, and clubmates.

Reflection

In your portfolio/notebook/journal, answer the following questions:

How have human activities concerning natural resources and the environment changed over the years?

What changes can you make today that will have a positive impact on the environment tomorrow?



Figure 7. Storyboarding activity. *Photo Credit: Marcie Galbreath-Rawls.*



Figure 8. Outdoor science activity. *Photo Credit: Jim Ekins.*

SCIENCE IN ACTION

Emily’s teachers often work together to create a project that 4-H members can work on while earning school credit for multiple subjects/courses. This year, Emily’s science and social studies teachers have decided to team up on a project. Students will explore the human causes driving an environmental issue. Teachers are advising students to work on this project during both science and social studies classes and also outside school. All told, the project’s completion will take four weeks.

Both of Emily’s teachers have helped her and her classmates come up with a research project. The members were asked to present a topic they would like to explore or a real-world problem they would like to solve. Emily spent the weekend reading the newspaper, watching the evening news, and searching the internet for ideas. On Sunday evening she called Logan. Emily told him about the project and how her research had led her to several topics of interest. She asked him to help her narrow down the possibilities. After talking with Logan for nearly an hour, Emily decided she would like to explore how soil use is impacting the surface water in her county.

During this activity, choose a topic to explore or a real-world problem to solve. Make an observation and/or hypothesis to guide the project. Like Emily, you will collect data, analyze your findings, and present them. You are the leader of this activity. Because you have chosen your own topic or problem and decided the best way to present your findings, you are the expert: educate your family, friends, clubmates, and community.

The Scientific Method: A process to guide experimentation. Scientists use the scientific method to guide how they explore an inquiry or conduct an experiment, but they don’t always follow it exactly. You can do the same!

Below are the steps of the scientific method:

- Ask a question/make an observation
- Do research
- Construct a hypothesis
- Experiment

- Ask, “Is the procedure working?”
- If yes, analyze the data, accept or reject the hypothesis, and report the findings
- If no, troubleshoot/adjust the procedure and run the experiment again until the answer is yes

There are multiple ways scientists and researchers examine phenomena (observable facts, circumstances, or occurrences). Quantitative methods use numbers to measure and define something. For example, how many pieces of gum are in a package? Qualitative methods do not use numbers. Instead, they explain/describe the characteristics of something (a phenomenon). This research method does not measure or prove anything. For example, how soft is a teddy bear? You can also combine both methods. This is known as a mixed methods approach.

An example of a **mixed methods** approach may involve collecting numerical data about different bodies of water. For example, the temperature. Then, writing down what you see in those same bodies of water (color, clarity, types of plants in or around them, etc.).

Data collected are then analyzed. There are several ways you can analyze data. Often, scientists and researchers use software programs. For quantitative data, you can use a spreadsheet to create tables and charts to study data and report findings. For qualitative data, you might code by hand your data. Hand coding is a procedure that researchers often rely on. It involves going through interview transcripts, or other qualitative (text) data, and looking for commonalities in the words/text.

LEARNING/INQUIRY ACTIVITY 7: EVIDENCE OF YOU AND ME: TRACKING HUMAN IMPACT

Procedure: Conduct an Experiment

Use the internet or other **reliable** source to identify an environmental issue/concern that has a human cause (human behaviors or practices impacting the environment). If possible, choose something that is happening near where you live. Form a hypothesis about the environmental issue you chose.

Using the information above, design a method, either quantitative, qualitative, or mixed methods, to collect and analyze the data.

Let’s Do It!

Using your research material(s), decide on an environmental issue with a human cause. Develop a hypothesis (if doing quantitative research) or research question (if doing qualitative research) to guide your project. If you are doing a mixed methods study, you can use either a hypothesis or research question to guide your study. Depending on your question/hypothesis, you may want to follow the steps of the scientific method.

Begin collecting the data. How you collect it will be determined by which type of research study you are doing and what hypothesis you are trying to prove/disprove or question you are trying to answer. Use the descriptions about data collection above as well as your parents, 4-H leader, professionals in environmental science, and/or the internet to help you determine what data to collect and how to collect it. Record your data in your field portfolio/notebook/journal or on data sheets you design (based on examples

Anticipated Time

Will vary, conduct over multiple days

Learning Objectives

- To explain an environmental issue related to human behaviors/practices
- To use scientific principles to design a method for collecting data and tracking human impact on the environment

Materials

- Internet (or other reliable research source)
- Computer or portable device capable of using the internet and spreadsheet software program for analyzing data
- Field portfolio/notebook/journal for recording hypothesis or research question and collecting data
- Visual and/or audio recording device (optional)
- Slide software or other means of displaying research findings (like poster board)

provided in chapter 3). If you run your experiment more than once or use multiple data sources (for example, questionnaire and pH levels) to answer your question, use a different portfolio/notebook/journal page or data sheet for each.

Note: If you use separate data sheets, include them in your portfolio/notebook/journal.

If need be, run your experiment again or collect more data until you can answer your question and/or accept or reject your hypothesis.

Analyze your data. Depending on the data you have collected, you will need to use one or more of the analyzing methods/tools described above. Often entering quantitative data in a spreadsheet and hand coding qualitative data is all that is needed. Feel free to explore different ways of analyzing your data.

Report your findings. Use a variety of ways. Quantitative researchers and scientists often write a research report, including graphics (tables, charts, etc.). Qualitative researchers often organize their findings by themes they've identified. They often quote directly from interviews and/or questionnaires and include tables or other graphics to help support the text. No matter what method you choose, keep your reporting simple but emphasize the interesting findings, provide answers to your research questions, and indicate if you accepted or rejected your hypothesis.

Reflection

In your portfolio/notebook/journal, write and finish each of the following statements:

During this activity, I learned how to use the scientific method to research a problem and . . .

This activity helped me to understand scientific data and how to use that data for . . .

Based on the data I collected, I found . . .



Figure 9. Outdoor science activity. Photo Credit: Jim Ekins.

CHAPTER 3:

Soil Science

EROSION: WHERE AND WHY?

ACTIVITY 8: EROSION HIKE

CHANGES, BIG AND SMALL

ACTIVITY 9: THE CHANGING LANDSCAPE

SOIL AT WORK

ACTIVITY 10: THE CLEANING POWER OF SOIL

EROSION: WHERE AND WHY?

“Soil is not dirt!” Emily’s science teacher said when they began their unit on soil. “It is a living thing.” Emily knew that as a living thing soil is complex and important to all other living things, but she also understood its basic textbook definition: the loose top layer of the earth in which plants grow, a layer made up of mineral and rock particles mixed with organic material.

When they began to learn about erosion, Emily and her class took a field trip to a local park that has both human-made and natural spaces. The class participated in an erosion hike, recording data and their observations in their field journals. Many of her classmates were interested in comparing evidence of erosion caused by human activity with erosion caused by natural factors such as wind. The class hiked for about an hour. After the hike they gathered together in the manicured lawn of the park and discussed their observations.

As soon as she got home from school that day, Emily called Logan. She was excited to share with him what she had observed on the hike. Emily told Logan how surprised she was to see evidence of a lot of erosion caused by rain. Before hanging up, Emily and Logan decided to take erosion hikes—Logan would take his along the shore of the lake, while Emily would trace the river’s edge. They agreed to record their observations and talk again in a week to compare notes.

Anticipated Time

1–2 hours

Learning Objectives

- To observe and document various forms of erosion
- To understand and explain how erosion caused by natural forces (wind, water, ice) and human activity impacts and changes the landscape

Materials

- Pencil or pen
- Field journal or clipboard with paper

LEARNING/INQUIRY ACTIVITY 8: EROSION HIKE

Procedure: Observe and Document

Hike a chosen location near where you live (preferably a site with both human activity/structures and wilderness/natural space) and document your observations. Wear appropriate clothing for the location.

Let’s Do It!

Once at the location, begin by observing and noting in your portfolio/notebook/journal any features which may cause or increase erosion—for example, a human-made path, a paved walkway, or a trail cut by repeated animal activity. As you hike, look for evidence of erosion. Stop and record your observations in your portfolio/notebook/journal. Make sure to include which type of erosion you see and as many other details as you can. You may want to include drawings as well.

Reflection

In your portfolio/notebook/journal, answer the following questions:

How many types of erosion were you able to identify during your hike? List an example of each.

Which type of erosion seems to be the most prevalent in the area you hiked? Explain.

Activity Extension: Hike multiple locations (wilderness and urban), observing and noting varying evidence of erosion. Compare the different locations. How does erosion caused by human activity differ from erosion caused by natural forces?

CHANGES, BIG AND SMALL

During the erosion hike, Emily and her classmates were able to identify types of erosion. They discussed the causes and effects of erosion around Meadowville. After the hike, Emily’s teacher assigned a hands-on activity, exploring the concept of erosion. Emily collected and recorded data. She analyzed the data. The results made her wonder how the erosion was like the erosion that exists around Meadowville in general. She was eager to call Logan and ask him about the data he collected for his class project. Does Foresttown have similar types of erosion as Meadowville? How does wind erosion in Foresttown compare to wind erosion in Meadowville? Does wind erosion have the same impact on both landscapes?

LEARNING/INQUIRY ACTIVITY 9: THE CHANGING LANDSCAPE

Procedure: Observe and Document

Gather all the supplies needed for the activity. Using the hand shovel, fill the bags with different soil samples (you may want to purchase sand and potting soil as well). This activity is messy, so if you prefer, place butcher paper or other protective material on your table and work on the floor or work outside (if a power outlet is available). Make sure your field portfolio/notebook/journal and/or data sheets are near your workspace.

Note: If you use separate data sheets, include them in your portfolio/notebook/journal. A data sheet is located in appendix 3, Soil Erosion Data Recording Sheet.

Let’s Do It!

Pile half of each soil sample in individual disposable pans/containers (saving the other half for the second part of activity). Follow steps 1–4.

1. Record the height and width of the pile.
2. Determine the exact amount of water you will use (for example, 6, 8, or 10 ounces) and gently pour water over the first pile of soil.
3. Record the height and width again, then note any changes to the “landscape” of the soil.
4. Pour water from the disposable pan back into the measuring cup (being careful not to include any soil) and record the amount. Subtract this amount from the original amount poured over the soil and record that number in your field journal or on your data sheets as “amount of water absorbed.” Repeat steps 1–4 for each pan of soil.

One at a time, pile the remaining soil from bags onto the table (or other hard space you are working on).

1. Record the height and width of the pile.
2. Holding the hair dryer about 12–14 inches away from the pile (using the lowest setting), blow “wind” over the pile for 15–20 seconds.
3. Record the height and width of the pile again. Also, record the distance the soil traveled from the pile (if applicable).
4. Note any changes in the “landscape” of the soil. Repeat steps 1–4 for each soil type. In order to have accurate data, make sure you blow “wind” for the exact same amount of time.

Anticipated Time

30–45 minutes

Learning Objectives

- To construct scientific explanations based on valid and reliable evidence from various sources (including your own observations and experimentation)
- To understand and explain landscape changes directly related to erosion

Materials

- Large plastic zipper-type bags
- Hand shovel (trowel)
- Sand, potting soil
- Disposable aluminum pans (or other container)
- Water
- Measuring cup
- Ruler/measuring tape
- Blow dryer
- Butcher paper or other table cover
- Field portfolio/notebook/journal or clipboard with data sheets

Reflection

Compare your data results by type of erosion (water and wind) and type of soil. Discuss with your leader or parent the following questions: Was water absorbed into any of the soils? If so, was the same amount of water absorbed in each soil? Did the water cause the same type of erosion to the piles as the wind?

In your portfolio/notebook/journal, answer the following questions:

Did you observe changes to the landscape of the soil that had water poured over it? Explain.

Did you notice changes to the landscape of the soil that had wind (applied with the hair dryer) blown over it? Explain.

Have you noticed signs of water or wind erosion in your neighborhood? Explain.



Figure 10. Outdoor soil science activity. Photo Credit: Jim Ekins.

SOIL AT WORK

After studying soil for two weeks, Emily’s class ended the soil unit with a final project. Each member completed an inquiry-based project that incorporated what they had learned in class. Emily chose “soil as a filter.” This required her to explore how different kinds of liquids move through various soil types. She was interested in knowing how much rain and irrigation water made it from her family’s land to the nearby river. She also wanted to know if the soil cleaned the water before it entered the river. Because soil retains water, it can become like a liquid. Although it is solid when the soil gets saturated with water it can act like a liquid—*liquefaction*.

Have you seen news stories about houses sinking or hillsides sliding across roads? These are examples of soil liquefaction. A soil’s pores, or open spaces, enable the water to move through the soil. They even vary in size, depending on the kind of soil. The following activity approximates the one that Emily completed.

LEARNING/INQUIRY ACTIVITY 10: THE CLEANING POWER OF SOIL

Procedure: Filter and Compare

Filter different types of “dirty” water through sand and a sand/topsoil mix. Record and compare the results.

Let’s Do It!

Begin by hypothesizing what will happen when “dirty” water is poured through the sand and sand/topsoil mix. Question examples: What color of water will filter out on the bottom of the cup? What will happen to the floaters? Write your hypothesis in your portfolio/notebook/journal or on your data recording sheets.

Note: If you use separate data sheets for recording, include them in your portfolio/notebook/journal. A data sheet is located in appendix 3, Soil-Filtering Data Recording Sheet.

Poke several holes (with a toothpick) in the bottom of the larger disposable cups (no additional holes are needed if using bottles), then fill one cup halfway with sand and the other cup with about 1 inch of sand and enough sand/topsoil mix to fill the cup halfway. Place the cups into the smaller disposable cups (place a toothpick, or other support, between the cups to allow air in the bottom cup to escape). The idea is that the top cup, once set inside the bottom cup, will not fall into the bottom cup and sit on the bottom (this would interfere with the water moving from the top cup to the bottom cup).

Filter: Pour your first colored water into the sand, allow it to drain into the bottom cup; then inspect the liquid in the bottom cup. Record its color and amount. *Optional:* you can also record how long it took the water to filter (seconds or minutes). Repeat the **filter** step for each “dirty” water type filtering through the sand. Record whether the floaters were found in the smaller cup after filtering each.

Repeat each step above with the sand/topsoil mix and record the results.

Compare the results.

Anticipated Time

30–45 minutes

Learning Objectives

- To understand various components of Earth systems (geosphere, biosphere, atmosphere, and hydrosphere)
- To understand and form arguments around how Earth systems are connected
- To understand and apply mathematics and computational thinking

Materials

- Cups of “dirty” water (use powdered drink mix, food-colored water, water with “floaters or chunks of debris” [optional])
- 5-ounce disposable cups, one for sand, one for sand/topsoil mix
- 3-ounce plastic cup for every cup of “dirty” water
- Field portfolio/notebook/journal or data sheet to record results
- Stopwatch (optional)

Note: Instead of using disposable cups, you can re-use 2-liter plastic bottles (one for each soil type) by cutting them in half, discarding the bottom half, covering the opening in the top half with a coffee filter, flipping it upside down, and adding the soil/soil mix in.

Reflection

In your portfolio/notebook/journal, answer the following questions:

Were your results what you expected? Explain.

Is rain filtered before it enters rivers, lakes, or other bodies of water? Explain.

Activity Extension: Do all soil types filter the same way? Use a variety of soils as filters. Compare the results based on soil type.



Figure 11. Outdoor soil science activity. *Photo Credit: Jim Ekins.*



Figure 12. Outdoor soil science activity. *Photo Credit: Jim Ekins.*

2 SECTION

Water HABITAT

CHAPTER 4
WATERSHEDS

CHAPTER 5
WATER QUANTITY
AND QUALITY

CHAPTER 6
WATER WALK

CHAPTER 7
PRESENTATIONS
AND COMMUNITY
ENGAGEMENT

SECTION 2 INTRODUCTION

Logan and Emily grew up as neighbors. By the time they were eleven, they were old friends. Both of their parents moved to different parts of the state. Logan's family lives in a small hilly, forested town by a big lake, and Emily's family lives in a small city of about 50,000 people in the plains, but they stayed in touch and visit each other a couple of times each year.

Foresttown

Logan lives in a small house in town with a yard six blocks from a lakeshore. His town receives about 32 inches of precipitation each year, including over 70 inches of snow. When it rains, hardscape like roofs, sidewalks, and streets prevents water from seeping into the ground. Instead, water runs into the street, along the gutter, and into a storm drain. Permeable surfaces like lawns, garden beds, and gravel driveways are better at accepting rainwater into the soil. Many of the neighborhood yards along the lake, Logan's included, are mostly lawns that run all the way to the shore. Natural vegetation that exists along this shore, which some of the families have taken the time to maintain, helps to prevent rain runoff. During the winter, dealing with the runoff becomes more challenging. Sometimes after a snow, the weather warms above freezing, making it possible to receive rain. If the storm drains are clogged, these rain-on-snow events cause local flooding. Widespread flooding in low-lying areas can also occur. This is due to natural stream channels or undersized driveways and road culverts that can't handle the precipitation and meltwater.



Meadowville

Emily lives in a farmhouse built in the early 1900s just outside a small city of 50,000 people. Her family's house sits next to a potato farm and across the street from a local dairy. Emily's close proximity to the river, farms, and natural spaces provides her with different habitat types to explore. Meadowville only gets about 9.5 inches of precipitation a year, including about 28 inches of snow. So rain-on-snow events happen here, too. But flooding because of them occurs less frequently than in Foresttown. During one winter, however, a series of severe rain events that melted snow caused widespread flooding in the area, the worst of which caused a dairy lagoon in a nearby town to overflow and almost burst.



Both are learning about the water cycle, and how water moves around the Earth—that it's been recirculating since shortly after the planet was formed. That is, the Earth

Some activities in this section are adapted from the IDAH₂O Master Water Stewards Handbook, University of Idaho Extension Bulletin 882 (2013). Other activities are created by Jim Ekins. Used with permission.

uses and reuses its water over and over again. Engineers straightened some of the Meadowville area's natural streams from their original meandering courses to enable more efficient farming operations. Other alterations over time for other streams include the reduction or removal of the protective riparian vegetation that fringes them. Some streams, however, continue to exist in a relatively natural condition.

Concerned about the Meadowville area's water habitat health, many farm owners in the area have applied combinations of "best management practices" (BMPs) to stop soil and other pollutants from eroding and entering local waterways. Controlling livestock access to streams is another important BMP that some ranchers have followed. Irrigation canals and pump systems, which pull water from the river and transport it across the broad valley, have also been vital aids. Indeed, the enormous effort put into creating the irrigation system turned the desert into a productive agricultural area. But these structures can complicate water habitat health. When BMPs are not applied, the water warms after returning to the river via the canals, possibly causing an increase in sediment and nutrient loads.

Can you identify some of the pollution sources that might affect the water quality of lakes near Foresttown or the river in the Meadowville area? Where might the water quality be better? Or, perhaps after studying the water, you might find that the quality is different, but not necessarily better or worse in either area.

Develop a Research Tool

In addition to the usual 4-H presentation, we expect you to develop one of the following record types of your field investigations:

- Design Portfolio
- Engineering Notebook
- Field Journal

The exact "look" or content style of your portfolio, notebook, or journal is less important than the completeness to which you faithfully document your learning experiences as you progress through the program. These are commonly used types of project documentation. Do what feels right for you; the goal is to capture all the work that you did for this project in an easily accessible and organized format.

Remember, the research tool you create will house and show your work, including drafts of your maps and any and all of your reflections as you work through each assignment.

In addition to your portfolio/notebook/journal, you will also develop and keep a regular 4-H Record Book.



Figure 13. Shoshone Falls at high water. *Photo Credit: Jim Ekins.*



Figure 14. Portfolio/Notebook/ Journal example. *Photo Credit: Marcie Galbreath-Rawls.*

Research Tool Option 1: **Design Portfolio**

A person with a more **artistic bent** might develop a design portfolio, heavy on labeled drawings, sketches with written descriptions, and other images with some context. There are many ways to create a design portfolio, including using a 3-ring binder, plain paper (no lines) drawing journal, or hardcover composition notebook. Whatever you choose, it will need to have enough pages to complete this three-year curriculum. Make sure you create a label for your portfolio—include your name, 4-H club or other affiliation, title: *Wildlife and Water Habitats Curriculum Design Portfolio*, and any other identifying information.

Research Tool Option 2: **Engineering Notebook**

A person with a more **mathematical mind** might develop an engineering notebook with formulas, graphs, tables, and scale drawings, again with notations and context included. Like the portfolio, there are many ways to create an engineering notebook. You can use a hardcover or softcover graph paper notebook, 3-ring binder, plain (drawing) or lined (writing) journal, or hardcover composition notebook. Whatever you choose, it will need to have enough pages to complete this three-year curriculum. Make sure you create a label for your notebook that includes your name, 4-H club or other affiliation, title: *Wildlife and Water Habitats Curriculum Engineering Notebook*, and any other identifying information.

Research Tool Option 3: **Field Journal**

A person who **likes to write narrative descriptions** might develop a field journal with written reflections about her/his experiences, but also include sketches, drawings, and mathematical formulas. There are many ways to create a field journal, including using a plain (no lines) drawing journal, hardcover or softcover graph paper notebook, 3-ring binder, or journal you create from scratch (described at the beginning of this *Procedure* section) using cardstock (or other equally thick paper) for the cover and plain paper for the inside. Whatever you choose, it will need to have enough pages to complete this three-year curriculum. Make sure you create a label for your journal that includes your name, 4-H club or other affiliation, title: *Wildlife and Water Habitats Curriculum Field Journal*, and any other identifying information.

CHAPTER 4:

Watersheds

WHAT IS THE WATER CYCLE?

ACTIVITY 11: THE WATER CYCLE GOES ROUND AND ROUND

EXPLORING YOUR WATERSHED

ACTIVITY 12: BASIC WATERSHED MAPPING

FUNCTIONS OF WATERSHEDS

ACTIVITY 13: ADVANCED WATERSHED MAPPING

WHAT IS THE WATER CYCLE?

Emily pours a glass of water on a warm, late summer day, as does Logan a couple hundred miles to the north. Neither really thinks about where the water comes from nor the endless journey around and around the Earth it travels—they simply enjoy a cold, refreshing glass of water.

Last spring, Emily and her family traveled to Falls Park, on the river. They marveled as the rapids poured over the falls, causing clouds of mist to rise well above its lip. Amid its roar, she didn't even think about the high mountain source of much of that water, dozens of miles away. Around the same time, Logan walked down to a nearby lake to gape at its vast body of water, yet he also never stopped to think about its origins and how its outflow travels down the river past more communities. Neither of them ever realized that these waters eventually come together hundreds of miles downstream to reach the ocean. Even more significantly, the pair also didn't realize the cyclical nature of water: that all of this water ultimately circles back and fills the rivers and lakes over and over again, enabling them to quench their thirst.

But that lack of understanding is about to change, ever so gradually, for Logan and Emily. Their school year starts with basic lessons about the water cycle, how water moves around the Earth: On a geologic timescale, all of Earth's water has been circulating since shortly after the planet formed—it is used and reused over and over again. In fact, no new water exists on Earth (check out the 4-H curriculum, [There's No New Water!](#) for a more in-depth study of the water cycle). Like most people, Logan and Emily have a lot to learn about the water cycle before they can fully grasp it. After the initial lessons, they still don't really think about where the water all around them comes from and goes to. Nor do they think about what might affect the water or how they might affect the quality or quantity of water.

Anticipated Time

60–90 minutes

Learning Objectives

- To describe the concept of the water cycle, by drawing or explaining how water moves around the Earth and is recycled on a large scale

Materials

- Paper of any size (the bigger the better, up to poster size)
- Markers/crayons/colored pencils

LEARNING/INQUIRY ACTIVITY 11: THE WATER CYCLE GOES ROUND AND ROUND

Procedure: Make a Poster

Learn about the water cycle. Draw the water cycle in your portfolio/notebook/journal or on a large piece of paper. You can find an example at the US Geological Survey's (USGS) website: <https://water.usgs.gov/edu/watercycle.html>. You can find another USGS water cycle poster to print in appendix 3, Water Cycle Poster. Make sure your poster includes and describes all four major parts of the water cycle (evaporation, condensation, precipitation, and runoff) and that it demonstrates how water flows across the landscape. Be sure to include the following vocabulary terms and concepts:

- | | | |
|-------------------|---------------------|--|
| • Evaporation | precipitation forms | • Glaciers/snow/ice |
| • Transpiration | • Runoff | • Plants/vegetation |
| • Condensation | • Infiltration | • Human uses (a well, an impoundment, an irrigation channel, etc.) |
| • Clouds | • Groundwater | |
| • Precipitation | • Streams | |
| • Rain/snow/other | • Lake/pond | |

Let's Do It!

Think about all the places around the world, especially around the area with which you're most familiar, where water can be found. In your portfolio/notebook/journal, or on a large piece of paper, draw the water cycle in the way you understand it. Your version might be very different from other members, since we all find water useful in different ways. Also, water moves around the Earth through many different pathways; sometimes water gets stuck in the ocean, in an aquifer, or in a glacier for many years. Other times, it moves long distances in a short time. Be ready to explain why you emphasized any given water-cycle part or feature.

Reflection

Think about how the water cycle looks in your hometown. Squint your eyes a little and see if you can identify places in your county or town that might fit within your water-cycle drawing. Add some place names to your water-cycle drawing if they seem to fit. You might want to ask a local water expert to help you think about the water cycle as it applies to your area. Local water experts can be found at a local irrigation district, your town's (or the nearest town's) water department, the town's wastewater treatment plant, a fish and game or other natural resources management office, an agricultural pump supply or well-drilling company, or at a University Extension office. Ask the expert thoughtful questions: how the water cycle affects their job, what part of the water cycle they pay the closest attention to, how they got their jobs, and if they have advice for a member who might want to work in a similar job. Maybe ask whether your water-cycle diagram is accurate or if they have any recommendations for adding more or other details.

Notes:




Figure 15. National Resources Conservation Service (NRCS) depiction of the water cycle. Source: NRCS.

EXPLORING YOUR WATERSHED

The school year included even more about how water flows across the landscape. Logan and Emily learned what happens to water after it falls as precipitation. The places they live in look very different. But they soon realized that each of them lives in a watershed. Understanding just what the word *watershed* meant proved challenging.

For instance, both live in the same watershed. A watershed is sometimes called a river basin. Big watersheds are made up of smaller subwatersheds. Logan learned that he lives in the Foresttown River watershed. Emily lives in the Meadowville River watershed. However, all the water in both of their smaller watersheds eventually flows into an even larger river. That river continues on to the ocean.

A watershed is an area of land that contributes water to a specific point. That point is usually a well-known place on a creek, river, or lake. Watersheds are separated by high ground like ridges or mountains. Like any other feature on the landscape (towns, roads, streams, etc.), watersheds can be mapped and measured. To better understand watersheds, look closely at the ridges that surround each creek. The high ground directs how creeks flow across the landscape and form larger bodies of water (rivers and lakes).

Notice where precipitation falls along a ridge. Some trickle down one side of a ridge while some go down its other side. This separates the flow to reach different streams. The two watersheds remain separate until the two streams flow together, or flow into a common water body, like a lake or bigger river. At this point, the two watersheds have connected within one, larger watershed.

In this way, watersheds are “nested.” That is, smaller watersheds are part of a larger network. Streams are connected and they come together to form larger basins. A tiny stream near the top of a ridge might have a watershed of only a few acres. The Columbia River flows into the Pacific Ocean at Astoria, Oregon. The watershed’s total land area is 259,000 square miles (668,000 square kilometers).




Figure 16. Watershed diagram. *Courtesy of Noah Kroese.*

Emily’s Meadowville River watershed is less than half that size. It is 108,000 square miles (280,000 square kilometers). Logan’s Foresttown River watershed is smaller. It is 25,792 square miles (66,800 square kilometers). The combined area of the Meadowville River and Foresttown River watersheds is still a lot of land. It is 133,792 square miles (346,800 square kilometers).

LEARNING/INQUIRY ACTIVITY 12: BASIC WATERSHED MAPPING

Procedure: Create a Basic Watershed Map

Learn about your watershed by using observational skills learned from section 1, chapter 1 (“What Is a Habitat?”). Where does water come from? On another page, or two-page spread, of your portfolio/notebook/journal, hand draw a map of your watershed. List and locate where you can find water in your watershed.

As you draw your map, identify potential pollution sources. Which places might have better water quality? Or, possibly a better way to think about it, perhaps the water quality is different in each place, but not necessarily “better” or “worse.”

Let’s Do It!

First, define “your watershed.” You may choose to define your watershed based on a local stream or for any other scale (like two local streams that converge or a larger river) that works for where you live. Remember that the smaller the watershed area you choose, the more local detail you will be able to add to your map. The larger the watershed area means you will need to add fewer details from more distant places.

Where are the boundaries of your watershed? Can you figure out how big the watershed is? Some online mapping websites have watershed information. Look up “Waters GeoViewer” (<https://www.epa.gov/waterdata/waters-geoviewer>), on the thumbnail map, click OK, and enter your town name into the “Find surfacewater or place” search bar at the top right. Then click on the “Feature Layers” expansion arrow at the left to find and then turn on “Surface Water Features.” Next, click the expansion arrow next to “Surface Water Features” to find the “Hydrologic Units” tab so that you can activate (with a click/check) the lines showing watershed edges; lastly, zoom into your watershed. As you zoom in and out, smaller and/or larger watersheds will appear, nested within yet larger watersheds. Smaller watersheds remain hidden until you zoom in. With the cursor inside any watershed boundary, a mouse click will bring up information about the watershed, including its size. In the United States, land is usually measured in acres, but the GeoViewer also provides the area in square meters, too.

Locate political and geographical boundaries precisely, plus the locations of streams and roads. Locate your house and your school. See if you can locate your friends’ houses and other landmarks that you are interested in. Locate all the land uses you can think of (farms, ranches, forest areas, towns, etc).

Once you are satisfied with your map, be sure to add a note or explain how your watershed is nested within larger watersheds and what are the neighboring watersheds. Keep in mind that the next activity will require you to redraw your map.

Reflection

Think about how much water falls on the land area of your watershed. Answer the following questions on another page of your portfolio/notebook/journal:

- How much precipitation (inches of rain) falls where you are?
- How does that precipitation fall (as rain or as snow)?
- Does more fall in some places than others?

See appendix 2, Advanced Activity 1 to learn how to calculate the total volume of water that falls as precipitation within your watershed.

Anticipated Time

60–90 minutes

Learning Objectives

- To describe the concept of a watershed
- To comprehend that everyone lives within a watershed, that watersheds are nested, and that we all live downstream from a potential pollution source

Materials

- Paper of any size (the larger the better, up to half poster-size)
- Markers/crayons/colored pencils
- Maps and other sources of information (to help draw the boundaries of the watershed and to fill in the details of what’s going on within the watershed)

FUNCTIONS OF WATERSHEDS

Logan and Emily continued to learn about watersheds. They thought a lot about the watershed in which they live. They realized that studying watersheds is a useful way to learn about their communities. It's also fun to think about how their communities developed around the water that was available to early settlers.

Logan looked around at the mountains that feed water to the lake. He thought about how Foresttown and other nearby towns are situated on the more level lands between the mountains and the lakeshore. He recognized that small streams flow through parts of these towns as they wend their way from the mountains to the lake. But the small streams did not curve around the valley bottom. Instead they were straightened along streets and fence lines. Soon he started to wonder how all the hubbub of the city streets and parking lots affects the streams.

Emily looked around instead at the irrigation canals that deliver precious water to local farms. She also noticed the mountains and the more level agricultural lands that lay below their base. Something sparked her curiosity. Somehow the canals are able to bring water to farmland that is far away from and at a higher elevation than the river. She knew that water can't flow uphill. So how, she wondered, does it get up there from the river?

Logan and Emily next learned about how people have worked the land for thousands of years. American Indian tribes managed the landscape with fire and agriculture to increase their food sources. They also managed land to improve transportation routes. Later settlers used other means.

They also learned about their state's geology. Geology affects agricultural development. Northern landscapes vary greatly from southern areas. There are more forests in the north. There are grasslands, meadows, and farms farther south. The first farmers in the southern parts only had meager stream water from the hills to irrigate crops and water livestock. But irrigation projects arrived later to help convert larger areas of land into farms and dairies.

Think Like a Hydrologist

Watersheds help everyone. There are many water users in every watershed. Land managers, town leaders, farmers, ranchers, and irrigation district staff understand the value of water. They all have to find ways to share water. Hydrologists are scientists who study how water moves through a landscape. Hydrology is a complicated science. There are many ways for water to flow through a watershed.

For these chapter activities, you need to think like a hydrologist. With practice, you will look at your watershed and understand the behavior of water through it. You'll need to consider the role of topography, terrain, even basic plant biology. One of the ways water "moves" is by evaporation or transpiration. Evaporation is when water turns into a gas. This usually happens to water on the Earth's surface by adding heat from the sun. From there, it can change again, often into rain, and fall somewhere else. Water taken up by plants also returns to the atmosphere through transpiration. Transpiration resembles perspiration in people. Water evaporates through small pores on the underside of leaves.

In the western United States, snowfall is stored in the mountains until it thaws in the spring and summer. Some of the precipitation filters into the soil and is used by plants. But some of it flows even deeper into groundwater. Here it flows slowly, trickling within small spaces, like rock cracks, and between sand grains and other deep soils. The underground flow into an aquifer or groundwater is vital for the watershed. This supplies water for everyone, even in the hot, dry summers. In the eastern United States, rainfall spreads throughout the year, so the snowpack is a less critical water storage.

Streams are important paths for the movement of water through a watershed. Some streams look dry during the summer. But water naturally seeps into the ground to recharge the aquifer. Losing water into the ground from the stream's bottom is called a "losing reach." The stream is leaking water into the aquifer. Aquifer water reenters the stream farther down in "gaining reaches," where the stream obtains water from the ground.

Thus watersheds cyclically capture and transport water across a variety of landscapes. They also store and slowly release it. Water can be stored temporarily in the soil, like how a sponge soaks up water and holds it. Then, over time, gravity pulls the water downhill through the soil. The process eventually cycles the water into streams and lakes. Water can keep cycling again through groundwater and return via springs. In fact, streams are usually located where the level of the groundwater intersects with low points on the landscape.

LEARNING/INQUIRY ACTIVITY 13: ADVANCED WATERSHED MAPPING

Procedure: Create an Advanced Watershed Map

Take some time to imagine how water flows through the ground. Add details to your watershed map to visualize where water exists on the map and how water flows across the landscape. In a sense, you will become a hydrologist for a short time.

Let's Do It!

Using your previous watershed map as a rough draft, build a new, revised, and neater watershed map with details about how water moves through the watershed, how and where water is used, and other landscape details. Add the details from the watershed map you started in the previous activity by redrawing it on a larger sheet of paper or poster board and preparing to include the items from this activity. Suggested items for inclusion:

- List and identify on your watershed map where you can find water in your watershed.
- List and identify on your watershed map the different ways humans use the landscape and how water supports these uses. Note historic and current uses of the land and the water. Make a list of all the human uses of water or "beneficial uses" within the watershed.
- Identify where forests exist (if they do exist in your watershed). Where are farms? Where are cities?
- List and identify where water is stored for future use, including soil moisture, groundwater (aquifers), and surface lakes and ponds.
- Identify irrigation canals and rivers. If you can, add smaller tributary streams that flow out of the high country.

Reflection

The next time you are outside or are in a car, look at the landscape around you. Find the highest ridges you can see. Try to see the lower ridges, and even high areas, in a relatively flat landscape. Imagine water flowing from those high to low areas. Notice that streams flow downhill while irrigation channels flow across slopes to deliver water to as many farms as possible. Notice that mountain streams or streams in steeper hills are relatively

Anticipated Time

60–90 minutes

Learning Objectives

- To learn various ways water moves through the watershed
- To learn the beneficial uses of water in the watershed

Materials

- Half sheet of poster board (a half sheet of standard poster board, 14" x 22")
- Markers/crayons/colored pencils
- Maps and other sources of information to help draw the boundaries of the watershed and to fill in the details of what's going on within the watershed.

CHAPTER 5:

Water Quantity and Quality

HOW DO WE USE WATER?

ACTIVITY 14: WATER-USE CALCULATIONS

WHAT IS WATER QUALITY?

ACTIVITY 15: PHYSICAL/CHEMICAL WATER-QUALITY ASSESSMENT

WHAT IS WATER POLLUTION?

ACTIVITY 16: WATER-QUALITY ISSUE REPORT

HOW DO WE USE WATER?

Logan and Emily have learned a lot about the water that flows across the landscape where they live. They've learned its origins, where it goes, and how it all cycles back. Over time, water flows across the landscape again and again. They also learned a little bit about the many uses of water for agriculture, industries, and people.

One day Emily poured a glass of water from the tap. She noticed that the water flowing into her glass was very clear. She wondered why this water was safe and tasty to drink. She wondered how it came to be that way. She brought this thought up with Logan the next time they talked.

They struggled to understand why some water was okay to drink and other water was not. Logan thought that his tap water came from a well. The well pulled water from an underground source. This groundwater was naturally filtered through soil and therefore cleaner. But all water on Earth cycles everywhere. So Emily figured that the water that is currently underground must have been aboveground at some point.

Logan wondered why it was okay for animals to drink stream water, but not people. He and Emily noticed that most livestock in their areas preferred clear water pumped to a stock tank than muddy water from the closest stream. Cows on Emily's neighboring farm walked farther to drink clean water. They rarely scrambled down the bank to drink muddy creek water.

Logan was also curious if irrigation water quality affected crops. He heard that some industry sectors required extra-clean water for manufacturing. He wondered how that was possible. How did industry find clean water before treatment plants produced it? Are there places where water is clean directly from its source?

During their phone calls, Logan and Emily told each other how much they enjoyed spending free time near the lakes and rivers near their homes. The look and feel of the landscape by the Meadowville River, Foresttown River, or local lake, brought each of them peace. Streams and lakes provided them with a quiet, reflective place. These shoreline spaces were entertaining, too, with ducks and fish and bugs and all sorts of sounds.

One day, a water manager came to the classroom and gave a presentation. It was about how water is transported and used within the city. Emily and Logan learned to protect their water source by understanding how they use water inside and outside their homes. From that knowledge, they could find ways to reduce their water use. You can do this exercise, too, by remembering the scientific method you learned in the section 1, chapter 2, Science in Action subsection. The water-use calculator (see instructions below) will help you to do that.

LEARNING/INQUIRY ACTIVITY 14: WATER-USE CALCULATIONS

Procedure: Calculate Your Water Use

Carefully read the following instructions from appendix 1, Indoor Water-Use Calculation Instructions and Outdoor Water-Use Calculation Instructions. In this activity, you will calculate all the water you use inside and outside your house each day. But before you begin it, read through the questions listed below. Then work with everyone in your household to calculate how much water your entire household uses each day. The tables in appendix 3, Indoor Water-Use Calculation Table and Outdoor Water-Use Calculation

Anticipated Time

4 hours (2.5 hours indoors, 1.5 hours outdoors)

Learning Objectives

- To describe how water is used domestically, both inside the home and outside the home
- To describe how water is also used in agriculture, industry, power generation, and other societal uses
- To explain why some water is left in the streams for fish and wildlife

Materials

- Measuring cup(s)
- Containers of known volume (like buckets, gallon jugs, quart and/or pint jars)
- Stopwatch or timer
- At least 8 tuna-type cans (cat food cans or other similarly shaped cans)
- Information about your household's appliances

Table, give you an idea about how to set up your own data tables, but they may not be perfectly suited for your situation. In that case, follow the structure of these tables to create your own, preferably using a computerized spreadsheet. You may add columns or rows as needed to neatly collect and write down your water-use data. For instance, you may wish to add columns for each of your family members and/or other people who currently occupy the house. You may also identify additional water usage not mentioned in the text and tables above; in that case, determine the amount of water typically used in an average household for that new use and calculate the amount of water used in your household to the best of your ability.

Let's Do It!

Wasting Water? Or, Using Water Wisely?

1. Form a hypothesis: In your portfolio/notebook/journal, try to guess how much water you think you use in a day. Note that a big soda bottle is 2 liters or about a half gallon. You probably know what a 1-gallon milk jug looks like; same with a 5-gallon bucket. Record your prediction in your portfolio/notebook/journal (in liters or gallons).
2. In your portfolio/notebook/journal, write down each daily activity during which you use water. You may also use the data sheets/forms you've created or that are provided in the calculation instructions from appendix 1.

Note: if you use separate data sheets for recording, include them in your portfolio/notebook/journal.

3. Use the charts in appendix 3, Indoor Water-Use Calculation Table and Outdoor Water-Use Calculation Table to calculate the water used for each activity.
4. Calculate the actual amount of water your household uses indoors daily. Record the amount in your portfolio/notebook/journal.
5. In your portfolio/notebook/journal, create a chart or spreadsheet to determine how much water your family uses on the lawn and for any other outdoor use on a given day. If your parents wash a car once a week, for example, you can divide that water use by 7 to average the usage out per day (it's not really fair to calculate washing a car every day if it's only done once a week). Make sure to add a space in the table for determining how much water your family uses for washing cars and other outdoor items.
6. Calculate the amount of water used outdoors in a day. Write that down in your data sheet.
7. Add your indoor use to your outdoor use. This will provide a close estimate of your total water use each day. Write that down in your data sheet.
8. Compare your results with the prediction you made in your response to the first question, above. In your portfolio/notebook/journal, reflect on them: How did your prediction compare with your findings? Did anything surprise you?

Note: Lawn irrigation isn't the only way we use water outside the home. In fact, many houses don't have lawns! Or, if you live in an apartment, you might not be able to do this activity without contacting the apartment management. Additionally, your family might irrigate some plants using drip hoses or some similar method. If you have a garden, your family might use other types of irrigation techniques. If your parents wash their cars in the yard, that is a significant use of water. You can roughly determine how much water your family uses for each of these via the techniques suggested above or via the following: For instance, determine how much water comes out of the hose per minute by using a stopwatch to measure how long it takes to fill a bucket of known volume. Then, time how many minutes your parents keep the water on while washing the car. Drip hoses and emitters will be difficult to directly measure the water output, but you might be able to figure out a way to calculate those

WHAT IS WATER QUALITY?

Logan and Emily soon noticed that the latest assignments strengthened their understanding of their watersheds. They were more aware of how humans use the landscape. They understood more about how water flows across the landscape. They more easily appreciated that it's a cyclical system.

The water cycle directly relates to how people use the land. Knowing the local water cycle helps them understand how they are connected to farms, forests, and the high country.

While driving around with their parents, they started to notice that water flowing in the mountains “looks” different than the water that flows through the lowlands. Mountain streams were clearer, with rocky stream bottoms. Water in lowland streams often appeared cloudy or took on the color of the soil it flowed through.

River and lake water also looked different to them. River water often looked cloudier than lake water. But sometimes, especially in the heat of summer, water in smaller lakes looked greenish and not clear. Captivated by their observations, they began to write to each other about their observations. Their best notes were all about the streams, rivers, and lakes located near each of their homes.

Logan started off by focusing on Foresttown Lake. He wrote that it is big and deep and often seemed to be clear. Sometimes the lake was cloudy near the shore where streams flow in or when a storm seems to kick up bottom sediments. The stream that flows into the lake explained some of the lake's cloudy appearance. It is sometimes muddy, with what looks like soil that eroded from somewhere upstream.

He also noted that the river flows out of a large area of the neighboring state. Smaller streams and rivers flow from the mountains and feed the lake, too. He learned that one of these streams supplies some of Foresttown's water.

Emily focused her letter on the Meadowville River. She wrote how it, too, begins in a neighboring state. As it flows into her state, streams and smaller rivers add to its flow. Some of the stream water leaks into the ground, recharging the aquifer (sometimes called “groundwater”). Eventually, this water, she learned, resurfaces into the river from springs located along the river's edge.

She also learned that river water reaches farms across the valley in irrigation canals. River water is diverted to a canal with a small structure in the river. The structure pushes some water into the canal. A small amount of water remains in the river for the fish and aquatic bugs that live there.

You have heard about the concept of “water quality.” But what is water quality, anyway? Can you define it? It is not too easy or obvious. Water quality is a relative term. That is, water quality can still be acceptable for one use, but not for another. Water quality can be acceptable in one location but not in another. Indeed, water habitats vary widely among different types of water bodies, which complicates its meaning.

The rest of the activities in this book will help you to appreciate that complexity. The next activities focus on water quality. You will learn how to measure different habitats in water bodies. You can explore how water quality affects different water habitats.

You will learn some basic water-quality testing methods. You will also investigate some living creatures that live in our waterways. You will focus mostly on macroinvertebrates (aquatic insects, snails, etc.). Their presence or absence tells us about the health of a given body of water. The macroinvertebrates and the habitat you find hint strongly at water quality.

You will also learn other important water-quality measurements. A criterion (singular for criteria) is something about the water's biology or chemistry that can be measured. Scientists use criteria to develop water-quality

assessments. An example criterion is the amount of dissolved oxygen available for fish. Water contains many dissolved and suspended substances. Some of these are good for fish and some are bad. So conditions like these need to be measured.

Natural processes constantly add substances to surface water. Rocks break down, plants drop leaves and stems, and soil erodes away. People add other pollutants, like drops of oil from cars. Pollution can enter a waterway from hard surfaces like rooftops and parking lots. These “impervious surfaces” prevent rainwater from filtering through soil. Without soil as a filter, pollution all too easily flows directly into the nearest stream or lake.

Managing water carelessly reduces its quality. It also reduces water availability. The US Environmental Protection Agency provides standard criteria or “standards.” States can improve on the criteria or just use it as is.

Standards are set so that streams or lakes support beneficial uses. If the stream does not meet the standards, it does not support the beneficial uses. It is considered “sick” and a prescription is written for it, as a doctor would write a prescription for you when you are ill. In either case, if you follow the prescription, conditions should improve.

Each state has an agency dedicated to protecting water quality. It might be something like the Department of Environmental Quality. That agency identifies beneficial uses for all lakes and streams. The agency sets standards for one beneficial use in each lake or stream. It’s the beneficial use that needs the cleanest water. The water quality must meet the standard for that beneficial use.

For instance, a stream provides irrigation water. But it also provides habitat for trout (a cold-water fishery). Irrigation water needs a lower level of quality than do trout. Trout habitat is the beneficial use that needs the cleanest water. So water-quality criteria are based on that highest beneficial use.

Protecting water quality benefits more than just the fish. Idaho Department of Fish and Game found that “anglers spent \$438 million in direct expenses 400,800 anglers each spent an average of ... \$112 per day ... [on] 10 days of fishing” (<https://idfg.idaho.gov/press/survey-fishing-has-major-impact-idaho-economy>).

Some criteria are easier to measure. You can use simple equipment for temperature, pH, and clarity. Other criteria are harder to measure. Nutrients and dissolved oxygen need better equipment. We will assess streams and ponds with easily available equipment.

Throughout this activity, think about what influences water quality. How does “stuff” get into the water? Focus on the concept of “assessment” more than “criteria.” But remember that criteria allow us to compare assessments from one place to another.

A few safety rules: Overall, always consider your well-being your top priority.

- Always conduct monitoring with a “buddy” or team member and an adult. Never approach streams alone.
- Always let an adult know where you are going and how long you will be gone.
- Use caution when entering a stream, making sure you can get out, that the current is not too strong, and that the bottom will support you safely.
- Do not attempt to enter water if the stream is too deep. As a general rule, above your knees is probably too high.
- Always conduct monitoring during daylight hours.

- Wear waders or river shoes (old tennis shoes) to avoid cutting your feet on submerged glass, metal, or sharp rocks.
- Be aware of possible dangers, such as poisonous plants, unstable banks, wildlife, stinging insects, and livestock.
- Dress appropriately for the weather. Know how to recognize the signs and symptoms of both heat exhaustion and hypothermia and know how to treat them. Most importantly, know how to prevent them.
- Wash up thoroughly with hot water and soap when you get home.

If you are monitoring in areas with potential contamination, such as mine wastes or harmful cyanobacteria (blue-green algae) blooms, you may want to participate in additional safety training before entering the stream.

LEARNING/INQUIRY ACTIVITY 15: PHYSICAL/CHEMICAL WATER-QUALITY ASSESSMENT

Materials

- Monitoring Plan form (see appendix 3, “Monitoring Plan Worksheet,”; complete this before you begin monitoring your water body)
- Assessment form (see appendix 3, “Physical/Chemical Assessment Form,”; also, you might print it on “Rite in the Rain” Paper)
- Clipboard, pen or pencil
- Thermometer (any waterproof thermometer should work, not the bimetal type with a dial, but the liquid-filled type works best. You can also use a digital-probe type, too, if you have one handy)
- Transparency tube if you are assessing a stream (see instructions for building one below) or Secchi disk if you are assessing a lake or pond (Oklahoma State 4-H program has good instructions for making a Secchi disk for measuring lake water clarity: https://agriculture.okstate.edu/departments-programs/natural-resource/extension/4h-natural-resource/site-files/documents/4-h-sportfishing-aquatic-ecology/7c_homemade_sampling_gear_secchi_disk.pdf)
- pH Test strips or a pH meter: any test strip used for aquariums, pools, or hot tubs will work. University of Idaho Extension’s IDAH₂O program uses a specific type that works better in “un-buffered” solutions and can be purchased directly from the Hach company: <https://www.hach.com/ph-test-strips-4-9-ph-units/product?id=7640211607&callback=pf> (pH meters can be purchased from a number of online stores. Your local Extension office might have pH meters or strips available for checkout.)
- Meter stick (you can use a yardstick, but you will need to recalculate your measurements into metric units)
- 30-meter (100-foot) tape measure
- Clothing appropriate for the weather and stream
- Tennis ball with string to measure stream velocity (but any floating object, measured over a given distance, will work)

Anticipated Time

4 hours (2 hours planning/prepping, 2 hours outdoors)

Learning Objectives

- To list and describe how beneficial uses of water are impacted by water-quality standards
- To perform specific water-quality tests and document the results



Figure 17. Always monitor water quality with someone else present. Photo Credit: Jim Ekins.

Procedure: Assess Water Quality

Use the “Physical/Chemical Assessment Form” located in appendix 3 to help you organize your water-quality assessment. Detailed directions and reporting procedures for each assessment are found in appendix 1, “Physical/Chemical Assessment Instructions.” These assessments are adapted from the statewide IDAH₂O Master Water Stewards program, a University of Idaho Extension citizen science volunteer program.

Let’s Do It!

Before you get started, you’ll need to do some planning and pre-preparation. Add the water site whose water quality you’ve chosen to assess to the Master Water Stewards (MWS) on-line system for collecting water-quality data. You will also need to spend some time thinking through why and how you will do the monitoring, so that you can be more efficient—that is, avoid duplicating someone else’s efforts. Please email the MWS Program Coordinator (idah2o@uidaho.edu) about your intent to start monitoring, then answer the questions in the Monitoring Plan Worksheet, appendix 3 to plan out your activities.

Use the monitoring plan questions to build your outline. Send your answers via email to the MWS Program Coordinator (idah2o@uidaho.edu). You will need to receive permission before you can begin monitoring. The MWS program will assign your site a site number and will enter it into the system, which is used by trained volunteers known as Master Water Stewards. You will also receive a username and password to access the MWS data upload webpage. Once the MWS Program Coordinator has granted you permission, begin monitoring your site. Using the “Physical/Chemical Assessment Instructions” found in appendix 1, conduct your assessment; enter your findings on the “Physical/Chemical Assessment Form” from appendix 3. Each time you collect monitoring data at your site, you will also need to enter the data from the form into the online site. The online form looks just like the form, so your copying it off should be a fairly simple, though repetitive, task.

We recommend monitoring no more than three sites; furthermore, we suggest that you start with only one and then work your way up to a second and maybe a third site after the monitoring techniques have become more familiar and your confidence about your ability to do it properly has grown.

Reflection

What were your first impressions of the water quality at your monitoring site? In your portfolio/notebook/journal, reflect on the following prompts:

- Did the water quality appear better or worse than you had thought before you measured it?
- Do the data support your initial opinion about the water quality?
- Write down all your thoughts about how you felt about the water body before and how you feel about it now within the context of what you know about the watershed in which it’s nested.

Notes:




Figure 18. IDAH₂O web data upload application. Here’s where you will go to upload any water-quality data.

WHAT IS WATER POLLUTION?

Emily and Logan are on quite the journey in learning about water habitats. They never knew how complex the subject of water could be. They can now describe how water flows across the landscape and around the world. They learned how people use water in many ways. They better understand how they each use water themselves. They are capable of conducting objective studies of the water quality of streams and lakes. They can also determine some of the basic physical properties of water bodies.

One day, Logan read a newspaper article about a faraway chemical spill. The spill had killed a lot of fish. It had rendered the river unfit for drawing drinking water. The story sparked his interest in how people can affect the quality of water in lakes, rivers, and in the ground.

He searched for the history of humans and water quality. It turns out that people have frequently damaged streams, lakes, and groundwater. Sometimes it was accidental and sometimes it was intentional.

He shared with Emily an old story about rivers catching fire. Four rivers in the United States caught fire back in the late 1960s. Industries had released large amounts of oils and coal dust into nearby waterways. Emily could scarcely believe that people belonging to a community could be so callous. But Emily and Logan read further to discover that dumping waste into streams was “just the way things were done.” We now know that it is an ugly practice, lacking generosity. But it is sometimes still used to justify similarly risky or questionable acts.

Emily and Logan prepared for a guest speaker in their classes. They worked on separate reports about the history of water resources in different parts of the United States. They found out that the first law to protect water quality was the Rivers and Harbors Act of 1899. This is still in use and some of it is called the Refuse Act.

Before its passage, all sorts of waste debris were simply dumped into rivers without penalty and washed out to sea. These included derelict buildings, solid waste, dead horses and oxen, and other awful things. This practice began to interfere with shipping commerce. Loaded ships could not dock safely because of all the debris floating around. Encroachments like bridges and piers were being installed everywhere as cities grew. This added more hazards for ships. Appealing to people’s generosity through community or incentives just wasn’t working.

The Rivers and Harbors Act was a first step to solve this problem. It prohibited dumping debris or creating channel hazards without a permit. It became the foundation for the Clean Water Act of 1972.

Emily was surprised to learn that the Clean Water Act started as a weak law. Congress passed the first version in 1948. This was right after World War II. It only funded research into water pollution. Researchers discovered that the problem was enormous and complex. Congress passed additional versions of the act during the 1950s and 1960s. By the late 1960s, the problem became even more visible. In 1968, those four US rivers caught fire. *Time* magazine published a cover story about the fire on the Cuyahoga River in Cleveland, Ohio.

News coverage like this caused Americans to grow concerned about the nation’s rivers and streams. Charged by the public outcry, Congress united on the issue. State-by-state legislation was not working. Rivers carried pollution out of one state into another. And the receiving state had no recourse.

Over the next four years, Congress worked together to write the modern Clean Water Act. It got lots of support from all sides of Congress. A big majority passed the new law. It was initially vetoed by President Nixon. But another strong bipartisan congressional vote easily overrode it.

Emily and Logan were impressed after reading parts of the Clean Water Act. It really seemed comprehensive. They discovered that the act’s basic approach is still largely in use today.

It established measurable criteria for how much pollution can be released into waterways. It funded state-of-the-art wastewater treatment plants. This helped to get rid of sewage safely. It provided a standard way to assess pollution in rivers. It established a permit system for cities and industries that need to discharge pollutants.

In case that wasn't enough, it established a system of fines for entities that put too much pollution in the water. Many water bodies recovered from decades of pollution.

But then they learned that the recovery slowed after about a decade of success. The act addressed only one type of pollution. *Point source pollution* comes from a single location. There is a second type of pollution called *nonpoint source pollution*. This is sometimes called *stormwater*. This pollution is sneakier, harder to manage.

Nonpoint source pollution starts from many places within a watershed. Small amounts from a broad area are concentrated in streams and lakes. It is difficult to measure and track. Regulations are rarely effective at stopping nonpoint source pollution. Congress learned that naturally treating nonpoint source pollution is the most effective. Congress passed updates to the act in 1987. This revision funds more eco-friendly projects. These include stormwater pollution settlement ponds and engineered wetlands.

The revised approach has proved quite durable. Today, the Clean Water Act remains very much the same as its 1987 version. Its policies continue to protect our water resources in very efficient and effective ways.

Logan and Emily were exhausted but invigorated by all of this research. They brought their respective history reports to class. They felt well prepared for their guest speaker.

An educator from the water department visited each of their classrooms. They learned that one week in early May is called Water Awareness Week. The water expert described how the Clean Water Act protects water quality and how pollution impacts water. The expert explained that the genius of the act is how it defines pollution. The act regulates pollution so that it does not adversely impact a water body's uses.

The educator listed some of the types of beneficial uses: agriculture; domestic water supply; aquatic life, like fish; wildlife; and even aesthetics. Each of these are protected by the Clean Water Act of 1972 and 1987. The educator stressed that every water body helps to support many of these important uses. She said that the agency designates each stream and body of water in the state as a source for several beneficial uses.

Water-quality requirements are based on the use needing the cleanest water. For instance, a stream provides irrigation water. But it also provides habitat for trout. Trout need clean, cold water. Irrigation water needs a lower level of quality than do trout. Trout habitat is the beneficial use that needs the cleanest water. So water-quality criteria are based on that highest beneficial use.

She provided other examples of beneficial uses. Water managers work hard to determine which beneficial uses a water body should support. They must consider many factors. They look carefully at how people use the water. They also look at all the living things that use the water. They study how the water body can support those uses into the future.

Some water bodies naturally support cold-water aquatic life. Some support swimming. Swimming is a type of primary contact recreation. That means that a person goes into the water and might even ingest a few drops accidentally. So the water quality has to be good. Others are only good enough for warm-water fisheries and boating. These are types of secondary contact recreation. Secondary contact recreation means a person is near the water, but without a lot of contact with the water. They also made it clear that using the natural stream or pond to dilute wastewater or pollution is never a beneficial use.

Few water bodies are managed for all beneficial uses. But all water bodies are managed for more than one beneficial use. Water agencies set minimum water-quality criteria for each stream or lake. The criteria is set so the water body supports the most sensitive beneficial use. The agency's educator closed by asking the students which beneficial use mattered most to them. Then she asked how pollution might affect that.

Aquatic Life

Animals and plants also use water and, of course, the fish and aquatic bugs they eat must have enough water to live in.

- **Cold water:** Water quality appropriate for the protection and maintenance of a viable aquatic life community (cold-water species)
- **Salmonid spawning:** Provides or could provide a habitat for active, self-propagating populations of salmonid fishes
- **Seasonal cold water:** Water quality appropriate for the protection and maintenance of a viable aquatic life community of cool- and cold-water species, where cold-water aquatic life may be absent during seasonally warm temperatures or tolerant of them
- **Warm water:** Water quality appropriate for the protection and maintenance of a viable aquatic life community for warm-water species

Recreation

- **Primary Contact Recreation:** Water quality appropriate for prolonged and intimate contact by humans or for recreational activities where the ingestion of small quantities of water is likely to occur. Such activities include, but are not restricted to, those used for swimming, water skiing, or skin diving.
- **Secondary Contact Recreation:** Water quality appropriate for recreational uses on or abo Out the water and which are not included in the primary contact category. These activities may include fishing, boating, wading, infrequent swimming, and other activities where ingestion of raw water is not likely to occur.

Water Supply

Public drinking water is treated before it is delivered to the tap; a separate set of standards governs treated drinking water.

- **Domestic Water Supply:** Water quality appropriate for drinking water supplies
- **Agricultural:** Water quality appropriate for the irrigation of crops or as drinking water for livestock. This use applies to all surface waters of the state.
- **Industrial:** Water quality appropriate for industrial water supplies. This use applies to all surface waters of the state.

Wildlife Habitats

Water quality appropriate for wildlife habitats. This use applies to all surface waters of the state.

Aesthetics

This use applies to all surface waters of the state; water is pleasing to the eye, so aesthetics (natural beauty) is important, too.

For more information, check out IDEQ's web page about Beneficial Uses:

<https://www.deq.idaho.gov/water-quality/surface-water/water-quality-standards/>.



Figure 19. Cold-water aquatic life.
Photo Credit: Jim Ekins.



Figure 20. Fishing is a form of secondary contact recreation.
Photo Credit: Jim Ekins.



Figure 21. Water used in agriculture to irrigate crops.
Photo Credit: Jim Ekins.



Figure 22. Aesthetics is an important beneficial use of Idaho waterways. Photo Credit: Jim Ekins.

Other states may manage their water bodies for additional beneficial uses:

Mining	Geothermal	Sediment control
Fishery	Groundwater recharge	Silvicultural
Fire protection	Instream flows	Snowmaking
Dust suppression	Milling	Storage
Culinary	Pollution abatement	Waterfowl
Erosion control	Power/power generation	



Figure 23. Nonpoint source stormwater outflow into a river.
Photo Credit: Jim Ekins.

Water is considered polluted when it cannot support one or more beneficial uses. This is because concentrations of one or more pollutants is too high. Or humans might cause something to be too low in some cases, like dissolved oxygen for fish to “breathe.” As an example, a water body can be designated for drinking water purposes. If some sort of chemical spill occurs, people can’t drink the water anymore. Chemicals can be toxic to people and the toxins cannot be easily removed from water. It would no longer support that beneficial use. Pollution can come from a single point. A person can easily see the source. These can be managed or eliminated. Wastewater treatment plant outfalls are one example. An outfall is where treated wastewater is discharged into a stream or lake. Treated wastewater can retain some bacteria and a higher temperature. Bacteria and excess heat impair a stream’s ability to support beneficial uses. Sometimes point-source discharges are poorly managed. Then the owner or manager can be fined or imprisoned.

Pollution can come from multiple sources. This nonpoint source pollution is difficult to manage. Examples are

- a few drops of oil from cars in parking lots or rubber dust from tire wear on the streets,
- erosion from improperly maintained roads and wearings from brake pads,
- soapy water from people washing cars in the driveway or street, and pet waste not picked up.

These and a long list of other contaminants often mix in with stormwater. This creates complex concentrations of pollution in waterways.

Like Emily and Logan, you will write up a small-scale research project about water quality. Think of this like becoming a “history detective.” How are streams or lakes affected by pollution in your local area? *Local* can be defined as happening in your town, your county, or your region of the state. In your report, describe how you define “local.” Peruse news stories to find a local water-quality problem or issue that is particularly interesting to you.

In your report, you will describe the water-quality issue you found. You will describe the source and type of pollution that caused the problem. And you will describe which beneficial use(s) were impacted. Your report should include how it is relevant to at least one item from each column below. Your report should also include information about how the pollution problem can be solved. Did those affected implement some pollution-prevention best practices or physical barriers? Or did they just clean it up?

Pollution Source	Pollution Type	Impact on Beneficial Use
Point Source	Sediment	Recreation
Nonpoint Source	Nutrients	Water Supply
	Temperature	Aquatic Life
	Petroleum and chemicals	Wildlife Habitat
	Metals	Aesthetics
	Toxins (like PCBs)	

Table 1. Pollution sources, types, and impacts.

Optional stormwater pollution videos for viewing:

- Elementary School: https://www.youtube.com/watch?v=c_6pltuqspo&feature=youtu.be (“Keeping Our Drinking Water Clean Spokane Aquifer,” by Ponderosa Elementary School member, Jordan Neilson) and <https://vimeo.com/51603152> (“Drained: Urban Stormwater Pollution” with scuba diver Laura James)
- Middle and High Schools: <http://www.seattlechannel.org/misc-video?videoid=x24436> (Follows three teens who lose a key down a storm drain. As they search for the key they learn about stormwater pollution in Puget Sound and they discover they can do something about it.)
- <https://www.youtube.com/watch?v=r5OTqjaBPEY> (video with scuba diver Laura James on stormwater and career awareness)
- <https://www.youtube.com/watch?v=bsNjkOgpir4> (stormwater runoff issues and solutions)

Anticipated Time

4 hours

Learning Objectives

- To learn about specific water-quality issues in the local area
- To articulate, through a report, how a water-quality issue happened, which source of pollution the issue is related to, the type of pollution it is, and which beneficial use was impacted by the problem
- To increase investigative and writing skills

Materials

- Newspaper and other news media stories about water-quality issues in the student’s local area (town, county, or region of the state)
- Other informational materials from sources that can be verified as scientific or fact-based

LEARNING/INQUIRY ACTIVITY 16: WATER-QUALITY ISSUE REPORT

Procedure: Research and Write

Write a 2–3-page report about a local water-quality issue or problem. Consider this a research project that you can expand as a larger personal growth project or potentially (if your teacher allows) tie into a school research project.

Note: you will need to add this report to your portfolio/notebook/journal, once you are finished with the final draft.

Let’s Do It!

If you have never written a research paper, you should start with an outline of some sort. The following provides an example of its parts:

Introduction. State the problem you are learning about, why it’s important, how you will approach the research, what are your conclusions, and suggestions for solving or reducing the problem.

Problem overview. In this section, you go into depth about what the problem is, its history, whether it is unique to your area or if it is a global problem happening locally, how it affects your community or favorite swimming hole, etc., and what organization or agency is working to ameliorate (make better) the problem.

Literature review. List and explain the sources of information you used to research the problem or issue. You should include at least five different sources of information; the more the better. Write a paragraph or a few sentences about what you learned about your issue or problem from each article, website, textbook chapter, or expert interview you’ve read or conducted. Organize your thoughts neatly in your writing to help the reader (and you) better understand the issue/problem and to spur thought about possible solutions.

Read a variety of types of information sources. An online “wiki” encyclopedia might be okay for a quick overview and to begin finding additional sources. Newspapers can be helpful, but news reporters are not science experts and often do not accurately report complex science information; sometimes they report only minimally on science topics or rely on opinions. Interviews with experts are very helpful, if you are comfortable talking on

the phone or in person; go into any interview with a list of questions that is approved by your teacher, parents, or other science-knowledgeable or science-minded person. Textbooks can be helpful but are sometimes somewhat out-of-date. Online sources should be carefully scrutinized for scientific rigor (that is, are the articles based on a science research project, on analysis of a variety of science projects, or on opinions?). Generally, government agency websites provide good basic science information about water-quality issues. Nonprofit organizations can provide helpful information online but may carry a bias or may be trying to increase membership by exaggerating portions of scientific research that supports the organization's bias.

After you are done writing about what you've learned from each source, you need to make it easy for the reader to find that information. You should, in parentheses, list the source author's last name and the year it was published: (Author's Last Name, year). If no author is listed, then the first two or three words of the title followed by the date is acceptable: ("Polluted Waters," 1983). The idea is that a reader who is really interested in learning more about the tidbit of information you've shared can find the source in the list of references and then retrieve that source of information to learn more. Just make sure you fully cite the source in the "References" section at the end of your report.

Discussion. Share your own conclusions about the issue or problem here, based on the literature review you did. You might propose additional research that may help solve the problem or help you and others better understand the issue. You can also use the knowledge you've gained by researching the issue to develop your own solution. If it's already been tried before, develop your own unique version or twist. Your solution might never have been tried before, and it might not be practical, so make sure you address its potential limitations. Finally, write about the reading or research that you weren't able to do or did not read through. This is where you can think about how to grow your research project into a more robust one for yourself or maybe for somebody else.

Conclusion. In this section, provide a recap of your project. Restate the problem, why it's important, what conclusions you came up with, and where the project could go in the future.

References. List each source of information that you used in preparing your research report. Academics follow very specific rules for citing (listing and describing) the references they've used to find information about their projects. People list the references to avoid plagiarism, which is a critical error in any sort of creative endeavor like writing. You are not required to strictly follow any of the set rules for citing the sources of information you use, but in general your reference list should include the name, title, year of publication, who published the source, and where it can be found. You start with the name of the author to make it easier to cross-reference with the literature review located earlier in your report. An interview reference entry should include the name of the interviewee, what their job title is, who they work for, and the date you interviewed them. The following are a few examples:

Author, A. 1983. Title of a Newspaper or Magazine Article or Chapter. Published by So-and-So Press. Found online: <http://www.website...>

Expert, Person. In-person interview on October 1, 1996.

Title of Document of Interest (no author). May 1959. Published by So-and-So Press.

Name of the organization of the Published Website. Accessed on February 5, 2018. Website address: <http://www.website...>

Remember, other people might be interested in what you are learning about. Having properly referenced sources of information makes it much easier for them (and for you in the future) to find that information. Dr. Liz Wargo, University of Idaho Ed-Curriculum and Instruction, suggested the following resource: Middle School MLA Citation Guide (<https://www.cdaschools.org/cms/lib07/ID01906304/Centricity/Domain/654/Middle%20School%20MLA.pdf>). It was developed by a school district in Washington.

CHAPTER 6:

WaterWalk

AQUATIC HABITATS: AN OVERVIEW

ACTIVITY 17: EXPLORING AND MODELING YOUR WATER HABITAT

STREAM HABITATS

ACTIVITY 18: ASSESSING STREAM HABITAT

POND/LAKE HABITATS

ACTIVITY 19: ASSESSING POND/LAKE HABITAT

AQUATIC MACROINVERTEBRATES TELL A STORY

ACTIVITY 20: ASSESSING AQUATIC MACROINVERTEBRATES

AQUATIC HABITATS: AN OVERVIEW

One of Logan's friends lives in a house near a creek. Logan had fun splashing in the shallow summer flow. It allowed him to cool off on hot summer days. He got curious about the area as a watershed. He wondered where the stream came from and where it went.

Logan asked his parents for help finding maps of the area. They found some maps that showed the creek flowing from many small streams located high in the nearby mountains. The small headwater streams merged together on their way down the mountain to form ever larger streams. Eventually, these tributaries formed the creek. The creek, in turn, is a tributary of the Foresttown River. The river flows into Foresttown Lake and ultimately into another river toward the ocean. The small headwater tributaries form the creek. And the creek itself is a tributary in a much larger river system.

Meanwhile, Emily's parents moved to a house in Meadowville. This town is farther away from the kind of small streams Logan had been frolicking in. But sometimes she and her family would drive up into the nearby mountains. They would take a road that follows a different creek. Meadowville Creek starts in much the same way that Foresttown Creek starts.

Emily enjoyed exploring the edge of the creek. She enjoyed comparing those places with public access points on the big Meadowville River. She also compared the creek with a small pond near her house. She caught frogs and watched the dragonflies fly around. She saw little fish swim below the water's surface. But who or what else lives here? she wondered. What else is happening with these waterways?

Emily and her parents were able to find some maps to give her a good start to answering these questions. They showed the headwater streams that form the Meadowville River. They also start high up in mountain ranges. But these ranges lie farther away. The Meadowville River follows a curving path through the state. It eventually merges with the Foresttown River, which then flows toward the ocean.

Logan and Emily were fascinated by the fact that the water flowing through each of their distant home areas eventually merges far downstream. This meant that pollution could move long distances. Pollution could affect communities far away. Each decided to study their streams and local ponds in more detail. But they had to figure out how to do that.

Stream and lake/pond habitats share some similarities. But they are also very different in many ways. For instance, Emily and Logan compared snapshots of the creek and pond bugs they found. They noticed that the bugs were different types or looked different. They also noticed that Foresttown Creek water looked cool and clear. But the big river and the small pond water are warm in the summer and have a brownish-green tint.

They learned how to do the basic physical/chemical water testing from chapter 5. Then they discovered that the pond's temperature was consistently higher during the spring, summer, and fall. Meanwhile, both streams' springtime cloudiness cleared up by midsummer when the flow was much smaller. The pond was clearer in the spring, but seemed to grow more tiny algae in the water, contributing to greener and less clear water later in the summer.



Figure 24. Grouse Creek, Bonner County, ID. Photo Credit: Jim Ekins.



Figure 25. Rock Creek, South Hills of Twin Falls County, ID. Photo Credit: Jim Ekins.

You will also monitor a stream or pond. In fact, you will do it for the remainder of the activities in this book. The stream or pond you'll focus on is the one you used earlier for the Physical/Chemical assessments activity (section 2, chapter 5, activity 15). Again, your stream transect (cross section of the stream) is at this location. But with these additional assessments, you will spend some time looking at the stream above and below your transect location. If you are assessing a pond or lake, see below for instructions related to pond habitats.




Figure 26. Stream transect. *Courtesy of Noah Kroese.*

Your transect has several parts that may be more or less easily identified in your particular situation. The bed of the stream is the bottom. The bed transitions to form left and right stream banks; this transition might be very obvious or might be so subtle that the bed seems to extend up and out of the water as a sand or gravel bar.

What is more important is to find the normal high-water mark. This is the point at which the regular flow of the stream prevents terrestrial (land-based) plants from growing. There are more specific legal definitions of “normal high water” but this definition will do for your needs.

The left and right banks are defined as those on your right and left, as you stand in the middle of the stream, looking upstream. Orienting yourself in this way is important, because you are interested in the watershed above your monitoring location. This is where the water you are studying is coming from.

Streams contain flowing water and thus can have a number of different habitats in any segment. But streams can be long. How do you break the stream into segments that a regular person can study without being overwhelmed? You can visually divide the stream into shorter segments that stream professionals call a “stream reach.” These experts define a reach differently, depending on what they are studying. But in a perfect world, your stream reach will have each of the four major types of habitats: riffle, run, pool, and glide (these habitats will be described in more detail in the next chapter).

Many streams only have one or two types of these habitats. So you can determine a set distance, say 25 meters up and down from your monitoring site. Some professionals define a stream reach much longer. They might look across 100 meters or more. Nevertheless, keep your investigations of the stream to a shorter, more manageable length. Fifty total meters (25 meters above, 25 meters below your transect) is likely to be just fine.

Every state contains numerous lakes and reservoirs. Let's introduce some of the terminology you'll soon be running into. Lentic is a broad term to describe all standing water. It can be a natural lake or a constructed reservoir. Naturally formed lakes include glacial lakes and oxbow lakes. Glacial lakes form after




Figure 27. Stream reach and the four major stream habitat types. *Courtesy of Noah Kroese.*

advances of glacial ice scour depressions into the landscape. Sometimes big blocks of glacier ice are left behind. This creates land depressions that fill with water when the ice melts called kettle lakes. Oxbow lakes and backwater marshes form after meandering streams cut themselves off from their own curving meanders. The result is a U-shaped pond. Lastly, reservoirs result from building a dam across a waterway.

To keep things simple, we refer to any standing waters as lakes. Lakes serve as “sinks” or storage areas. Pollution like sediments, chemicals, and nutrients are transported through watersheds. These eventually enter into standing waters. Usually they are deposited onto the bottom where pollutants may become concentrated. This is bad for the lake, but their effects are more easily observed. Lakes are direct reflections of the watersheds around them. This is because both of them function naturally to collect water, clean it, and then release it.

Lakes and ponds are ecologically diverse water bodies with nearshore shallow areas and deeper water farther out. These different environments provide many different habitats. A variety of species types inhabit each habitat type. Each of these habitats and species reacts to changes in the lake in its own way. Nearshore areas of lakes may be the first to show impairment due to pollution. Deeper locations tend to take a long time to respond to water-quality trends. A mixture of nearshore and deeper water would technically be best for lake monitoring. But you may only have access to the nearshore water. And this is just fine for your monitoring.

LEARNING/INQUIRY ACTIVITY 17: EXPLORING AND MODELING YOUR WATER HABITAT

Procedure: Build a Habitat Model

You will build a two- or three-dimensional (3D) model (like a pop-up book or a diorama) to help describe how you will explore stream or pond habitats. Learn how to find a stream’s headwaters and where the stream’s watershed extends to (it might be on the map you created in chapter 1). The size of the stream and watershed does not matter; what is important is to create a working model of the stream. Use existing maps, “windshield tours” (get your parents



Figure 28. Pond monitoring. Courtesy of Noah Kroese.

to drive around a little bit), and library resources to understand your stream’s location and direction.

Note: you will keep this model for display at your public project presentation.

Let’s Do It!

Make your model fun and interesting to look at and as representative of your chosen water body as you can. Learn as much as you can about the site itself, its history, and what it looked like long ago. If you can find historic photos of the area, paste copies of them into your model. In your portfolio/notebook/journal, describe your first impressions. Include your experiences doing the physical/chemical monitoring, too. Then use the

Anticipated Time

4 hours (1 hour planning, 1 hour touring the site, 2 hours building the map/model)

Learning Objectives

- To identify and describe a stream or pond-monitoring location
- To identify various habitat types within a monitoring location
- To identify the differences between stream and pond/lake habitat types
- To quantify spatial and geographic representations of the stream or pond monitored

Materials

- Cardboard sheet or small box
- Cutouts/photos of fish, rocks, aquatic vegetation, and other things found underwater
- Tape or glue and other bits of material to help secure the stream/lake features in your model

STREAM HABITATS (HABITAT OPTION 1)

If you don't live near a stream, or it's easier to explore a pond or lake, skip to Pond/Lake Habitats (Habitat Option 2). If you live in an urban area, also refer to and include the reflection for the exercise in Extra Considerations for Urban Stream and Pond/Lake Habitats.

When Logan and Emily talked on the phone, they often struggled to describe how their streams were similar yet different. They decided to learn how to better assess their streams. Emily discovered that scientists who study streams use standard protocols. This is so that they can accurately describe stream characteristics. Logan agreed that learning standard protocols would be a valuable tool. He could then communicate all the interesting discoveries about the stream he'd be making in the coming weeks.

You will also need to learn standard stream-monitoring protocols. This is so that you can adequately describe your stream's characteristics. Start by learning to look at your stream from two different perspectives, the transect and the reach. The transect is a cross section of the stream. It starts on one side above the normal high water mark. It then crosses at a 90° angle to the stream flow. It ends on the other side above the normal high water mark. This is the location you want your site coordinates to pinpoint. This is called a *georeference*. Knowing the exact geographic location of your study site (transect) adds valuable context to your study.

The reach is a segment of stream that you've chosen to study. A healthy stream reach contains multiple types of habitats (Figure 27). Stream habitats are divided into four main types: **pools**, **glides**, **riffles**, and **runs**. A variety of habitats within a stream is good. That enhances the diversity of aquatic life that you find there. However, pool, glide, riffle, and run habitats may not be present at all monitoring sites. Lower-quality streams generally consist of long, continuous runs. But they are still important habitat.

Define your stream reach as a set distance. For instance, you could choose a distance of 25 meters upstream and 25 meters downstream from your transect. The reach can also be the length of stream that you can see each direction from your transect. Do your best to define the length of the stream reach for which you make your observations and measurements. The reporting technique section for each parameter can be helpful in this definition.

Stream Habitat Types

Pool: A deep spot in a creek where water flows slowly (usually at stream channel bends, upstream of riffles, and on the downstream sides of obstructions such as boulders or fallen trees). A place where fish find refuge from hot temperatures by seeking deeper, cool water seeping in from the groundwater. Often the best swimming hole in the stream.

Glide: The area at the downstream end of a pool that transitions to another habitat (like a riffle or run) by progressively getting shallower and looking less and less like a pool. An important habitat for fish eggs and certain macroinvertebrates because the water moves predictably, thus keeping fine sediment from depositing.

Riffle: A swift water current that is normally "bubbling" due to a rocky streambed. The water in this habitat type has relatively high dissolved-oxygen levels from tumbling over and around the rocks. Riffles typically contain large numbers of invertebrates and the small fish that feed on them.

Run: A smooth- but fast-flowing part of the stream, with no bottom features protruding into the flow to cause turbulence. Runs can have diverse mixtures of aquatic life depending on the quality and quantity of the instream habitat (boulders, logs, root wads, etc.). Sometimes this smooth but fast flow is referred to as "laminar" flow.

Healthy streams provide a variety of habitats for different bugs, fish, and other critters. Aquatic macroinvertebrates include insects, crustaceans, snails, worms, and other animals without a backbone. Some of these like to live on or among small pebbles. Some like big rocks and others prefer leaf packs. Only a few types like mud or algae mats. Most cold-water fish (trout and salmon) require gravel stream bottoms to lay eggs in. Little baby fish fry need little nooks and crannies in which to hide from predators. Bigger fish look for deep spots to escape the summer heat. Streams that are made of a variety of material and provide different-shaped nooks and crannies are better habitat for fish. To evaluate your chosen habitat, use the Stream Habitat Assessment Form in appendix 3. Follow the procedures detailed below to make a comprehensive assessment of your stream or river site.

LEARNING/INQUIRY ACTIVITY 18: ASSESSING STREAM HABITAT

Procedure: Research and Write

Do this assessment only about once a year and at a time when the stream is flowing at a low level. Since you will be wading into and across the stream several times, do not attempt this at high water or whenever the stream water flows above your knees.

When (or before) you arrive at your monitoring site, you first need to be sure you have everything you need, that your equipment is organized and ready to use, and that you've set up your data collection sheet so that you're ready to document the site conditions. As with the physical and chemical assessment, it is important to include the metadata that provides context for your assessment.

Read and reread as necessary all of chapters 5 and 6 carefully to understand the various assessment protocols (described in appendix 1, Stream Habitat Assessment Instructions) you will follow. Follow the procedures carefully and consistently. Print and use the assessment form from appendix 3, Stream Habitat Assessment Form to collect your data and to help you better understand your stream.

Note: once you have finished uploading the data to the IDAH₂O website, add this data form to your portfolio/notebook/journal.



Figure 29. Working together to collect data on a stream. Photo Credit: Jim Ekins.

Let's Do It!

Before you leave home to visit your stream site, make absolutely sure that your parents/guardian or an appropriate adult knows exactly where you are going and how long you expect to be there. Also, travel to your stream with an assistant. When you get there, check to make sure it is safe enough to approach and wade into. If it isn't safe, you will need to return to the site on another day or at another time when it is safe to approach. You may find that you need to select a new site that is safer to approach and enter. You are always invited to take photographs from a safe distance. Remember to always follow safety rules—

Anticipated Time

4 hours (90+ minutes planning, 2 hours assessing habitat, 20 minutes uploading data)

Learning Objectives

After completing this exercise, you will be able to

- List the difference between a stream transect and reach
- Describe the four major habitat types in a stream
- Describe and assess a variety of stream structure/habitat conditions, including:
 - » Streambed materials
 - » Stream-bank shape and conditions
 - » Canopy and riparian area characteristics
 - » Stream-reach shape and characteristics
 - » Microhabitats located within a stream reach
 - » Land-use characteristics adjacent to and distant from a stream
- Collect qualitative and quantitative data related to a stream habitat and structure

Materials

- Stream Habitat Assessment Form (located in appendix 3)
- Clipboard
- Pen or pencil
- Measuring tape
- Camera or phone with a camera
- An assistant or two

A Few Safety Rules

Overall, always consider your well-being your top priority.

- Always conduct monitoring with a “buddy” or team member and an adult. Never approach streams alone.
- Always let someone know where you are going and how long you will be gone.
- Use caution when entering a stream, making sure you can get out, that the current is not too strong, and that the bottom will support you safely.
- Do not attempt to enter water if the stream is too deep. As a general rule, above your knees is probably too high.
- Always conduct monitoring during daylight hours.
- Wear waders or river shoes (old tennis shoes) to avoid cutting your feet on submerged glass, metal, or sharp rocks.
- Be aware of possible dangers, such as poisonous plants, unstable banks, wildlife, stinging insects, and livestock.
- Dress appropriately for the weather. Know how to recognize the signs and symptoms of both heat exhaustion and hypothermia and know how to treat them. Most importantly, know how to prevent them.
- Wash up thoroughly with hot water and soap when you get home.

If you are monitoring in areas with potential contamination, such as mine wastes or harmful cyanobacteria (blue-green algae) blooms, you may want to participate in additional safety training before entering the stream.

collecting data is not worth risking your well-being. You should complete the habitat assessment during periods of relatively low water, since you need to cross the stream at least once (and likely more). Dress properly for cold or hot weather.

Reflection

Once you have returned from the stream, ponder what you learned about the conditions in the stream. Remember, there are no value judgments associated with any specific stream habitat condition. For instance, valley streams are often known for winding around the valley bottoms in big loops, with high sinuosity, compared to high mountain streams, which may have low or no sinuosity.

On your watershed map, note the location of your stream transect and approximate the reach. Use what you know about the larger watershed to write a two-page essay that discusses the relationship of watershed land use to the condition of your stream. Include a description of what you learned about your stream and about any elements in the surrounding landscape that might have favorably or adversely affected its condition. You may photo-journal or include other artistry as you see fit about these connections and add notes to your map, too.

POND/LAKE HABITATS (HABITAT OPTION 2)

If you don't live near a pond, or it's easier to explore a stream, go back to Stream Habitats (Habitat Option 1). If you live in an urban area, also refer to and include the reflection for the exercise in Extra Considerations for Urban Stream and Pond/Lake Habitats.

When Logan and Emily talked on the phone, they often struggled to describe how their lakes were similar yet different. They decided to learn how to better assess their lakes and ponds. Emily discovered that scientists who study standing water like lakes and ponds use standard protocols. This is so that they can accurately describe their characteristics. Logan agreed that learning standard protocols would be a valuable tool. He could then communicate all the interesting discoveries about the local lake he'd be making in the coming weeks.

You, too, will learn to look at your local lake or pond from two different perspectives. First is the nearshore area. The second is farther out in deeper water. For a nearshore area study, pinpoint or "georeference" your site coordinates to the place where you normally will access the edge of the lake. If you go out on the water in a boat to study a deeper water area, you should also note your coordinates. Knowing the exact geographic location of your study site (transect) adds valuable context to your study.

LEARNING/INQUIRY ACTIVITY 19: ASSESSING POND/LAKE HABITAT

Procedure: Research and Write

Because ponds differ from streams in structure, habitat, and monitoring procedures, combine your pond/lake habitat assessments that you report in the form with many of those that you did for the chemical/physical assessments you completed for activity 15. You can find detailed assessment instructions in appendix 1, Pond/Lake Habitat Assessment Instructions. Some assessments will also be referenced or described in appendix 1, Stream Habitat Assessment Instructions.

Read all of the above chapter carefully and understand the various assessment protocols (described below) you will follow. Follow the procedures carefully and consistently. Print and use the Pond/Lake Habitat Assessment Form in appendix 3 to document your data and to help you better understand your stream.

Note: once you have finished uploading your data to the IDAH₂O website, add this data form to your portfolio/notebook/journal.

Let's Do It!

Before you leave home to study the pond/lake, make absolutely sure that your parents/guardian or an appropriate adult knows exactly where you are going and how long you expect to be there. Better yet, bring them along to see you doing all this good work! Otherwise, travel to your pond/lake with a different but equally trustworthy assistant. When you get there, check to make sure it is safe enough to approach and to wade into a short distance. If it isn't safe, you will need to return to the site on another day or at another time when it is safe to approach. You may find that you need to select a new site

Anticipated Time

4 hours (90+ minutes planning, 2 hours assessing habitat, 20 minutes uploading data)

Learning Objectives

After completing this exercise, you will be able to

- List unique characteristics of pond and lake habitats
- Describe the major habitat types in a lake
- Describe and assess a variety of pond-structure/habitat conditions, including
 - » Shoreline, nearshore, deeper water
 - » Animal and macroinvertebrate diversity
 - » Plankton (phytoplankton and zooplankton)
 - » Lakes and lake habitats
 - » Nearshore
 - » Deep water
 - » Cyanobacteria blooms
 - » Nutrient balance: nitrogen and phosphorous
 - » Stratification and turnover
- Collect qualitative and quantitative data related to the pond/lake habitat and structure

Materials

- Pond/Lake (Standing Water) Habitat Assessment Form (see appendix 3)
- Clipboard
- Pen or pencil
- Measuring tape
- Camera or phone with a camera
- An assistant or two

A Few Safety Rules

Overall, always consider your well-being your top priority.

- Always conduct monitoring with a “buddy” or team member and an adult. Never approach a pond or lake alone.
- Always let someone know where you are going and how long you will be gone.
- Use caution when entering a pond or lake, making sure you can get out, that the current is not too strong, and that the bottom will support you safely.
- Do not attempt to enter water if the water is too deep. As a general rule, above your knees is probably too high.
- Always conduct monitoring during daylight hours.
- Wear waders or river shoes (old tennis shoes) to avoid cutting your feet on submerged glass, metal, or sharp rocks.
- Be aware of possible dangers, such as poisonous plants, unstable banks, wildlife, stinging insects, and livestock.
- Dress appropriately for the weather. Know how to recognize the signs and symptoms of both heat exhaustion and hypothermia and know how to treat them. Most importantly, know how to prevent them.
- Wash up thoroughly with hot water and soap when you get home.

If you are monitoring in areas with potential contamination, such as mine wastes or harmful cyanobacteria (blue-green algae) blooms, you may want to participate in additional safety training before entering the stream.

that is safer to approach and enter. You are always invited to take photographs from a safe distance. Remember to always follow safety rules—collecting data is not worth risking your well-being. You should complete the habitat assessment during periods of normal or relatively low-water levels, since you will need to access the pond’s edge at one or more places (likely more). Dress properly for cold or hot weather.

Reflection

Once you have returned from the lake/pond, ponder what you learned about the conditions you observed. Remember, there are no value judgements associated with any specific lake/pond habitat condition. For instance, some ponds are small and unaffected by wind but might be warmer due to being shallow; others have more or less vegetation along their banks.

On your watershed map, note your pond-monitoring location(s) and the areas you visually assessed. Use what you know about the larger watershed to write a two-page essay that discusses the relationship of watershed land use to the condition of your pond/lake. Include a description of what you learned about your pond/lake, particularly any elements or features in the surrounding landscape that might have favorably or adversely affected its condition. You may photo-journal or include other artistry as you see fit about these connections and add notes to your map, too.



Figure 30. Working together to identify aquatic macroinvertebrates.
Photo Credit: Jim Ekins.

Extra Considerations for Urban Stream and Pond/Lake Habitats (Relates to Habitat Options 1 and 2)

Exploring urban lakes and streams can be fascinating. They can be an important migration corridor for land and water animals. They benefit wildlife like birds and pollinators. As a result, some city parks include a pond or stream. This can add important habitat for aquatic animals and be aesthetically pleasing to people. When doing urban water-quality monitoring, seek out waterways that are in a parklike setting. It's best to find waterways that are easy to access.

However, urbanized waterways can also pose unique hazards. There is often increased pollution. There can be sharp hazards, like broken glass or exposed rebar. Rebar are rusty steel rods embedded in concrete that have, over time, begun to stick out. And there can be unsafe banks that are not intended for people to approach. In some places, streams have been channelized into concrete sluices. These are inaccessible from outside the stream. If you get caught in their flow, it is almost impossible to escape. Bridges are not necessarily built to allow passage through. These are harmful impediments for aquatic creatures. They can also be deadly to a swimmer. And stormwater outfalls deliver high levels of pollution and trash. We recommend that you leave the water monitoring of these sorts of waterway areas to the professionals. Professional water managers wear specialized protective personal gear. They also receive specialized training. The gear and training enable them to conduct difficult urban waterway assessments safely and accurately.

Note that you might be able to do some minimal assessments from the safety of a footbridge over an urban, channelized stream. Perhaps you can tie a thermometer to a string and lower it into the water. This might tell you if the lack of shade increases the water temperature. You might do the same with a pH test strip. You can also note those animal species you observe in and around an urban waterway.

To learn more about how urban waterways are managed, find the city stormwater utility manager. City parks staff can also provide information about waterways in city parks. Many streams and ponds have been altered to reduce flooding. Or they have been covered up to make more land available for development. Sometimes we change the stream's course to allow bridge and infrastructure construction. Sometimes we change streams to reduce other hazards. Study up about the history of the stream or pond by seeking out archival air photos. Libraries might have old "reclamation" project information. City websites and the town hall might have historic town plats. Use these resources to help you make your own watershed map more complex. You can add human history to your stream- or pond-monitoring notes.

If you live in an urban area, take great care in selecting a water body and monitoring location. Adjust how you monitor and what you monitor for. You might not complete some assessments because of safety or access concerns. You can find another piece of information to substitute in, even if it is of a different type.

For instance, perhaps you can't directly measure a stream's flow. So instead, find the watershed size and rainfall after the last storm. You can create a photo-essay of the creek rising and falling with the storm. Include interview information after talking with city park or stormwater managers. Maybe find a previous study of the aquatic macroinvertebrates in the stream or pond instead of capturing and identifying them yourself.

The possibilities are endless. Let your curiosity lead the way! If the online data collection system does not have a specific selection for different types of data, you can just type that into the comments box at the end of each online form.

AQUATIC MACROINVERTEBRATES TELL A STORY

Over the last year, Logan and Emily have learned a lot about their watershed and their place within it. They've learned about the different land habitats and the animals that live in them and about those that exist underwater. Through all the weekly phone calls, scientific investigations, and creative projects, Emily and Logan have become much stronger scientists and have more strongly developed their creative skills.

Emily realized that her home is a fascinating landscape. It has interesting plants and animals both large and small. Having explored her own backyard in detail, she noticed that whenever she visited a new place, she observed land and water habitats with a much more sophisticated eye.

Logan also learned that his home is filled with fascinating landscape features and habitats. The area was attractive to a totally different set of plants and animals. He, too, started to discover new and interesting habitats everywhere he visited. Because of their investigations, Logan and Emily realized they were able to better communicate what they saw in the natural world.

They learned even more at a "Watershed Festival" held in a nearby park in late spring. There were many stations to visit. At one, a water-quality expert described aquatic macroinvertebrates (water "bugs"). Their presence, Logan and Emily learned, can indicate a lot about stream health. Bugs can tell us about pollutant levels. Some aquatic macroinvertebrates cannot tolerate pollution. They are "pollution sensitive," found only in cold, clean water. Examples include mayflies, stone flies, and caddisflies. These are the "bugs" that people try to imitate when fly fishing. Other aquatic macroinvertebrates are tolerant of pollution. Leeches, aquatic worms, and mosquitos are examples. They don't "like" pollution and are also found in cleaner water. But they can survive in badly polluted water. A lot of mosquitoes found in the waterway might indicate the presence of some pollutants. A middle group of macroinvertebrates exists too. They are found in moderately clean water, like ponds. Here the water is warmer, with less dissolved oxygen. Or perhaps there is a limited amount of pollution. Dragonflies, damselflies, aquatic beetles, and water striders qualify for this group.

The festival staff gave Emily and Logan identification sheets for aquatic macroinvertebrates. Anyone can find examples online. You can find one example at a link on the Master Water Stewards Volunteers web page: <https://www.uidaho.edu/extension/idah2o/volunteers>. They started learning to identify the bugs in their local stream. They paid close attention to individual features. With practice they found that identifying the different bugs got easier with time.

You, too, will get to learn more about aquatic macroinvertebrates. As part of your final journey into aquatic habitats, you will capture some of the creatures that live in your local stream or lake/pond. You'll learn to identify what you are looking at, based on its physical characteristics. For instance, does it have a shell or no shell? Does it have legs, and if so, how many pairs of legs? etc. Read on to learn more about aquatic macroinvertebrates and the story they can tell about your local body of water.

About Aquatic Macroinvertebrates

(adapted from Utah State University Water Quality Extension's Bugs Don't Bug Me program)

Aquatic macroinvertebrates are small animals that live in water. They are big enough to see with the naked eye. And they have no backbone. These animals include many types of insects. But they also include other animals such as worms, mollusks, and crustaceans. Many macroinvertebrates live in various stream habitats or in submerged pond vegetation. Try turning over stones and examining the underside. If you have a net, try pulling it through emergent aquatic grasses and plants. You are trying to knock the macroinvertebrates off of whatever

they are living on and into the net. But don't use too much force. You will want to return them to the water as soon as you can.

Most aquatic macroinvertebrates make their homes on some object in the stream or pond. Usually that is rocks and vegetation. Some live in the muddy sediment of streams or ponds. These organisms have adapted to live in demanding environments. Macroinvertebrates that live in riffles and fast-moving water may have features that help them hold on to rocks. They might have hooked feet or suction cups. Or they might have flat, streamlined bodies that can handle rapid water velocities. Go to <http://streamsidescience.usu.edu/> for some great stream information.

Macroinvertebrates that live in muddy substrates may have different adaptations for low oxygen environments. They might have air tubes or oxygen-trapping organs like a lung. They are still important because they are an integral part of the food chain. They provide food for fish and other aquatic organisms. Many of them are also key indicator species. They can tell us about the quality of the water where they are found. Bugs that have a low tolerance to pollution tell us that the water they are found in is relatively healthy. If we do not find these bugs, then it could possibly be due to some sort of pollutant or other impairment to the water body.

For more, go to USU's publication, "Bugs Don't Bug Me" (http://digitalcommons.usu.edu/cgi/viewcontent.cgi?article=2169&context=extension_curall), Utah State University Water Quality Extension (<http://extension.usu.edu/waterquality/>).

LEARNING/INQUIRY ACTIVITY 20: ASSESSING AQUATIC MACROINVERTEBRATES

Materials

- Biological (Aquatic Macroinvertebrate) Assessment Form (in appendix 3; you might want to print this on Rite in the Rain paper or some other type of durable paper)
- Macroinvertebrate identification charts (various types) with information about three taxa of aquatic macroinvertebrates
 - » Group 1 macroinvertebrate taxa (high-water-quality bugs); Bug ID chart
 - » Group 2 macroinvertebrate taxa (medium-quality bugs); Bug ID chart
 - » Group 3 macroinvertebrate taxa (lower-quality bugs); Bug ID chart
- Fine mesh nets suitable in construction for use in stream or pond environments
- Plastic spoons (white or clear) and maybe small petri dishes or other shallow trays for insect inspection
- Drawing/composition paper and pencils

Optional:

- 3-power "bug viewers" (an internet search for "bug viewer" should produce a number of options in the \$10–\$15 range per viewer)
- 20-power dissecting microscopes

Anticipated Time

4.5 hours (2.5 hours planning, indoors learning identification skills, and building net[s]; 1.5 hours catching and identifying macroinvertebrates; 30 minutes uploading data and cleaning up)

Learning Objectives

- To define and discuss the meaning of "aquatic macroinvertebrate;" with additional experience, you will be able to discuss basic life stages of aquatic insects (egg, nymph/larvae, pupae, adult)
- To list one pollution-tolerant and one pollution-sensitive macroinvertebrate; as you gain additional experience, you will list three of each
- With prompting, to make direct links among clean water, macroinvertebrates, fish, and people; advanced members will be more sophisticated in their explanations
- To describe (written or oral) one distinguishing feature of an aquatic macroinvertebrate, as seen under a microscope
- To draw two distinguishing features of a macroinvertebrate; advanced members will attempt to draw or describe in writing multiple (at least three) distinguishing features for at least three macroinvertebrates
- To know that jobs and careers exist in water science

Ongoing Long-Term Project

- To learn how to make and use a macroinvertebrate kick- or seine net
- To learn how to collect aquatic macroinvertebrates from a variety of water bodies
- To collect data on the presence of aquatic macroinvertebrates from their stream- or pond-study site; to upload the data to the IDAH₂O Master Water Stewards online data collection application

Procedure: Introduction Activity (Activity 20-A)

Before you go out to your stream- or pond-assessment site to complete your biological assessment, it can be helpful for you and an adult (and maybe some friends) to catch aquatic macroinvertebrates from a nearby creek or stream and bring them to an indoor setting to practice your identification skills. Along with giving you the chance to look at the bugs in a more focused setting, it should make it easier for you to lead a discussion about what you are seeing. By practicing in this way, using bug viewers, macroinvertebrate ID sheets, etc., you will gain more confidence with using your identification skills when you are out in the field. However, if you are already comfortable with catching and identifying aquatic macroinvertebrates, skip to Activity 20-B, Full Project Activity, below.

Be aware of these safety precautions when choosing a stream site:

- Do not enter the water without being prepared. Bring waders, good wading shoes, and possibly a change of clothing.
- Avoid steep, slippery banks. Holes, vertical banks, and other hazards can be especially difficult to see when the banks are thick with vegetation.
- Scout the area for dangerous trash such as broken glass, rusted wire, or metal scraps.
- Scout the area for poison ivy, poison oak, and stinging nettle.
- Don't enter water that covers your knees or water that is moving very fast. Moving water is deceptively dangerous!
- Never visit a stream during a lightning storm and beware of sudden storms that could produce flash floods.

In preparation for your first forays into the macroinvertebrate world, you should be able to describe the things that live in the water and the terrestrial animals that depend on the water (and what lives in it) to survive. As part of a fun (and useful) exercise to get in the mood for this description exercise, imagine what it would be like to be a fish.

Next, read the following:

There are plants and insects and fish of different types that live in the water. Ospreys and eagles and bears all depend on the fish that live there. Swallows, flycatchers, other birds, spiders, and other small animals depend on the insects. Deer and songbirds all rely on the water that is available.

Discuss these animals and their connections to clean water, as well as the bugs that live in water bodies, to prepare for the biological assessments. Here are some prompts to help you think through the connections among aquatic animals, macroinvertebrates, and their habitat. In your portfolio/notebook/journal, write out detailed answers to each of these prompts in your journal.

Write your own definition of “aquatic macroinvertebrates.” Break these words into their component parts: aquatic (live mostly in the water); macro (large enough to see without magnification or a microscope); invertebrate (without a backbone). Macroinvertebrates include such creatures as worms and insects; vertebrates, however, have a backbone and internal skeleton and thus include creatures such as fish, birds, amphibians, etc.

What happens to these living things when the water gets polluted? There are pollution-sensitive and pollution-tolerant species of insects and fish. Below is an example of an entry you might pen:

Some of these animals cannot live in polluted water and so they either swim away to somewhere else or die. Other animals can tolerate pollution; they don't like pollution or seek it out necessarily, but instead they have adapted to tolerate pollution and so can survive in degraded environments.

Describe how aquatic macroinvertebrates fit into the larger food chain (food web). Pollution-sensitive (clean-water) macroinvertebrates eat leaves and algae in the water. Cold-water fish eat the bugs and then are available to humans and animals to catch and eat. Find a good pond or stream food-web diagram and include it in your journal notes.

Viewing, Sorting, and Documenting Aquatic Macroinvertebrates (10–20 minutes)

As you begin to observe and identify aquatic macroinvertebrates, you will initially spend considerable time clarifying how to accurately identify bugs. As the activity progresses, you will get better and more confident at identifying them.

- Refer to insect identification guides and work hard at carefully observing the characteristics of each macroinvertebrate. It helps to bring laminated ID sheets into the field, as your materials will get wet from time to time.
- In your notes, describe in words and drawings which unique characteristics (similarities and differences) you are using to help identify the macroinvertebrate. Keep careful notes of your observations; it's useful to make a drawing of the macroinvertebrates in your notes for future reference, too.
- Note whether some of the insects exhibit behaviors in response to changes in their environment (for instance, stone flies may work their gills rapidly to try to get more oxygen into their systems due to low dissolved oxygen, others may be sluggish due to high temperatures or low dissolved oxygen).
- Remember that many aquatic macroinvertebrates are not the adult form within the life cycle, but the nymph or larvae stage. Nymphs in clean-water streams generally eat vegetable matter; nymphs and other macroinvertebrates associated with polluted water can scavenge or even prey on other macroinvertebrates or other animals. Some of the aquatic macroinvertebrates in the water, such as beetles and scuds, are the adult form.
- It helps to arrange or sort different species of macroinvertebrates into different cells of ice cube trays.

Remember to constantly take notes on and create drawings of what you think is the most important information that will answer your teacher's questions to the best of your ability.

Low-power dissecting microscopes, magnifying glasses, or bug viewers are great aids. If you have access to any of them, use them, because they can help you learn more about the bugs. Each microscope and bug viewer should come with some sort of macroinvertebrate ready for viewing. For a microscope, use the shallow tray to view your bugs. If you can't figure out how to adjust the microscope, ask an adult to show you how to adjust its different parts. For bug viewers, hold the handles and not the top part with the magnifying lens (this comes off easily). The viewer should come prefocused on the insects.

- Adjust the microscope's focus by turning the knobs for fine or coarse adjustment. The whole upper assembly moves up and down.
- Adjust the eyepiece width to match your eye width.
- Bugs don't stay still. To continue to view them, you'll need to move the shallow dishes or nudge the insects into viewing range with forceps, a plastic pipette, or a spoon.

Now that you have observed aquatic macroinvertebrates in a less-than-natural setting, it's time to look for and at them in their habitats.

Full Project Activity (Activity 20-B)

After getting some practice identifying aquatic macroinvertebrates, you will use your new knowledge of aquatic macroinvertebrates to capture, identify, upload presence data for, and possibly preserve and document macroinvertebrates that live in multiple bodies of water. Before you upload your data to the Master Water Stewards website, however, you must register your assessment site into the system and you must have a username and password assigned to you by the Master Water Stewards Program Coordinator. Refer to appendix 1, Aquatic Macroinvertebrate Assessment Instructions for more details. You will use the Biological Assessment form (appendix 3) to collect your data.

Note: once you have received your login information and then finished uploading your data to the Master Water Stewards website, you will need to add the Biological Assessment data form to your portfolio/notebook/journal.

Be aware of these safety precautions when choosing a stream site:

- Do not enter the water without being prepared (bring waders, good wading shoes, and possibly an available change of clothing).
- Avoid steep, slippery banks. Holes, vertical banks, and other hazards can be especially difficult to see when the banks are thick with vegetation.
- Scout the area for dangerous trash such as broken glass, rusted wire, or metal scraps.
- Scout the area for poison ivy, poison oak, and stinging nettle.
- Don't enter water that covers your knees or water that is moving very fast. Moving water is deceptively dangerous!
- Never visit a stream during a lightning storm and beware of sudden storms that could produce flash floods.

Once you are ready, you and a study partner can start to collect aquatic macroinvertebrates from your stream or pond with a bug net and perhaps a shovel. You can use manufactured bug nets or make one yourself by stapling a window screen to a wooden dowel. See appendix 1, Make Your Own Aquatic Macroinvertebrate Kick-Net for instructions.

A long-handled D-shaped net is likely all that you'll need in a stream or pond. The bugs tend to live in and among the rocks/pebbles in a stream and in the aquatic grasses and weeds in a pond. After you've trapped them, hard-bodied macroinvertebrates like mayflies, stone flies, dragonflies, beetles, etc. can be preserved in small sample jars in 70% denatured alcohol. Soft-bodied macroinvertebrates, such as caddis flies, flatworms, or leeches, require extra steps to get them to relax so that you can view them in the preservative. For long-term collection of your bugs, use small, screw-lid collection jars. See appendix 2, Preserving Aquatic Macroinvertebrates for detailed information about starting an aquatic macroinvertebrate collection for display.

However, you don't need to preserve your bugs. You can simply observe and identify them, then return them to the same water body you caught them in (with the exception of invasive or non-native crayfish). You could also photograph them before you release them, but only if you can figure out how to take a good photograph of them.

Also, you have the option of conducting a separate crayfish study in addition to the macroinvertebrate study. If you're up for that, see appendix 2, activity 3 for additional details about crayfish.

CHAPTER 7:

Presentations and Community Engagement

A big goal for this project is for you to develop a project to present at a public event. We encourage you to present your project at a local fair or at your school's science fair. Or perhaps there is a suitable event at a local library. The information in this chapter will give you the guidance you need to develop your project materials into a presentation.

In addition to the presentation, we expect you to develop one of the following research tools to record the information you will gather during your field investigations:

- Design Portfolio
- Engineering Notebook
- Field Journal

The exact “look” or content style of your portfolio, notebook, or journal is less important than the completeness to which you faithfully document your learning experiences as you progress through the program. These are commonly used types of project documentation. Do what feels right for you; the goal is to capture all that you did with this project in an easily accessible and organized format.

Remember, the research tool you create will house and show all your work, including drafts of your maps and any and all of your reflections as you work through each assignment.

In addition to your portfolio/notebook/journal, you will also develop and keep a regular 4-H Record Book.

By the end of their three-year habitat study, Emily and Logan had created an impressive portfolio.

Research Tool Option 1: Design Portfolio

A person with a more **artistic bent** might develop a design portfolio, heavy on labeled drawings, sketches with written descriptions, and other images with some context. There are many ways to create a design portfolio, including using a 3-ring binder, plain paper (no lines) drawing journal, or hardcover composition notebook. Whatever you choose, it will need to have enough pages to complete this three-year curriculum. Make sure you create a label for your portfolio—include your name, 4-H club or other affiliation, title: *Wildlife and Water Habitats Curriculum Design Portfolio*, and any other identifying information.

Research Tool Option 2: Engineering Notebook

A person with a more **mathematical mind** might develop an engineering notebook with formulas, graphs, tables, and scale drawings, again with notations and context included. Like the portfolio, there are many ways to create an engineering notebook. You can use a hardcover or softcover graph paper notebook, 3-ring binder, plain (drawing) or lined (writing) journal, or hardcover composition notebook. Whatever you choose, it will need to have enough pages to complete this three-year curriculum. Make sure you create a label for your notebook that includes your name, 4-H club or other affiliation, title: *Wildlife and Water Habitats Curriculum Engineering Notebook*, and any other identifying information.

Research Tool Option 3: Field Journal

A person who **likes to write narrative descriptions** might develop a field journal with written reflections about her/his experiences, but also include sketches, drawings, and mathematical formulas. There are many ways to create a field journal, including using a plain (no lines) drawing journal, hardcover or softcover graph-paper notebook, 3-ring binder, or journal you create from scratch (described in chapter 1 at the beginning of the *Procedure* section) using cardstock (or other equally thick paper) for the cover and plain paper for the inside. Whatever you choose, it will need to have enough pages to complete this three-year curriculum. Make sure you create a label for your journal that includes your name, 4-H club or other affiliation, title: *Wildlife and Water Habitats Curriculum Field Journal*, and any other identifying information.

They had created hand-drawn maps and habitat drawings. They wrote essays, took photographs, and filled out data collection forms. They were so satisfied with their efforts that they wished to display their work. They began to search for the most appropriate venue they could find.

Two recommended formats to use in your presentation include a scientific (conference) poster or a comprehensive portfolio (a record book/journal combination). A scientific poster generally has three columns; you can perform a Google search for "example format scientific poster" to find a version that works for you.

When you exhibit your project, follow the 4-H Learning through Exhibiting pdf, found here:

<https://www.uidaho.edu/extension/4h/documents-records>.

You can also find examples and/or sources of Record Books/Portfolios/Family Handbook/Policies and Procedures posted on the same hyperlink.

Your portfolio/notebook/journal should be complete and accurately reflect all the work you did for this project, from rough drafts, notes, finished essays, and data studies to any and all the other materials that you developed within the chapters here. Below is a list of each chapter's written, drawn, and photographic outcomes.

Section 1:

Chapter 1: What Is a Habitat?

- Portfolio/Notebook/Journal you purchased or created
- Drawing, poem, or short story from Habitat Hike
- Written and/or visual description of habitat from Habitat Hike
- 3D model of habitat
- Recorded observations from Microhike
- Written account of discussion of animal needs
- Answers to questions from each Reflection activity

Chapter 2: Human Impacts, Yesterday and Today

- Research findings (including printed pictures, drawings, other visuals, and interview notes)
- Storyboard
- Data sheets (if applicable)
- Analyzed data notes or spreadsheet
- Questionnaires (if applicable)
- Research report
- Answers to questions from each Reflection activity

Chapter 3: Soil Science

- Observation notes from Erosion Hike
- Data sheets
- Answers to questions from each Reflection activity

Section 2:

Chapter 4: Watersheds

- Water Cycle poster (activity 11) with suggestions from community contacts
- Watershed Map (activity 12, first draft), plus watershed rainfall calculations
- Advanced Watershed Map (activity 13)
- Reflection writing from activity 13

Chapter 5: Water Quality and Quantity

- Indoor and Outdoor Water-Use Calculations (activity 14), tabulated neatly in the provided tables (also include all your math work, lab and field notes, drawings, and other preparatory materials)
- Answers to the Reflection question for activity 14 (Include the extra-credit calculations if you chose to complete that)
- Physical/Chemical Water-Quality Assessment (activity 15) data forms (field notes/forms and forms whose data is neatly written), including the written monitoring plan
- Written answer to the Reflection question for activity 15
- Water-quality issue research report (activity 16), including a list of references/sources used
- Your short paragraph essay response to the fourteen reflective statements for activity 16

Chapter 6: Water Walk

- Working model or detailed map of your stream or pond assessment site (activity 17)
- An updated monitoring plan
- Your written or drawn responses to Reflection questions for activity 17
- (If applicable) Stream Habitat Assessment Form (activity 18) or Pond/Lake Habitat Form (activity 19) (field notes/forms and form with neatly written data)
- Any photographs of your stream or pond/lake monitoring site
- Written, drawn, and photographic updates to your watershed map
- Your two-page reflective stream description for activity 18 or 19

Note: the same requirements apply for any urban stream or pond monitoring you did; in addition, include your response to the reflective questions in the urban waterways subsection (section 2, chapter 6, Extra Considerations).

- Every Biological (Aquatic Macroinvertebrates) Assessment Form (activity 20) you completed (including field notes/forms and forms with neatly written data)
- Written responses to the three preparatory prompts (activity 20-A)
- Updates made to your watershed map
- Crayfish Study Assessment Form (appendix 2, advanced activity 3; field notes/forms and forms with neatly written data)
- Written responses to Reflection questions

Just as with doing your math homework, it is essential to “show your work.” Each of your portfolio/notebook/journal chapters should start with the polished written work, data forms, printed maps, and such. Behind that, in each chapter, insert your rough drafts, sketches, mathematical calculations, notes, and other preliminary versions of your work. Because your maps may be poster-sized or larger, include a reference to the map or other

creative work in the record book/portfolio; then make sure to bring the maps any time you present them. As part of your presentation, you could also organize a community volunteer effort to clean up trash along a waterway or one focused on planting native vegetation (trees, shrubs, and grasses, usually) along your stream or pond. Refer to appendix 2, advanced activity 4, Trash Cleanup and/or Streambank/Lakeshore Restoration Plan for additional instructions and guidance toward continuing with such a volunteer effort.

A

APPENDIX 1

DETAILED INSTRUCTIONS
FOR ACTIVITIES

APPENDIX 2

ADVANCED ACTIVITIES

APPENDIX 3

DATA SHEETS AND THINGS
TO PRINT

Appendices

APPENDIX 1: DETAILED INSTRUCTIONS FOR ACTIVITIES

Some of the activities require detailed instructions that don't fit well within the chapters. You can find instruction for these activities in this appendix section.

Activity 14: Indoor Water-Use Calculation Instructions

Use the worksheet in appendix 3 (Indoor Water-Use Calculation Table) to help you calculate how much water you use on average each day. One way to measure your water use is to read your water meter immediately before and after each use. But many rural houses have a well and therefore no meter; water use in an apartment involves a flat rate. By capturing and measuring the water you use with each activity, you can more accurately estimate the amount of water you use for each activity.

As a comparison, and to help you to refine your estimates, we have included some use-type ranges with gallons as the unit of measure. But these ranges are estimates and can vary widely, so use them as guidelines. They also rely on knowing how much water flows from a faucet or showerhead each minute. It might be easiest to use a 1-gallon container and a stopwatch to determine the flow in most situations. You may need a smaller container for use with some sinks and a larger container for use in large sinks, showers, and tubs. If using a 5-gallon bucket, make gallon increment marks on the side by adding one gallon at a time and marking the water level.

Shower

First, determine the flow of your showerhead. A "gallons per minute" number might already be written or engraved on the showerhead itself. If not, or if you prefer to check the accuracy of the information provided on the showerhead, fill a 5-gallon bucket with water from the shower while timing how long it takes to fill. If you can't find a 5-gallon bucket, use any bucket or container with a known volume. Divide the number of gallons by the number of minutes to get a flow rate in gallons-per-minute. Then, using a stopwatch, determine how long it normally takes you to shower. Multiply the gallons-per-minute number from that showerhead by the number of minutes your shower lasted.

Bath

Using a 5-gallon bucket or other container of known volume, determine the flow per minute of your bathtub spout. Use a bucket or container of known volume and a timer, then turn on the faucet and time how long it takes to fill the container to the known volume. Then time how long it takes to fill the tub for a normal bath.

Toilet

Determine the gallons per flush for each toilet in your house. Many newer toilets have that figure printed on the toilet. If yours cites no such figure, carefully scoop the clean water out of the toilet tank (not the bowl!) into a container of known volume to measure how much water is used with each flush (you may need to turn off the water supply valve or support the float valve inside the toilet tank). Get your parent or someone else to help you with this and, again, don't mess with the water in the bowl. Keep track of how many flushes occur during the day. To determine whether your toilet tank leaks, place a few drops of food coloring in the tank. Wait for a few minutes to a few hours, then check to see if any coloring has made its way to the bowl without flushing.

Kitchen Sink and Washing Dishes

Use a big dishpan to wash a normal day's dishes, then pour that water into a 5-gallon bucket. If you tend to turn the faucet on and off during washing and rinsing, use a second dishpan to capture the rinse water and pour it into a bucket. Measure how much water you used. You might need to dump the bucket once or twice in the middle of your dishwashing. Another way to calculate your water use is to determine the flow of your kitchen sink in gallons per minute. Use a stopwatch to measure how long you run the water while washing and rinsing your dishes. This is a useful way to measure rinse water if you tend to keep the water running constantly while washing and rinsing.

Waiting for the Hot Water

Do you ever find yourself standing around with the hot water turned on, waiting for hot water to come out of the faucet? Meanwhile, perfectly good water is going down the drain. Why does it take so long? Most houses have a hot water heater located in a basement, garage, or closet. The kitchen or bathroom sink might be many feet away from the hot water heater; that distance varies for each house and within each house it varies for each sink, tub faucet, or shower.

For each sink and tub/shower in the house, determine the volume of cold water that is wasted while waiting for the hot water to come to the tap. *Note: You can't do this all at once, since once you have measured how much water pours out to get hot water to one sink or faucet, it is already part way to the other sinks and faucets. You will need to wait until the hot water in the pipes has cooled again before measuring the volume used at each sink or faucet.* Use a container of known volume to capture the cold water until the hot water comes to each tap in your house. Some houses have mechanisms that eliminate the wasted water. One mechanism is an under-sink, on-demand hot water heater in the kitchen. The cold water heats right there, under the sink, and only heats when you need it. Other houses have a separate set of pipes that circulates the cold water back to the hot water heater until the hot water gets to the sink, thus saving the water. Nevertheless, you should be able to calculate the very small amount of water wasted before hot water reaches each sink.

Dishwasher

Most newer dishwashers use a known volume of water. The owner's manual or other paperwork for your dishwasher might have this information. If you haven't kept that documentation, you might do an internet search for the type of dishwasher you have. Water use will depend on which setting you select to do the dishes; some dishwashers have a "water miser" or other lower water-use setting. Some dishwashers also have a "pots and pans" setting that will usually use more water. Once you have determined an estimated volume of water

used for each load of dishes at the setting you most commonly use, note how many loads of dishes your family runs in the dishwasher each day and multiply that by the number of gallons per load.

Washing Machine

As with dishwashers, most newer washing machines use a known volume of water. Determine how much water your washing machine uses during a typical day in about the same way that you measured your dishwasher's water use.

Cooking

Note how much water you use for cooking each day of the week, then average those together to get an average cooking water use per day. For instance, cooking pasta might use more water than cooking rice.

Bathroom Sink

Use a container of known volume and a stopwatch to determine the flow in gallons per minute of your bathroom sink. If you have more than one bathroom sink in your house, see if their flows differ. Also, if you don't tend to run the water at full blast, make a second measurement of the faucet flow at whatever level you run the sink at. Use a stopwatch to determine how long you let the sink faucet run during different typical activities. The number of seconds the sink flows might be negligible for brushing teeth if you turn the water on and off quickly. You might use more for washing your face, washing your hands, or brushing teeth if you let the water run.

Dripping Faucet

Determine how much water you waste if your faucet drips. Place a container of known volume under the dripping faucet to catch the drips. Use a stopwatch or other timing device to measure how long it takes to fill to the known volume.

Activity 14: Outdoor Water-Use Calculation Instructions

During the summer months, outdoor water use can eclipse (exceed) indoor use. Watering lawns, gardens, and landscaping sometimes doubles or even triples a household's indoor use. You can easily calculate this by comparing a house's water use during the late-fall, winter, and spring months with the summer use. Winter water use provides an especially good baseline of comparison because during those months we use water almost entirely indoors.

That said, precisely determining a household's water use outside the house is less straightforward. By using several of the techniques listed below, however, we can make some reliable estimates.

Lawn Watering

Use several clean, empty tuna cans or equivalent (cat food cans work well, too) to determine your lawn-watering system's output and efficiency. Measure the length and width of your yard to determine approximately its square footage. Create a hand-drawn map of your yard and record those dimensions on it. Before turning on the sprinklers, place a number of tuna cans at regular intervals around the yard, noting each can's location on your map. Once you've turned on the sprinkler, use a stopwatch or timer to determine how long it takes to almost fill the cans—that is the equivalent of about an inch of water.

In a perfect system, all the cans would fill at the same rate. However, some cans might fill at different rates. This indicates that watering does not disperse evenly across the whole yard. Determine how long it takes for the fastest-filling can to fill, then note the water depth in all of the other cans. Mark those depths of water for each can on your map. Then, calculate the average depth of water in the cans (arithmetic mean) in inches and multiply that depth by the area of your yard. Divide that by twelve. This will give you a volume of water in cubic feet, a standard water-volume measurement. A cubic foot holds 7.48 gallons, so you can convert cubic feet to

gallons, if you would like, by multiplying the cubic feet by 7.48. The mathematical formula that represents all of these calculations looks something like this:

$$\frac{\text{average depth of water (inches)} \times \text{the size of the yard in square feet} = \text{cubic feet}}{\text{divided by 12 inches}}$$

In the example below, the size of one specific portion of Emily’s yard, controlled by the irrigation system “Zone 1,” is about 9’4” × 9’, equaling about 84 square feet. She had placed eight cans around that section before her mom turned on the sprinkler. It took about ten minutes for two of the cans to fill, though some of the others never completely filled. After measuring the depth of the water in each can, she charted the figures in a spreadsheet to manage the data more clearly before determining the average depth of water her irrigation system delivered to the yard.

Outdoor Lawn–Watering Calculation Table		
Can 1	0.9 inch	
Can 2	0.8 inch	
Can 3	0.7 inch	
Can 4	1.0 inch	
Can 5	0.6 inch	
Can 6	0.5 inch	
Can 7	0.5 inch	
Can 8	1.0 inch	
Total depth of water sprinkled onto the lawn	6.0 inches	Average = 0.75 inch per can

For the final step, determine how much water the irrigation system can deliver each minute. Divide the total amount of water delivered by the sprinklers by the total number of minutes the sprinklers took to fill the cans. This will provide you with the output per minute in gallons for your sprinklers.

If your sprinkler system is set up to irrigate multiple zones, repeat this process for each zone.

Here’s Emily’s initial calculations:

$$(0.75 \text{ inch} \times 84 \text{ square feet}) \div 12 = 5.25 \text{ cubic feet}$$

$$5.25 \text{ cubic feet} \times 7.48 \text{ gallons per cubic foot} = 39.27 \text{ gallons}$$

And the one for her final step:

$$39.27 \text{ gallons} \div 10 \text{ minutes} = 3.9 \text{ gallons per minute delivered by Emily’s irrigation system}$$

Activity 15: Physical/Chemical Assessment Instructions

“Metadata”

(Date, Time, Monitoring team name(s), Site location and description)

While actual water-quality data is important, it loses its meaning when it lacks context. When a scientist studies any sort of data, s/he must understand the data's origins—who collected the data and under what circumstances. Indeed, water-quality results can vary a lot depending on the time of day or calendar date. For instance, you would expect the water temperature to be much colder in winter than in summer. You might also notice a change in water temperature from the same location early in the morning versus later in the afternoon. A stream way up in the mountains is thus different in many ways from the same stream that flows across lower and more level terrain away from the mountains. As a result, make sure to note the date and the time you begin your assessment. Also, write down your name and the names of everyone else who is with you, even if they are simply observing.

Your site description should also include the geographic coordinates of your stream- or pond-monitoring location. Use a handheld GPS unit to gather your site's latitude and longitude or go online and use an online mapping app to precisely find its coordinates. To do that, first find your site location on the online map app and right click on it. The coordinates should pop up in a separate window or within the mapping app somewhere. Note that this is the geographic location of your monitoring site, information that corresponds with a stream transect (or cross section) or a pond access. All of your monitoring activities should happen at this location or be centered on it.

In addition, write a description that is good enough so that someone else can find your monitoring site using only it and a map marked with your site's location as her/his guide. Some (fictitious) examples might include “Our pond behind the house, on the far side, directly across from the house . . .” or “Such-and-Such Stream, 25 meters downstream from the County Line Road bridge.”

Weather

Weather strongly influences the physical characteristics of water. For example, a strong four-hour spring rain may create most of the excess sediment (cloudiness/muddiness) and other pollution that the stream transports that year (that is, the stream's annual sediment and pollution load). Long-term weather conditions can also greatly affect our streams and lakes. Floods, droughts, or other climatic extremes can change the water body's physical and chemical characteristics quite dramatically (e.g., create new stream channels or fill in portions of a pond with sediment).

Weather also impacts streams in other ways:

- Cloudy weather may lower dissolved oxygen levels because it inhibits plant photosynthesis (in photosynthesis, plants use sunlight and carbon dioxide to produce energy. The waste product is oxygen.)
- Recent rains may dilute point source pollution (pollution that comes from a single location, like a pipe from a wastewater treatment plant or old factory).
- Recent rains may increase nonpoint source pollution by increasing soil erosion from surface water runoff and moving other pollution around.
- Wind may raise dissolved oxygen levels by increasing turbulence.
- Temperature affects many parameters, such as the concentration of oxygen able to dissolve in stream water and thus be available to aquatic insects and fish.

Air Temperature. Another component of the weather is air temperature. We will determine water temperature a little later, but air temperature must be measured using a dry thermometer. Hang it in the shade for up to 2 minutes so that its calculation can stabilize. Remember, too, to avoid touching the bulb at the bottom of the thermometer; your hand's warmth will cause an inaccurate reading (upping the temperature it displays or, possibly, lowering it on a very hot day).

Precipitation. Precipitation is the final component of the weather whose effect we will include in our calculations. Document how much precipitation as rainfall occurred at your monitoring site within the past 24 hours. For a close estimation, use data from a nearby weather station or airport. The National Weather Service website is particularly handy. It contains past weather data for almost any airport and many other local weather stations. However, if you can secure permission to place a rain gauge at your monitoring site, that's a better source, except that you'll need to check it and empty it 24 hours before you return to monitor. Any snowfall should be measured as inches of liquid water. You can also weigh a known volume of snow (100 cubic centimeters is an easy volume to use) and compare that with what that same volume of liquid water weighs. This will give you a percentage that you can use to multiply the total depth of snow by to get the equivalent in rainfall. As a final option, make a rougher estimate by putting the previous 24 hours' depth of snow into a container (preferably with vertical sides) without compacting the snow and allowing it to melt completely. With a ruler, measure the water's depth in inches.

Weather Reporting Technique. Look around you and note the conditions at your location and document them at the time of your stream assessment: Find out the amount of precipitation that occurred there during the previous 24-hour period. Use your thermometer to measure the air temperature at your monitoring site before using it to measure the water temperature.

After you have finished assessing and documenting the weather and its effect, place the thermometer in a safe location in the creek or pond; it will require 2 minutes to stabilize, during which you can begin the water-color and odor assessments that follow.

Water Color

The water's color can provide you with some immediate clues about a stream or pond's condition. Clear water does not necessarily indicate high-quality water and other colors might indicate other conditions.

- **Clear:** Does not necessarily mean clean water. Many pollutants are invisible. Bacteria, for instance, are too small to be seen without magnification (for instance, using a microscope). Some chemicals are also invisible (but might be noticeable by odor). pH, or acidity and alkalinity of the water, is also invisible but can drastically affect aquatic life if it's far above neutral (that is, 7.0 pH).
- **Brown:** Usually caused by heavy sediment loads and/or soil washing into the stream or lake. Sediment clogs fish gills (especially the little fry or very young fish) and makes it harder for fish to see their food source. Sediment usually includes excess nutrients like phosphorus and nitrates that cause algae and nuisance aquatic plants to grow out of control.
- **Green:** Usually the result of excessive algae or cyanobacteria (single-cell bacteria that once were called "blue-green algae") growth. These "algae blooms" are usually caused by excess nutrients and high temperatures and can be unhealthy or toxic to animals (including humans) that use the water.
- **Oily sheen:** Petroleum or chemical pollution can cause a rainbow-colored oily sheen; by-products of plant decomposition can also cause it. To tell the difference between whether the sheen has been caused by a petroleum spill or natural oil, poke it with a stick. If the sheen swirls back together immediately, it's petroleum (there's no pot of gold at the end of this rainbow!). If the sheen breaks apart and does not flow back together, it is from the decomposition of plants, animals, or bacteria.

- **Reddish/Orange:** Usually due to the presence of iron oxide or some high-iron soil that is eroding.
- **Blackish:** Usually caused by leaf decomposition. Pigments leached from decaying leaves can cause the water to appear murky.
- **Milky:** May be caused by salts in the water or from very fine sediments like silt. Some rivers and lakes flow from glaciers, which are loaded with glacial till; also, finely ground rock that is similar to silt and is milky in appearance can have the same effect.
- **Gray:** May be a result of natural or human-induced activity. Surface foam is a common culprit and can be naturally occurring. For instance, vegetation can produce surface-acting agents (or surfactants) which cause surface foam. Human-induced surface foam, however, may have an unnatural color (red, pink, blue, yellow, or orange) and fragrant smell. This type of foam is most likely generated by household soaps and detergents and may be a sign of a failing septic drain field or other sewage discharge.

Water-Color Reporting Technique. Report the water color based on the categories listed above and on the data-collection form.

Water Odor

Water odor, like water color, can provide immediate clues about potential problems in a stream.

- **Sewage/Manure:** Smells like these are common in Idaho's air but our water shouldn't emit these types of odors. It is important to differentiate between whether the odor comes from the water or the air. Only document odors when they originate from the water.
- **Rotten Egg:** Often caused by hydrogen sulfide gas, a by-product of anaerobic decomposition (that is, rotting without oxygen). This is a natural process that occurs in areas that have large quantities of organic matter and low levels of dissolved oxygen. It may indicate water that contains excessive nutrients or other organic pollution.
- **Petroleum/Chemical:** Can indicate serious pollution problems from a direct source, such as a factory or parking lot or storm-sewer runoff.
- **Musky:** May result from natural or human-induced activities. Muskiness is often the by-product of some organic matter breaking down or being composted.

Water-Odor Reporting Technique. Determine whether the water produces any of the odors described above.

Water Temperature

Many of the chemical, physical, and biological characteristics of a stream are directly affected by water temperature. Some species, such as trout, are highly sensitive to temperature changes. Water temperatures can fluctuate seasonally, daily, and even hourly.

Human activities can adversely raise stream temperatures in a variety of ways. Thermal pollution can be caused by

- Warmed water entering a stream from industry discharges or runoff from paved surfaces
- Removal of riparian corridors, which increases solar heating
- Soil erosion, resulting in darker water, which can absorb more sunlight

Water temperature affects the following:

- The amount of oxygen dissolved in the water. Cool water holds more dissolved oxygen than warm water. Dissolved oxygen is essential to aquatic life.
- The rate of photosynthesis by algae and aquatic plants, which increases with higher temperatures.
- The metabolic rates of aquatic animals. Animals' metabolism increases with higher temperatures.
- The sensitivity of organisms to diseases, parasites, and toxic wastes.

Human impacts are most critical during summer, when low flows and higher temperatures cause greater stress on aquatic life. It is important to note that the temperatures of some streams are naturally higher than others, depending on groundwater flow into the stream, the weather, and other factors.

Water-Temperature Reporting Technique. At your stream- or pond-monitoring location, place the thermometer directly into the stream, holding it underwater in the main flow of the stream or a location that is connected to the main pond (not a shallow pool or isolated pocket of water) for about two minutes so the reading can stabilize.

Transparency and Turbidity

Transparency is a measure of water clarity and is affected by the amount of material suspended in the water. The more material that's in suspension, the less light can pass through the water, making the water less transparent. Suspended materials may include soil, algae, plankton, and microbes. Transparency is measured in centimeters using a transparency tube in streams or a Secchi disk in lakes.

Transparency is a measure of water clarity—specifically, how far (in centimeters) through the water column a person can see an alternating white and black pattern, called a Secchi pattern, until it disappears. Researchers look through a transparency tube to make these assessments in streams. The tube is typically 60 or 120 centimeters in length with the Secchi pattern at the bottom. Fill the tube with water then look down through the water in the tube to see if the Secchi pattern is visible. If it is, the reading is <60 (or <120 with the longer version). If the water is too cloudy for you to see the pattern, release some of the water from the valve at the bottom until the pattern just barely comes into view. Note the depth of the water in the tube.

To assess a lake's or pond's transparency, researchers use a larger, weighted Secchi disk by dangling it on a long line down into the water and then recording the line's length when they no longer can see the disk. They can do this because lakes and ponds generally contain standing water, so their sediment tends to settle more rapidly than in streams.

Turbidity is another important water-clarity measure. But it is somewhat different from transparency. Turbidity measures the degree to which suspended particles in water scatter light. More elaborate scientific equipment, including a handheld computer and submersible probe that includes a turbidity sensor, enables its measurement. A special light bulb, light-emitting diode, or LED from the probe shines a beam of light of known intensity and color through a known distance of water at (actually, inside of) the sensor. Any suspended particles in the water block some of the light from reaching the sensor. The sensor measures the amount of light it can detect and sends that data to a handheld computer. The computer then begins its calculations, doing a little subtraction to determine how much light made it through the water versus the amount of unscattered light. It reports its finding not in centimeters, but in an "NTU" or nephelometric turbidity unit, a more precise measurement of the water's cloudiness than the transparency measurement. It's a helpful measure but the equipment it requires is costly and needs to be recalibrated after use.

The effect of low transparency (or high numbers of suspended particles) is rarely toxic to aquatic animals, but it indirectly harms them when the solids settle out and clog gills, destroy habitat, and reduce the availability of food. Suspended materials in streams also promote solar heating, which can increase water temperatures, and reduce light penetration, which reduces photosynthesis. The combination of higher temperatures and reduced photosynthesis is problematic because it lowers the availability of dissolved oxygen for aquatic life. Sediment particles also usually carry attached nutrients and sometimes harmful or toxic chemicals, all of which can have harmful environmental effects.

Transparency and Turbidity Reporting Technique. Using a transparency tube in a stream:

A transparency tube is a 60-centimeter (or rarely a 120-centimeter) clear plastic tube whose bottom contains a stopper, a small Secchi pattern, and a small hole or valve off the side. A centimeter scale (like a little tape measure) lines the side of the tube. A zero mark coincides with the location of the Secchi pattern inside the tube's bottom. The idea is to fill the transparency tube with stream water and then look through it to determine how far through the water column you can see the Secchi pattern. Remember to remove your sunglasses for a more accurate measurement. The basic procedure is as follows:

1. Make sure the finger clamp on the hose of your transparency tube is closed.
2. Facing upstream in the area of the stream with the greatest flow, let the flow fill up the transparency tube.
3. Hold the tube upright in the shade. Use your body to shade the tube if nothing else is available.
4. With your back to the sun, look directly into the tube from the open top. If you can see all the way to the Secchi pattern in the bottom, record the top number in centimeters; add a "greater than" (>) symbol before the number to indicate that you could see through more than the length of the tube. If you cannot see the Secchi pattern at the bottom, slowly release water through the small hose valve or hole, regulating the flow with the finger clamp, until you are able to distinguish the black-and-white pattern (Secchi pattern) on the bottom of the tube. Close the finger clamp. Read the number on the outside of the tube that is closest to the waterline. Record your reading in centimeters.
5. Rinse the tube after each use so that the bottom Secchi pattern does not become dirty and clouded.

Using a Secchi disk in a pond or lake:

The Secchi disk is an 8-inch diameter plastic disk with a weight at the bottom and an eyebolt through it that ties to a long line that is marked in 1-meter increments. The entire plastic disk is colored or painted in a Secchi pattern (alternating black-and-white quadrants). The idea is to carefully lower the Secchi disk into the lake or pond and then use the meter marks on the line to determine how far through the water column you can see the Secchi pattern. Remember to remove your sunglasses for a more accurate measurement. The basic procedure is as follows:

1. If monitoring from a boat, always wear a personal floatation device. At your monitoring site, carefully lower an anchor over the side until it reaches the bottom. Remember that when the anchor hits the lake bottom, there's enough energy to disrupt some bottom sediment. Let out plenty of anchor line to allow the boat to drift away from the sediment kicked up by the anchor.
2. Ensure that the Secchi disk is securely tied or attached to the line (or sometimes a waterproof tape measure). Slowly lower the Secchi disk into the water until it is no longer visible.
3. When the disk is no longer in view, use a paperclip, clothespin, or something similar to mark the line or tape measure at the water's surface.

4. Lower the disk a few more feet and then slowly raise it back toward the surface. When you can see the disk, mark the line or tape measure at the water's surface with another marker. Carefully lift the line and disk back into the boat.
5. Form a loop in the line or tape measure between the two markers. Use a third marker to mark the center of the loop, which is the "average" between the two readings. This measurement, usually in meters, is considered to be the Secchi depth. Record the results on the assessment field form.
6. If the Secchi disk hits the bottom and it is still in view, the reading is greater than the depth of the lake at that location. This often happens when measuring transparency from a dock or in shallow lakes. Measure the depth to the bottom and add a "greater than" (>) symbol to your measurement to indicate that the transparency is greater than the depth to bottom.
7. If the Secchi disk is obscured by dense aquatic vegetation, move it a few feet away to improve your view through the plants. If that does not work, use a transparency tube to get a water-clarity reading. Note in the Physical/Chemical Assessment Form's comments section that dense aquatic plant growth inhibited your ability to collect a Secchi disk reading.

pH or Acid/Base

The pH scale indicates how acidic or basic water is; it is measured in pH units on a scale of 0–14. A pH of 7 is neutral (distilled water), one that is greater than 7 is basic/alkaline, and one that is less than 7 is acidic.

The pH of stream water is influenced by the concentration of acids in rain and the types of soils and bedrock in the watershed. The typical rainfall in the United States is slightly acidic, with a pH ranging from 5.0 to 5.6. As rainwater falls, carbon dioxide from the atmosphere dissolves into it, thus forming a weak carbonic acid that lowers the pH. Soils and bedrock can affect pH, too. Water flowing through karst topography, or other types of limestone bedrock, as well as some volcanic bedrock, can become slightly basic, with a pH higher than 7.

Abnormally low or high pH levels (acidic or basic water) can have a harmful impact on the health of aquatic communities. Very acidic water or acid rain can allow toxic substances such as ammonia and heavy metals to leach from our soils and possibly be absorbed by aquatic plants and animals in a process called bioaccumulation.

Most aquatic organisms require habitats with a pH of 6.5–9.0. Extremely high or low pH values are quite rare in Idaho, however. Most values that exceed 9.0 (basic) are caused by excessive algal growth, a sign of nutrient enrichment. Very low (acidic) pH readings are generally near point sources of pollution.

pH or Acid/Base Reporting Technique: Although any type of pH test strip can be used, Hach pH test strips with a pH measuring range of 4–9 are the best to use because they are suitable for use in unbuffered solutions (<https://www.hach.com/ph-test-strips-4-9-ph-units/product?id=7640211607>, product #: 2745650). Most fish tanks, hot tubs, and swimming pools have some sort of buffering agent included in the chemicals that are added to keep them clean. But streams and ponds aren't treated and are thus considered unbuffered. If you can't find the Hach strips, you can use other pH test strips, though they might be less accurate. Whichever test strips you end up using, store them in the dark at room temperature. Here's the basic procedure to test a water's pH:

1. Check the expiration date on the bottom of your bottle of Hach or other brand pH test strips. If the expiration date has passed, do not use them.
2. Facing upstream in the area along your transect with the greatest flow, dip the test strip in the water then remove it immediately. Hold the strip level for 15 seconds. Do not shake excess water from the test strip.
3. Estimate the pH by comparing the color of your test pad with those in the color chart provided in the test strip package. Remove your sunglasses before reading the strip. The pad will continue to change color, so make a determination immediately after 15 seconds.

4. Record your result on the Physical/Chemical Assessment Form.
5. Dispose of the test strip in a waste container that can subsequently be emptied into your household trash or another trash receptacle.

Now it's time to measure the physical characteristics of the stream.

Stretch a meter tape across the stream if it's safe to enter. To accurately measure a stream's width, depth, and velocity measurements, you will need to either stake the tape across the stream transect or have your monitoring partners hold the tape across the stream transect.

Stream Width

Stream width is measured from the edge of the left bank to the edge of the right bank and recorded in meters. This may not be the actual width of the water, but instead represents the width of the stream channel. If you are measuring a pond, try to determine how many acres it is in size.

Stream-Width Reporting Technique. Facing upstream and starting from the left bank of your stream transect, measure the width of the stream in meters with the measuring tape. Make sure to measure the width at the same place each time you assess the stream! To make stream-depth and -velocity measurements, you will need to either stake the tape across your stream transect or monitor with others who can hold the tape across your stream transect.

Stream Flow

After visiting your site a few times, or by looking closely for high-water marks on the land or trees, you will be able to assess stream flow (whether it's high, normal, or low). There's no need to use any sort of advanced measuring devices. Simply make an assessment of whether the stream is high, low, or about at a year-long average. Lakes and ponds can also have water levels that are higher or lower than average. Look at the shore to identify the line where terrestrial or dryland vegetation changes to waterborne (lacustrine) vegetation or to an unvegetated lake bottom. If the lake or pond is very low, you might see multiple "bathtub rings" where the water level was at a higher level for a period of time, then dropped to a slightly lower level, and so on, over time.

Stream-Flow Reporting Technique. Use these definitions to determine stream flow or the water level of your pond/lake:

- High—Stream flow is higher than normal.
- Normal—Stream flow is normal.
- Low—Stream flow is lower than normal.
- Not sure—If normal stream flow is not known, stream flow cannot be estimated.

Stream Depth

Water depth is important for many fish. Most fish require deeper water for overwintering.

Shallow waters are important food production and feeding areas.

Stream-Depth Reporting Technique. Using your stream width measurement, divide the total width of your stream into three to five equal distances. You will use these distance increments to locate where you will measure the stream depth. Facing upstream and starting from the left bank of your stream transect, measure and record the depth of the water, in meters, at each of your distance increments (see Figure 31). Remember to




Figure 31. Accurate measurements along your stream transect will allow you to track changes in channel migration and the effects of sedimentation in your stream. *Courtesy of Noah Kroese.*

convert centimeters to meters. If your stream is fairly narrow, three measurements will be enough. If it is very small (only a meter in width, for instance), a single measurement in the middle is sufficient.

If you are measuring a pond, try to find the deepest spot and measure the total depth with a line tied to a weight. You may want to measure a bottom profile by measuring the depth at different points along a straight line across the pond. Scientists use depth finders to measure the depth along many transects or along a grid-patterned path all around the lake. Scientists can make a three-dimensional topographical map of the lake's bottom with these more sophisticated measurements. Do the best you can with the materials you have on hand. Even knowing the maximum depth of the lake or pond can help you to understand some of the subsurface dynamics within the water body.

Stream Velocity and Pond Volume

A stream's velocity is a measurement of how fast water is flowing. Along with a stream's depth and width, you need to know a stream's velocity in order to calculate a stream's discharge rate, or the volume of water flowing down a stream past a particular point per second. While researchers use more sophisticated scientific equipment to determine stream velocity, you can simply use a floating object like an orange, tennis ball, or even a stick. The discharge rate is important data, for it helps us understand the effects of other parameters.

Ponds or lakes, however, are calmer bodies of water, so using a floating object to measure either's velocity of water is pointless. But you can calculate how long water stays in the pond or lake by knowing its total volume and how much water flows into it. Information like this can be found by searching on the internet or by corresponding with the agency or organization that manages a lake. Additionally, sizable streams or rivers usually flow into large lakes; many of these streams have a gauging station that provides inflow data (though the smaller the stream, the lesser chance that this kind of information is available). Thus you should be able to measure ponds for volume and streams for discharge.

Stream-Velocity and Pond-Volume Reporting Technique (please read entire instructions first before actually carrying them out).

1. Measure a known distance along a stream's bank (like 1 meter or 3 meters) and get ready with your stopwatch. Be sure the location is not blocked by logs or other obstacles (a few rocks in the way may slow the floating object down a little but that is still acceptable).
2. Toss your floating object into the water just upstream from your measured distance.
3. Start the stopwatch the moment your floating object crosses the upper end of your measured distance.
4. Stop the stopwatch as soon as it crosses the lower end of that distance.
5. Write down on the Physical/Chemical Assessment Form the time it took the object to float from the start to the end of the measured distance.
6. Repeat this procedure at least three times at the same location and average the results.
7. Repeat the whole above procedure for each stream-width-distance increment. If your stream is really small (less than a meter wide), it's okay to measure just the velocity in one spot in the middle.

Other Stream Assessment Observations and Notes

Use this section to record anything of interest or any anomalies you encounter. For instance, if you can't see the Secchi disk because of aquatic vegetation or if a friendly dog muddied up your stream just before you took the transparency tube measurement (it's happened . . .), note those things here.

Activity 18: Stream Habitat Assessment Instructions

“Metadata”

(Date, Time, Monitoring team name(s), Site location and description)

While actual water-quality data is important, it loses its meaning when it lacks context. When a scientist studies any sort of data, s/he must understand where the data came from, who collected the data, and under what circumstances the data were collected. Some water-quality results vary a lot depending on the time of day or calendar date. For instance, you would expect the water temperature to be much colder in the winter than in the summer. You might also notice a difference in water temperature from the same location early in the morning versus later in the afternoon. Location affects data results as well. A stream way up in the mountains is different in many ways when it flows at lower elevations across more level terrain, away from the mountains. In this section, be sure to note the date and time you begin your assessment. Also, write down your name and the names of everyone else who is with you, even if they are simply observing.

The site description should include the geographic coordinates of your stream- or pond-monitoring location. Use a handheld GPS unit to gather your site’s latitude and longitude. If you don’t have one of these units, go online and query an online mapping application to find your site location, then right click on that site. The coordinates should pop up in a separate window or within the mapping app somewhere. Note that this is the geographic location of your monitoring site. This corresponds with a stream transect (or cross section) or a pond access. All of your monitoring activities should happen at or be centered on this location.

In addition, write a description that is good enough so that someone else can find your monitoring site using only it and a map marked with your site’s location as her/his guide. Some (fictitious) examples might include “Our pond behind the house, on the far side, directly across from the house . . .” or “Such-and-Such Stream, 25 meters downstream from the County Line Road Bridge.”

Pebble Count Survey (“Wolman Pebble Count”)

The characteristics of a stream bottom are very important to habitat quality and the type of aquatic life you find there. In general, a shifting sand or silt streambed will not support as diverse a population as more stable streambeds consisting of gravel, cobble, boulders, or fallen trees.

What a streambed is made up of is called the substrate. You will learn how to use a long-standing assessment technique called the “Wolman Pebble Count” to assess your stream’s substrate. The procedure is named after a famous geologist and hydrologist, M. Gordon Wolman, who worked with geomorphologist and hydrologist Luna Leopold to pioneer research about how rivers flow and change, how they move river bottom pebbles and sediments, and how they change entire landscapes. His count makes for very dynamic study. Although natural geology is responsible for the original substrate of Idaho streams, human activities in the watershed, such as those that increase soil erosion rates, also cause sand or silt to cover existing substrate.

You too can be a hydrologist like Wolman and Leopold. Using the measuring device below will allow you to make your own statistically significant estimate of a stream’s substrate without picking up every single rock in the stream bottom.

Pebble-Count Reporting Procedure. At your stream transect, perform a Wolman Pebble Count:

1. Start at the edge of your transect’s left bank. Take one step into the water perpendicular to the flow and, while averting your eyes, bend over toward your big toe and pick up the first pebble that touches your index finger. In this context, “pebble” means any rocky material, from silt and clay particles to large boulders.




Figure 32. Wolman Pebble Count measuring tool.

2. Measure and record the B-axis (that is, the “intermediate axis,” not the longest nor the shortest length of an irregular-shaped rock; see Figure 33) with a Wolmanator Ruler. Make certain to record your counts in the “inwettered” or “outwettered” columns, depending on if the pebble was in the water or out of the water, respectively. For embedded pebbles or those that are too large to move, measure the shortest axis visible.
3. Discard the pebble downstream so that you don’t count it again.
4. Moving across the transect step-by-step, repeat steps 1–3 until you reach the edge of the right bank.
5. Establish a new transect just upstream from your last and begin the process over again. If your stream reach is relatively narrow (< 2 meters), modify the method by walking upstream in a zigzag pattern instead of one perpendicular to the flow. In general, collect fifty measurements in order to accurately quantify pebble distributions; however, always finish any transect you start.

Noting the shine of the substrate can help determine if the substrate moves during periods of *bankfull discharge* (the flow discharge when the stream is full to the top of its banks and is just about to spill onto its floodplain). A dull substrate may indicate more *bed load* (sediment rolled or dragged along the bottom) than the stream can move and process (*aggradation*) or show that bankfull flows were not reached.

Stream Bank Description

You can tell a lot about a stream’s long-term stability and the aquatic life it can support by looking at the shape and condition of its banks. Are the streambanks high, crumbling walls or gently sloping banks with grass, shrubs, and trees growing on them? All streams and rivers move within their floodplains, but a mature, stable stream does not move very rapidly. A stable bank is a sign of a stable stream.

But bank-sloughing cut banks (banks that are actively eroding) and high-walled banks without trees or other soil-holding plants are signs of bank instability and poor physical condition and thus poor biological condition. Streambanks are an important source of sediment and nutrients, but when streambank erosion increases beyond the stream’s ability to assimilate the sediment, streambank erosion occurs, negatively impacting aquatic life.

A sloping bank covered with vegetation is more stable and indicates a healthier watershed. Not only do gently sloping banks offer better habitats for wildlife near the water’s edge, they work to slow and filter watershed runoff.




Figure 33. In a Wolman pebble count, you will measure the B-axis of the pebbles, which is the midlength axis. *Courtesy of Noah Kroese.*

So what determines a stream bank's stability? Factors that impact the stability of streambanks include the following:

Channelization—Streams that engineers have channelized or straightened have extremely high flow, particularly at certain times of the year, like flood season. These methods often create cut banks, thus affecting a stream's stability. For instance, channelizing streams by pinning them against the edges of valleys was common practice fifty and more years ago. Intended to make farming and other development in the valley bottoms easier, it instead hindered farmers and harmed stream habitats. The streams' faster flow cut down into the valley floors, reducing the amount of water that soaked into the soil. As a result, farmers had to invest in expensive irrigation equipment. Meanwhile, fish suffered as their severely altered habitat shrunk in size. Today, many landowners are trying to restore the original sinuosity (curviness) of nearby streams; they also are installing a few armored crossings (fords) in the hopes of opening farming to both sides of the valley.

Soil types—The type of soil that a stream channel cuts through affects bank appearance. A stream that cuts through soft loamy soil tends to produce eroding cut banks and thus more instability. A more stable soil such as clay, however, usually encourages the development of more durable slopes.

Vegetation—A community of native wetland plants at the water's edge, such as willow thickets, prevents or slows bank erosion. But growing row crops or harvesting timber at the edge increases erosion, thus negatively altering a stream's stability.

Livestock—In-stream grazing and watering are particularly damaging to a stream's stability. In fact, livestock grazing directly along and in streams is one of the most erosive forces along streambanks, especially along "cow paths" or watering places. As a corrective, many farmers have installed off-stream watering troughs while many ranchers have switched to fencing livestock out of streams.

Road culverts or drainage tiles—Outlets can cause erosion if not properly positioned and installed. Properly designed road culverts reduce erosion and allow fish passage upstream and downstream.

Stream-Bank Reporting Procedure. Use the Stream Habitat Assessment Form to record the characteristics of both the left and right streambanks as you face upstream at your site's stream transect.

Bank Condition

Streambanks are the portions of the stream channel that are the most susceptible to erosion. They are important transition zones between terrestrial and aquatic life. Generally, human disturbances in and around the riparian corridor heavily influence a streambank's condition.

Banks in good condition are well vegetated, stabilized by deep root systems, and provide excellent aquatic habitat. Eroding streambanks are likely to have very little vegetation and easily fall to flow-related erosion. Yet appearances can be deceiving. Some banks covered by vegetation can be unstable sites where erosion sets in. Alternately, some exposed banks can be stable, especially those predominately made of rock. Whatever the cause of their deterioration, poor streambanks often allow more solar radiation to reach the water via an increased sediment load to the channel.

Bank-Condition Reporting Procedure. At your stream transect, record the condition of both the left and right streambanks. For each streambank, choose one of the following descriptions:

- covered, stable
- uncovered, stable
- covered, unstable
- uncovered, unstable

Canopy Cover

Canopy cover influences the amount of light that can filter through overhead vegetation before reaching a stream. It is the vegetation (tree branches, leaves, grasses, etc.) that hangs over a stream. Like clouds in the atmosphere, canopy cover helps protect a stream from extreme fluctuations in water temperature. Vegetation is also important for streambank stabilization and the aquatic food web.

Without a good canopy cover, a stream's water temperature can fluctuate greatly and stress aquatic communities. Elevated water temperatures resulting from solar heating create warm water, which contains less dissolved oxygen than cold water. Thus less oxygen is available for fish and other aquatic life in streams with no or little canopy cover.

Canopy-Cover Reporting Procedure. At your stream transect, estimate what percentage of the area above the stream is covered by tree branches, leaves, and/or grasses. Make your best estimate of canopy cover in 25% increments. You can use a phone camera or digital camera to take a photo, pointed directly up, above the middle of the stream. Use the photo to help estimate the percentage of canopy cover. You can also digitally superimpose a grid on top of the photograph, then count the grid squares that are most filled by tree branches, leaves, etc. to assist your estimation.

Riparian Zone Width and Percentage Plant Cover

A stream's riparian zone is the area of land directly adjacent to a stream. A healthy riparian area consists of trees, shrubs, and/or grasses (Figure 34). This zone is extremely important for the health and protection of the stream. Trees help stabilize the bank during flood events and may provide habitat for both aquatic and terrestrial organisms. Shrubs, grasses, and other plants slow and filter runoff water before it enters the stream.

Riparian Zone Width and Percentage Plant Cover Reporting Procedure. Measure each of the following at the stream transect:

- Riparian Zone Width—Facing upstream, estimate the width of the riparian zones along the left and right banks in increments of 0–5 meters, 5–25 meters, and more than 25 meters. Utilize the vegetation's appearance as an aid in determining the zone's extent.
- Riparian Zone Plant Cover—Facing upstream, estimate the percentage of plant cover (trees, shrubs, grass/low plants, other) in the left- and right-bank riparian zones. The percentages of each bank should add up to 100%.

To prepare for the next procedure, begin assessing the stream reach beyond the stream transect.

Stream Sinuosity (along the entire stream reach)

Sinuosity is a measure of a stream channel's tendency to meander back and forth within a stream valley. Strictly speaking, sinuosity is the ratio of the channel length between two points in a channel and the straight-line distance between the same two points.

Describing the sinuosity of the stream reach as low, moderate, high, or braided does not necessarily mean that the entire stream has that level of sinuosity but that the portion of the stream being monitored can be viewed in this way.




Figure 34. Transect of a riparian zone, where the depth to the water table is shallow. *Illustration by Mercedes Rennison.*

Stream channels with low sinuosity are relatively straight with few bends or meanders. Stream channels with moderate sinuosity have few bends that are greater than 90°. A high sinuosity rating is for streams with a significant number of bends and meanders that make a greater than 90° curve. Braided channels are divided into several smaller channels, typically due to an accumulation of deposits within the bankfull channel (Figure 35).




Figure 35. Descriptions of various stream sinuosity measurements. *Courtesy of Noah Kroese.*

Stream-Sinuosity Reporting Procedure. Record the sinuosity of your stream reach as low, moderate, high, or braided.

Microhabitats

Smaller habitat areas, called microhabitats, exist within larger stream habitat types (pool, riffle, run, and glide). These microhabitats consist of algae mats, leaf packs, logjams, rock piles, root wads, undercut banks, fallen trees, weed beds, and large rocks. Microhabitats ensure stream diversity by supporting a variety of aquatic life.

Microhabitats Reporting Procedure. Your Stream Habitat Assessment Form lists many different types of microhabitats. Check off all of the different types that you see in your stream reach and describe each as well as possible.

Adjacent Land Use

The land use adjacent to a stream and riparian zone is also very important to document. Feedlots, wastewater treatment facilities, and city storm sewers can be sources of nutrients and other pollutants to nearby waters. Other important influences include golf courses, roadways, parking lots, construction zones, dump sites, airports, and state or federally protected natural areas. To be sure, stormwater flows from any land use, carrying beneficial nutrients as well as associated pollutants directly to the stream.

It is important to document any land use in the watershed that might influence water quality, especially those that exist in close proximity to your stream reach. Additionally, documenting human use, or even evidence of it, can help to illustrate our physical connection to aquatic resources.

Adjacent-Land-Use Reporting Procedure. The Stream Habitat Assessment Form contains three lists related to land use: land uses immediately adjacent to your stream, human uses that you witness, and human use that you don't witness.

From these lists, check all those that apply along the stream reach. *Note: don't document land uses that are out of sight or more than a few hundred yards from your stream.*

- Adjacent land use—Check all land uses in the area adjacent to the riparian zones. Record all other land-use practices that could affect the stream.
- Human-use activities—Check all activities you've either witnessed or participated in at this site.
- Evidence of human use—If there's any evidence of others using the stream, check all uses that apply.

Record all other land-use practices that potentially could affect the stream: Document the many land uses more distant from your stream reach that might impact the water quality there.

Adjacent-Land-Use Reporting Procedure (Photographs). As the adage goes, a picture is worth a thousand words. Photographic documentation of habitat conditions along your stream reach may prove to be extremely useful for tracking changes over time. Be sure to use landmarks to identify specific locations so you can compare images from year to year. The more pictures, the better!

Activity 18: Make Your Own Transparency Tube Instructions

Materials:

- A clear tube (approximately 4.5 centimeters × 60 or 120 centimeters; many hardware stores carry long tubes for protecting fluorescent light bulbs. These are inexpensive and make excellent transparency tubes. If these are not available, any long, clear plastic tube of the appropriate size can be used. Length of tube is more important than diameter.)
- Permanent, waterproof black marker
- PVC cap (to fit snugly over one end of tube)
- Meter stick (or meter tape)

Directions:

- Using the black permanent marker, draw a Secchi pattern (alternating black and white quadrants) on the inside of the PVC cap.
- Attach the PVC cap over one end of the tube. Use glue, adhesive, or some sort of waterproof tape if you need to. The cap should fit tightly to keep water in.
- Use the marker and meter stick to draw a centimeter scale on the tube's side. The bottom of the PVC cap with the Secchi disk pattern is 0 centimeters. Mark every centimeter up from that point. Most commercially available transparency tubes are either 60 centimeters or 120 centimeters.
- Drill a small ($\frac{1}{8}$ "– $\frac{3}{16}$ ") hole in the bottom; you will use your finger to plug the hole when it's time to fill the tube. Instead, you can install a shutoff valve near the bottom of the tube to allow water to escape in a controlled manner; this more closely resembles commercially available transparency tubes, but its assembly requires care.
- This procedure adapted from <https://www.globe.gov/documents/11865/320eaa47-1309-44dd-844a-7767168c040c>.

Activity 19: Pond/Lake Habitat Assessment Instructions

IDAH₂O suggests beginning lake monitoring at spring ice-out and continuing on a monthly schedule until fall freeze-over. A habitat assessment, however, should be an annual event, preferably in July. If this schedule is too rigorous, or if the goals and objectives of your program don't require this frequency, set a schedule that works best for you. The most important concept is consistency. If you sample the first week of May, July, and September one year, be sure to repeat this as closely as possible the next year.

In general, the Master Water Stewards Program recommends sampling between 10 a.m. and 3 p.m. Understand, however, that there is flexibility in both the day and time you sample, especially when unfavorable weather conditions intrude. Use good judgment as to when to sample. Master Water Stewards recommends that you not sample alone and be sure to let someone know when and where you are going to sample. Under no circumstances should volunteers be on the water during rain or electrical storms, high winds (white caps), thin ice, or other unsafe conditions.

When conducting your assessment, use the Pond/Lake Habitat Assessment Form located in appendix 3 and online (as "Habitat Assessment [PDF]") at the Master Water Stewards website (<https://www.uidaho.edu/extension/idah2o/volunteers>). The remainder of this chapter describes the various kinds of data you'll collect when you do the assessment.

When (or before) you arrive at your monitoring site, you first need to be sure you have everything you need, that your equipment is organized and ready to use, and that you've set up your assessment form to be ready to document the conditions at the site. As with the physical and chemical assessments for stream monitoring, it is important to include the metadata that provides context for your assessment. You will use the monitoring data collection form in appendix 3 to record your data. Pay close attention to each of the individual protocols discussed and described in the following paragraphs.

“Metadata”

(Date, Time, Monitoring team name[s], Site location and description)

While actual water-quality data is important, it loses its meaning when it lacks context. When a scientist studies any sort of data, s/he must understand the data's origins—who collected the data and under what circumstances. Indeed, water-quality results can vary a lot depending on the time of day or calendar date. For instance, you would expect the water temperature to be much colder in winter than in summer. You might also notice a change in water temperature from the same location early in the morning versus later in the afternoon. A lake way up in the mountains is thus different in many ways from a similar lake on lower and more level terrain away from the mountains. As a result, make sure to note the date and the time you begin your assessment. Also, write down your name and the names of everyone else who is with you, even if they are simply observing.

The site description should include the geographic coordinates of your stream- or pond-monitoring location. Use a handheld GPS unit to gather your site's latitude and longitude or go online and use an online mapping app to precisely find its coordinates. To do that, first find your site location on the mapping app and right click on it. The coordinates should pop up in a separate window or within the mapping app somewhere. Note that this is the geographic location of your monitoring site, information that corresponds with the point at which you access your pond or lake. All of your monitoring activities should happen at this location or be centered on it.

In addition, write a description that is good enough so that someone else can find your monitoring site using only it and a map marked with your site's location as her/his guide. Some (fictitious) examples might include “Our pond behind the house, on the far side, directly across from the house . . .” or “Such-and-Such Stream, 25 meters downstream from the County Line Road bridge.”

Activity 19: Make Your Own Secchi Disk Instructions

(Adapted from *National 4-H Sportfishing Manual*, 1999 edition, “Homemade Sampling Gear: Making a Secchi Disk,” https://agriculture.okstate.edu/departments-programs/natural-resource/extension/4h-natural-resource/site-files/documents/4-h-sportfishing-aquatic-ecology/7c_homemade_sampling_gear_secchi_disk.pdf. Used with permission.)

The Secchi disk depth is influenced by the amount of suspended plankton and other nonliving particles (dirt, small pieces of organic material) in the water. Young game fish depend on plankton as food sources. Many species of baitfish feed on plankton.

Fish that depend upon vision to capture their food may be replaced by bullhead and other fish that feed by touch and odor if waters are constantly turbid from siltation. Turbidity caused by excess algae may indicate that oxygen levels are depleted. In this type of water, only fish that survive in low-oxygen environments, such as carp and members of the catfish family, may be present.

Biologists also use the Secchi disk on ponds, lakes, and slow-moving rivers to determine the productivity of a given water. Unproductive waters have little turbidity, so the Secchi disk can be lowered very deep (30 or more feet). Productive waters can have Secchi disk depths of a few feet to a few inches.

Recently, observations have been made about the impacts of zebra and quagga mussels on algae-related turbidity. In zebra mussel–infested waters, the clarity of the water has improved dramatically due to the capacity of these organisms to filter huge amounts of water. The reduction of plankton can lead to game fish population crashes.

Building and Using a Secchi Disk

Lake scientists use a Secchi disk to measure transparency in lakes and ponds. By lowering the Secchi disk until the black-and-white pattern is no longer visible and noting its depth, you can measure a relative level of transparency. Use the Secchi disk to compare the transparency of a number of different lakes or ponds. It may also be interesting to measure the transparency of a lake or pond during different times of the year.

Materials Needed:

- Wood (plywood works best) or ¼" plastic disk, 6–8 inches (15–20 centimeters) in diameter (alternately, the top of a large juice can or a metal pie plate are good approximate measures)
- Hand drill
- Black and white paint—exterior grade, flat
- 20'–50' piece of parachute cord or other nylon rope
- Large metal washers (several ounces for each disk)
- Eye bolt, three nuts, and a washer for each disk
- Stick or wooden dowel, about 1 foot (30 centimeters) long
- Two waterproof markers, different colors

Building the Secchi Disk:

1. Paint entire disk with white paint. If using wood, cover all exposed surfaces and edges.
2. Drill a hole large enough for the eyebolt to pass through in the center of the wood or plastic disk. Thread one nut on the eyebolt, followed by the washer. Put the eyebolt into the disk and place the washer and nut on the bottom. Tighten. (Sequence should be eyebolt, nut, washer, disk, then washer nut. The washer is used for weight and is threaded on the bottom of the eyebolt and held on with the remaining nut.)

3. Divide the disk into quarters and paint alternating sections of it black and white.
4. Tie the rope to the eyebolt.
5. Tie the free end of the rope to the stick or wooden dowel.
6. Use the marker to mark off distances on the rope every 6 inches (or every 10 centimeters if metric). For example, mark every 1-foot (or 1-meter) interval with a red mark and every 6-inch (10-centimeter) interval with a blue mark.

Using the Secchi Disk:

1. Hold onto the stick and rope and lower the Secchi disk into the water until you can no longer see its painted surface.
2. Using the marks on the rope, determine how deep the Secchi disk is when you lose sight of the black-and-white pattern or the depth at which it reappears as you bring it back up.
3. This depth is your measure of transparency. Use the same method each time you measure your transparency.

Activity 20: Aquatic Macroinvertebrate Assessment Instructions

How to collect a macroinvertebrate sample from a stream:

1. Wade into a stream with your partner/teammate with a net and place it so its mouth is perpendicular to and facing the flow of the water.
2. Another person on your team positions her/himself upstream from the net and disturbs the stream bottom with her/his feet and hands or turns over rocks with a shovel.
3. Carefully pick up and rub stones directly in front of the net to remove any attached animals. (The current will have carried stream-bottom materials and organisms into the net.)

If you are sampling from a pond, use a long-handled net to knock macroinvertebrates off the emergent and submerged vegetation around the edges of the pond. Also, try to capture some bugs off the bottom, but be careful to allow as little muck into the net (though trapped muck is inevitable) to make finding the bugs easier.

4. Continue this process until it looks like you have captured enough macroinvertebrates or until you see that you are not catching any more. This should not take too long: less than one minute. If you notice that a lot of debris traps in the net, stop and pick through that, collecting any macroinvertebrates, then go back for more. Too much debris in the net makes it more difficult to find the macroinvertebrates.
5. Pick individual macroinvertebrates directly out of the net (use a plastic spoon, forceps/tweezers, or just your fingers) and store them in a tub or ice cube tray or simply dump your stream or pond sample directly from your net into a larger plastic tub, using a container of stream water to help wash the organisms into that tub.
6. Sort and identify the macroinvertebrates using magnifying glasses, ice cube trays or shallow dishes, and dichotomous macroinvertebrate identification keys. (You can find the keys on the Master Water Stewards web pages and elsewhere online; use the internet search term, Aquatic Macroinvertebrate ID Key.)

Accurately identify each aquatic macroinvertebrate you find and mark its presence on the data sheet. You can use hash/tally marks to count the total numbers of different macroinvertebrates you've collected, but this is not necessary; a simple presence-absence survey is sufficient.

Activity 20: Make Your Own Aquatic Macroinvertebrate Kick-Net Instructions

You can also make a long-handled net for collecting macroinvertebrates from ponds, undercut banks, and other hard-to-reach locations. It can be done for two dollars or less!

Materials Needed:

- A wooden dowel about an inch in diameter (possibly as small as $\frac{3}{4}$ ")
- A wire coat hanger
- About a yard of light-colored nylon netting (or one of a similar synthetic material)
- A 4" wide \times \sim 3' long strip of canvas or other durable, sewable material
- Needle/thread



Figure 36. Example of a macroinvertebrate Kick-Net. Photo Credit: Jim Ekins.

- Duct tape
- A rubber band

Note: You can find netting at a fabric shop; some people prefer the “tulle” netting that’s often added to wedding dresses or formal dresses. The netting should be 18” by 36”.

Directions:

1. Fold the netting shortwise to make a square-shaped double-thickness net about 18” square. Stitch up all three sides to complete a double-thick net for durability.
2. Fold the long strip of durable material in half to form a long, skinny, folded material. Sew the longest seam to form what could be thought of as a tube.
3. Straighten the coat hanger hook and reshape the rest of the hanger so that it’s round; you might double up on the coat hangers to increase stiffness. If you do so, use a few twist ties or zip ties to tighten the doubled coat hangers together.
4. Duct tape the straightened hook to the dowel and open out your folded netting to form a pouch; carefully wrap the top edges of the netting’s opening along the coat hanger’s circumference. Stitch the netting’s edges in place along the hanger’s rim, so that the pouch hangs down freely. Make the net more durable by folding the canvas in half lengthwise around the coat hanger and sewn-on netting and sew it all together with double or triple seams all the way around. It won’t look nearly as good as this (Figure 36), but it will be just as functional.

APPENDIX 2: ADVANCED ACTIVITIES

Four additional advanced activities are located in this section. Each builds upon existing activities within the regular curriculum. These activities are optional and are intended to provide older members with real-world scientific challenges above and beyond the others.

ADVANCED ACTIVITY 1: WATERSHED PRECIPITATION VOLUME

After you complete activity 12 (Basic Watershed Mapping), you might be ready to calculate the total volume of water that falls as rain and snow/precipitation within a watershed.

To calculate a volume of water that falls as rain: Multiply the number of inches of rain by the watershed area in acres and divide the result by 12 (the number of inches in a foot). Use acre-feet (ac-ft) as the unit of measurement. Imagine a huge, long, skinny box that is 660 feet long, 66 feet wide, and 1 foot tall. Or, imagine a football field covered in 1 foot of water. The amount of water in an acre-foot is almost 326,000 (exactly 325,851) gallons.

Acres \times (inches of precipitation \div 12) = total volume of water in ac-ft

Multiply the total acre-feet of rainfall by 325,851 to get the total number of gallons of rainfall that, on average, falls on your watershed each year. It will be a huge number! Here's an example:

The Lake Pend Oreille watershed (not including the Clark Fork River; only the surface of the lake and the ridges around the lake) is 176,870 acres. About 32 inches of precipitation (including the snow, melted into liquid water) falls on the lake each year.

$$176,870 \times (32 \div 12) = \text{ac-ft}$$

$$176,870 \times 2.6666666667 = 471,653.3 \text{ ac-ft}$$

$$471,653.3 \text{ ac-ft} \times 325,851 \text{ gallons per ac-ft} = 153,880,82,208 \text{ gallons}$$

Yikes! That's a big number. That's why water resources managers use the unit of measurement of acre-feet, as it's easier to understand. Now, try this calculation for your own watershed!

Reflection

Look on the internet and do a Google search to find the total population of your watershed or make the closest estimate that you can. Divide your volume calculation by the population. By this calculation, how many gallons (or acre-feet) of precipitation are available per person? What's missing from this calculation (for instance, did you count crops or livestock or other water users in it)? Try drawing a diagram with arrows to show where all that water goes, proportionally. What percentage of all that water makes it to your home?

ADVANCED ACTIVITY 2: PRESERVING AQUATIC MACROINVERTEBRATES

Preserving aquatic macroinvertebrates is a little different from preserving and pinning their terrestrial counterparts. Aquatic macroinvertebrates should be kept in ethyl alcohol, which is a type of rubbing alcohol commonly found in local pharmacies (see, for instance Walgreen’s online ad: <https://www.walgreens.com/store/c/walgreens-ethyl-rubbing-alcohol-70-first-aid-antiseptic/ID=prod6056575-product>). Isopropyl alcohol is more commonly used as rubbing alcohol, but it does not preserve the bugs as well as ethyl alcohol does.

Some macroinvertebrates, especially the soft-bodied ones (leeches, worms), but also many hard-bodied ones curl up when placed in the preservative. This renders the organism unfit for visual exploration. The Master Water Stewards Program has had success in narcotizing specimens by placing them in a low concentration (~5%–10%) of ethyl alcohol and water, which relaxes them slowly enough that it helps them to maintain or extend a lifelike appearance. The procedure also makes a collector feel better about the preservation process because it knocks the creatures out before they die in the pure preservative. Once the specimen relaxes in the low concentration of alcohol, you can place them in full-concentration alcohol. I do this by pouring out the low-concentration solution and immediately adding the full-concentration version. Be patient waiting out this entire process. Some organisms can take up to an hour to relax, others longer. For instance, crane flies take a very long time to relax. But most knock out in about 10 or 15 minutes. For more information, see: <https://www.mccrone.com/mm/narcotizing-slowing-down-and-preserving-microscopic-and-other-aquatic-animals/#sthash.h53OnOG1.dpuf>.

ADVANCED ACTIVITY 3: CRAYFISH IDENTIFICATION

Logan and Emily heard about a new citizen science project in the northwestern United States on crayfish populations. It focused on whether native or invasive, non-native species inhabited creeks and rivers across the entire river basin, including streams near them. Each had caught a crayfish or two in their nets when completing their biological stream surveys. But they didn’t know that North America has about 450 crayfish species.

Curious to know more details about these creatures than that they resemble miniature freshwater lobsters, the pair gathered the latest information that they could about the different species of crayfish found in their state. They discovered that native and invasive crayfish inhabit portions of their state’s waterways. They contacted their local state fish and game (or equivalent) office to learn more about crayfish found in their area.

Note: The following section is adapted from the Crayfish Project Field Study, written by Debra Berg, Lake Roosevelt National Recreation Area. You may need to make adjustments in collecting crayfish data in your area.

Purpose: Members will have an opportunity to participate in a place-based educational field study in a natural area. Being part of a study that occurs within the boundaries of a park, as well as within their local community, will connect members to “place.” Monitoring an invasive species will hopefully empower and encourage them to be environmentally conscious in the future.

Timeline: 1–2 days

Overarching question: How do invasive crayfish species affect the population and habitat of native crayfish?

Anticipated Time

4.5 hours (2.5 hours indoors, planning, learning identification skills, and building net[s]; 1.5 hours outdoors, catching and identifying macroinvertebrates; 30 minutes uploading data and cleaning up)

Learning Objectives

- To learn how to capture crayfish
- To learn how to objectively identify different crayfish species in Idaho
- To measure crayfish and identify specific body parts

Materials

- a copy of trap-sampling protocol
- traps, buoys
- tool to punch holes in cat-food can
- all other materials on protocol list
- garbage bag

Procedure: Monitoring for Crayfish

Basically, you'll be going to a local pond or stream to set and then later collect your traps and gather the data. You'll be leaving the traps all day and/or overnight, but no longer than 24 hours.

Follow the Crayfish-Sampling Protocol (listed as Trap-Sampling Protocol below) precisely; it lists the techniques you should use to set and collect your traps. This protocol is one used for member crayfish surveys conducted across the Columbia River Basin; however, not all parts may pertain to you and your situation. Use the parts that work best for you or are legal in your state. Check and follow the fishing regulations in your state for trapping crayfish. For example, in Idaho, you must have a fishing license to catch crayfish in traps, but you don't need one to catch them (or any other aquatic macroinvertebrate) in a seine or kick-net; another example is Pennsylvania, where a fishing license is required even when using a kick-net.

More things to consider:

- Before you leave school grounds, make sure at least two group members accompany you. Also make sure they are equally prepared to carry out their duties after arriving at the park. Depending on the number of members you are taking to the park, you'll likely want to invite parents to help chaperone, if possible.
- Make sure that invited members have practiced measuring and recording data, though they may not have set or pulled the traps yet. Depending on when you choose to go into the field, you could practice setting and retrieving traps in the schoolyard if you prefer.
- Take along a garbage bag for the cat-food cans and any other garbage you may find at the park.

Let's Do It!

Trap-Sampling Protocol

Setting

1. Ensure that all needed equipment is loaded in your vehicle(s).
2. A minimum of two people must be present during sampling.
3. The teacher's name and fishing license number must be on a tag attached to the trap.
4. Monitor the weather and dress appropriately while out in the field.
5. Navigate by vehicle and by foot to your survey sites.
6. Prior to setting the trap:
 - a. Determine the location where you will set your trap.
 - b. Punch several small holes in the bottom of seafood-flavored canned cat food.
 - c. Place the punctured can into the trap, secure it inside the trap with a zip tie or bailing wire, and lock the trap's door.

- a copy of "Crayfish May Help Restore Dirty Streams" article (pp. 97–98)
- field supplies and equipment:
 - » crayfish traps
 - » canned cat food
 - » GPS
 - » thermometer
 - » field maps
 - » field data forms (including the Crayfish Study Assessment Form, appendix 3)
 - » pencils
 - » measuring board/ruler
 - » digital scale and mesh bag
 - » digital camera
 - » waders
 - » cooler/ice bucket
 - » crayfish identification keys (see appendix 3, Aquatic Macroinvertebrate Identification Key)
 - » sampling permits

- d. Attach the buoy/buoy line to the trap.
 - e. Record the site name on your data sheet.
 - f. Record the names of the collectors on your data sheet.
 - g. Record the date set on the data sheet.
 - h. Record the water temperature (in Celsius degrees) on your data sheet.
 - i. Record the air temperature (in Celsius degrees) on your data sheet.
 - j. Circle Y or N to respond to the “precipitation?” prompt on your data sheet.
 - k. Describe the bank’s condition on your data sheet.
 - l. Describe the bank substrate on your data sheet.
7. Setting Traps
- a. Toss the baited trap into water. **BE SURE you have a hold of the end of the buoy line!**
 - b. Secure the buoy line to the shore.
 - c. Record the buoy number on your data sheet.
 - d. Record the time you set each trap on your data sheet.
 - e. Record the waypoint (an intermediate point or place on a route or a stopping point or point at which you change course) and GPS coordinates of the trap location on your data sheet.
8. Set each trap within the sample location, depending on the available habitat and distance from other sample sites.
9. Choose a central location to set your traps and record the following on the Crayfish Study Assessment Form (appendix 3):
- a. Current weather conditions
 - b. Lakeshore bank type
10. Leave your traps overnight and collect them within 24 hours of setting them.

After setting all the traps collect all the equipment you didn’t use and return it to your vehicle(s).

Pulling

1. Pre-activity. Make sure of the following:
 - a. That all the equipment you need is loaded into your vehicle(s).

Article: Crayfish May Help Restore Dirty Streams

Crayfish may benefit insects, reduce sediment settling in impaired streams

Date: April 21, 2016

Source: Stroud Water Research Center

While macroinvertebrates are a tasty food source for crayfish, a new study reveals a surprising finding: When crayfish were present in in-stream experimental enclosures, macroinvertebrate density was higher, not lower.

Stroud Water Research Center’s lead fluvial geomorphologist Melinda Daniels, Ph.D., and Lindsey Albertson, Ph.D., a postdoctoral researcher and ecology professor from Montana State University, conducted the study in Valley Creek. The creek is an urbanized and degraded tributary of the Schuylkill River in King of Prussia—a Philadelphia suburb.

The scientists placed wire-mesh enclosures, some with crayfish inside and some without, in the creek. At the conclusion of the 2-week experiment, populations of macroinvertebrates such as caddisflies, which can indicate better water quality, were higher in the crayfish enclosures despite being a food source for crayfish. The crayfish enclosures also featured reduced settling of fine sediment pollution on the surface of the streambed. As the crayfish disturbed the rock and gravel bottom with their claws, they agitated and increased suspension of fine sediments, presumably allowing more sediments to flow downstream.

- b. That a minimum of two people is present when you pull your traps.
 - c. That the teacher who is listed on the collection permit is on-site during trap retrieval.
 - d. To check the weather and dress appropriately while out in the field.
 - e. To navigate by vehicle and by foot to your survey sites.
 - f. That you've designated a recorder and measurer.
2. For each trap you pull:
- a. Record the data one at a time and in the order each trap was set.
 - b. Record the date pulled on the Crayfish Study Assessment Form (appendix 3).
 - c. Pull it slowly to ensure you don't lose crayfish, damage the trap, or cut the line by accident.
 - d. Place the trap onshore and record the time pulled on the study assessment form.

NOTE: A trap may get stuck; if this happens, try your best to get it unstuck without getting into the water. If you are unsuccessful in bringing in the trap or if you lose any traps, tell your Adult Leader. S/he should provide you with a replacement trap.

- 3. Unhook the buoy line from the trap and neatly wind it back up and place it into a mesh bag.
- 4. Record various biological measurements using the Crayfish Study Assessment Form (appendix 3).
 - a. One at a time, pull crayfish from the trap.
 - b. Identify the species using the key provided and record it.
 - c. Identify and record the gender of the crayfish: Male (M), Female (F).
 - d. Measure and record its carapace length in millimeters (mm).
 - e. Measure and record its total length in mm (ensure that the uropods—tail fan appendages—are together).
 - f. Measure and record its weight to the nearest gram by placing the crayfish in a mesh bag and hanging it from a digital scale. Be sure to zero-scale it each time with the bag attached before weighing each crayfish.

"We were surprised," Albertson admitted. "We thought the crayfish would eat the macroinvertebrates and reduce their populations, but we found the opposite. Macroinvertebrate density was higher in the crayfish enclosures. So even if the crayfish were eating some of the macroinvertebrates, we think that all of the fine sediment that had been suspended and washed away created a more macroinvertebrate-friendly habitat."

Many macroinvertebrates don't like to live in streams with high sediment loads. It's a type of pollution that degrades freshwater streams and can be traced to land-use changes like agriculture and development.

Daniels said, "Crayfish show the potential to alleviate some of the problems seen in impaired streams. Every organism has its part in an ecosystem, and we're still learning what the individual roles are."

Stroud Water Research Center. "Crayfish may help restore dirty streams: Crayfish may benefit insects, reduce sediment settling in impaired streams." *Science Daily*, 21 April 2016. (www.sciencedaily.com/releases/2016/04/160421085228.htm).

5. Take a picture of each crayfish and record a picture number on the assessment form.
6. Once you've recorded all of your measurements: if the crayfish is a native species (like a signal crayfish) take a picture of it and immediately return it to the water. If it is a non-native species, take a picture of it and then place the crayfish into a bucket.
7. Continue steps 8–10 until all the crayfish in the traps are accounted for.
8. On your data sheet, record the total number of crayfish caught in each trap by referencing its corresponding buoy number.
9. Repeat steps 6–12 until you've pulled all the traps and collected and recorded all of your data.
10. If you are unsure of your identification of a species, take several pictures of the crayfish in question and use them to identify it with more confidence later.

NOTE: The more pictures the better! Take pictures of the traps, the crayfish in the trap, the site; take pictures of anything and everything!

11. Place all the non-native crayfish now in the buckets into a plastic bag and set them on ice and/or place them into a freezer to euthanize them.
12. Once the non-native crayfish have been euthanized, it is your teacher's responsibility to properly dispose of them.

IMPORTANT: At NO time can any of the crayfish collected be kept as pets or be consumed. It is against the law to transport live crayfish and it violates our scientific collection ethics to use crayfish for anything other than crayfish population studies. If at any time these rules are broken, the member(s) involved will be immediately banned from the project.

Reflection

Carefully consider each of the questions below. Think deeply about each crayfish as an individual creature and as a species connected to a larger watershed.

1. How would you explain a crayfish to someone who has never seen one before? What if that person had never seen a lobster? Provide a detailed written description.
2. Explain how a crayfish's needs and anatomy are adapted to its environment. (Give at least two examples.)
3. Compare and contrast swimmerets and walking legs.
4. After reading the attached article, explain what you think would happen to the environment in the cage if you introduced a non-native crayfish into the caged-off section of the creek containing native crayfish:
 - a. Short-term
 - b. Long-term
5. Explain why you think the above changes would happen.
6. Your job is to redesign a crayfish. What would you change it and why?

Data Analyses and Reporting

After you've finished collecting data, make and save electronic copies of the data sheets and email them to the Lake Roosevelt Biologist (contact information provided below). Those copies will be placed into the Lake Roosevelt National Recreation Area Crayfish Inventory and Monitoring Study binder.

You may want to report your findings to a local agency or post your information on iNaturalist, a nature-study website (see <http://www.inaturalist.org/>). The website is easy to navigate so you should be able to post your findings without a hitch!

The above material was adapted from a document written by Meghan Lyons, National Park Service (NPS) biologist and Janice Elvidge, NPS educational specialist; and from a crayfish curriculum created by Engaging Every Student, where you can find additional crayfish curricula and a poster.

ADVANCED ACTIVITY 4: TRASH CLEANUP AND/OR STREAMBANK/LAKESHORE RESTORATION PLAN

Many community needs can be met through volunteerism. One way you can help to better your community is to participate in a stream cleanup or stabilization vegetation planting effort. Engaging in events like a trash hike not only will help to clean the watershed, it gives you the opportunity to create your own citizen science project and share vital data. While walking along your creek or pond and picking up trash, record your findings: describe and weigh the trash; enter its weight into a spreadsheet or use the Litterati app (<https://www.litterati.org/>) to track the different types of trash.

If you plan to organize a waterway cleanup or vegetation planting project, start early by identifying and coordinating with appropriate organizations or agencies. Next, determine whether a similar project targeting your water body has already occurred and find out who organized it. If no similar project has happened, contact your local Extension office to find an organization that is experienced in managing volunteer projects. University Extension has a lot of experience with organizing volunteers, but if this sort of project is beyond the Extension office's ability, additional possibilities include a nearby field office of the Natural Resources Conservation Service, the local Department of Environmental Quality (or equivalent), a watershed advisory group, or a local nonprofit. These organizations can provide essential leadership, problem-solving, registration/permission waivers, and other helpful services and resources.

Partnering with an experienced organization or event leader is crucial, especially in the days and hours before and after your event occurs. As the day of your event nears, make sure everything is ready to go. See the "Let's Do It" section below for more details.

Procedure: Organizing a Volunteer Day

Some of the pre-planning includes finding volunteers for and resources to use on the event day, like trash bags, gloves, willow cuttings, etc. Volunteers like to get a little something for their effort; providing hot beverages and snacks on the morning of the event and/or lunch afterwards can help retain those you've already recruited, as well as attract more. A local grocery store or restaurant will often donate basic snacks or lunch items. If you choose to have door prizes, other businesses and individuals might donate items for the giveaway. Use tickets or devise some other way to do a random drawing, unless you've collected enough items (like T-shirts) that you can give one to each volunteer. You might also work with the event's sponsoring organization to seek additional funding so that all volunteers can be provided with a token of appreciation like a T-shirt or lapel pin.

Anticipated Time

3 hours of pre-activity setup, 3 hours of activity, 1 hour of follow-up

Learning Objectives

- To learn about a local agency or organization that manages volunteer efforts
- To learn how to organize and develop a volunteer effort
- To meet new people and network with professionals

Materials

- Depends on the individual project. Work with a local organization to help you develop a list of necessary tasks and materials.

APPENDIX 3: DATA SHEETS AND THINGS TO PRINT

This section contains printable forms like data tables, identification sheets, assessment forms, and other resources to add to your portfolio/notebook/journal.

Soil Erosion Data Recording Sheet

Instructions: In each box, record the height and width of the “landscape” before and after “erosion.” Also, record any changes to the “landscape.” For the water erosion, record how much water is left in the pan after your experiment. For the wind erosion, record how far the soil traveled from the “land feature.”

Soil Type	Height and Width Before	Height and Width After	Amount of Water Before (in oz)	Amount of Water After	Distance “Blown” After
Sand					
Potting Soil					
Sand/Potting Soil Mix					
Other (list here)					
Notes:					

Soil-Filtering Data Recording Sheet

Instructions: In the box, record, in seconds, how long it takes each soil type to filter each liquid type, what color the liquid is after it filters, and how much liquid is filtered through each soil type.

Soil Type	Liquid Type					
	Kool-Aid	"Clear" Water	"Red" Water	"Blue" Water	Other (list here)	Other (list here)
Sand						
Sand/Topsoil Mix						
Other (list here)						
Other (list here)						
Notes:						

Indoor Water-Use Calculation Table

Activity	Average Gallons (rough estimate)	Our Household Per Use (duration × gallons)	Uses Per day
Showers			
Regular (older) flow head (7 gal/min)	49		
Low-flow head (3 gal/min)	21		
Ultra-low flow (1.75 gal/min)	12.25		
Baths			
Full tub	38		
Toilets (per flush)			
Older standard size	7		
Conserving models	3.5		
Ultra-low flush	1.6		
Brushing Teeth			
With faucet running (3 min*)	9		
To fill drinking cup	8 oz (0.0625 gal)		
Shaving			
With faucet running (7.5 min)	22		
With a full sink	2		
With quick faucet bursts or partial sink fill	1		
Washing hands			
While water runs (1 min)	3		
Turn water off while sudsing	0.25		
Automatic Dishwasher			
Full cycle, older model	12		
Short cycle, water-miser model	8		
Washing dishes by hand			
With water running (15 min)	45		
With full sink, plus sprayer rinse	4.5		
Cooking (measure all the water you cook with)	Varies widely by meal		

Washing Machine			
Full load	43		
Small machine or water-miser model	34		
Front load or high-efficiency model	20		
Waiting for hot water to get to the tap	Varies widely		
Kitchen sink	Varies widely		
Tub or shower faucet 1	Varies widely		
Tub or shower faucet 2	Varies widely		
Bathroom sink 1	Varies widely		
Bathroom sink 2	Varies widely		
Other sink 1 (like in a laundry room)	Varies widely		
Other sink 2 (like in a laundry room)	Varies widely		
Leaky faucets (each at 60 drops/min) per day	8		
Leaky toilets (each) per day	60		
Stuck toilet flapper valve (each) per day	150		
Total water use per day			**

* Faucets vary; we assume 3 gal/min for an average faucet

** Multiply your household use by the uses per day to get a total volume of water used in the house each day

Outdoor Water-Use Calculation Table

Can 1	_____ inches
Can 2	_____ inches
Can 3	_____ inches
Can 4	_____ inches
Can 5	_____ inches
Can 6	_____ inches
Can 7	_____ inches
Can 8	_____ inches
Total depth of water sprinkled onto the lawn	_____ total inches
Average inches per can	_____ (total inches) ÷ ____ (number of cans) = _____

Water Cycle Poster



USDA  NRCS
United States Department of Agriculture
Natural Resources Conservation Service

The Water Cycle:
Nature's Recycling System 

Monitoring Plan Worksheet

Why are you monitoring?

Goals:

Objectives:

When will you monitor?

Availability: _____ Scheduled events: _____ Frequency: _____

Who will monitor with you?

Team members:

Where will you monitor?

Primary site: Latitude _____ Longitude _____

Brief site description (so I can more easily find the site on an online mapping application and so future volunteers can find my site for continued monitoring after I have moved on):

Do you have good access with written permission (if private)? YES NO

Is it safe for you to approach the stream with your abilities? YES NO

How many sites will you monitor? If more than one, re-answer the location and access questions above. _____

Site #2 (optional): Latitude _____ Longitude _____

Brief site description:

Do you have good access with written permission (if private)? YES NO

Is it safe for you to approach the stream with your abilities? YES NO

Site #3 (optional): Latitude _____ Longitude _____

Brief site description:

Do you have good access with written permission (if private)? YES NO

Is it safe for you to approach the stream with your abilities? YES NO

Physical/Chemical Assessment Form

Date: _____ Time: _____

Monitoring team name(s):

Site location and description:

Weather (check all that apply):

Sunny Mostly Sunny Mostly Cloudy Cloudy Rainy/Snowy Windy Calm

Air Temperature: _____ °F Precipitation: _____ inches over the last 24 hours

Water Color (check all that apply):

Clear Brown Green Oily Reddish Blackish Milky Gray

Water Odor (check all that apply):

None Sewage/Manure Rotten Eggs Petroleum Musky

Water Temperature: _____ °F

Transparency (record whole numbers only): _____ centimeters

pH (check one): <4 4 5 6 7 8 9 >9

Now, stretch a meter tape across the stream if it's safe to enter.

Stream Width: ____ meters Stream Flow (along your transect): high normal low not sure

Stream Depth (in meters):

Stream Velocity (in seconds):

1st Spot ____

2nd Spot ____

3rd Spot ____

4th Spot ____

5th Spot ____

Maximum Stream Depth (along your transect): ____ meters

Other Stream Assessment Observations and Notes:

Stream Habitat Assessment Form

Recommended frequency: Yearly

Photographic documentation is recommended and strongly encouraged.

Date: _____ Time: _____

Monitoring team name(s):

Site location and description:

Was the stream dry when it was monitored? YES NO

Stream Habitat Type (at transect, check one): Riffle Run Pool Glide

Pebble Count Survey (Wolman 1954) (at transect):

Size class	Dimension	In wetted	Out wetted
Silt/Clay	0–1 mm		
Sand	1.1–2.5 mm		
Very fine pebble	2.51–6 mm		
Pebble	6.1–15 mm		
Coarse pebble	15.1–31 mm		
Very coarse pebble	31.1–64 mm		
Small cobble	64.1–128 mm		
Large cobble	128.1–256 mm		
Small boulder	256.1–512 mm		
Medium boulder	512.1–1024 mm		
Large boulder	1024.1 mm and larger		
TOTAL			

Stream Bank Description (check all that apply):

Left Bank (facing upstream):

- Cut Bank – Eroding
- Cut Bank – Vegetated
- Sloping Bank
- Sand/Gravel Bar
- Rip/Rap
- Constructed Bank (like a drainage ditch)
- Other:

Right Bank (facing upstream):

- Cut Bank – Eroding
- Cut Bank – Vegetated
- Sloping Bank
- Sand/Gravel Bar
- Rip/Rap
- Constructed Bank (like a drainage ditch)
- Other:

Bank Condition (at transect, check one for each bank):

Left Bank (facing upstream)

- Covered stable
- Covered unstable
- Uncovered stable
- Uncovered unstable

Right Bank (facing upstream)

- Covered stable
- Covered unstable
- Uncovered stable
- Uncovered unstable

Canopy Cover (over transect, check one): 0%–25% 25%–50% 50%–75% 75%–100%

Riparian Zone Width (at transect, check one for each bank):

Left Bank (facing upstream)

- 0–5 meters
- 5–25 meters
- Over 25 meters

Right Bank (facing upstream)

- 0–5 meters
- 5–25 meters
- Over 25 meters

Riparian Zone Plant Cover (at transect, estimate percentage of each):

Left Bank (facing upstream)

- ___ % Trees
- ___ % Shrubs/Low Trees
- ___ % Grass/Low Plants
- ___ % Exposed Soil
- ___ % Other (riprap, concrete, etc.)

Right Bank (facing upstream)

- ___ % Trees
- ___ % Shrubs/Low Trees
- ___ % Grass/Low Plants
- ___ % Exposed Soil
- ___ % Other (riprap, concrete, etc.)

100% TOTAL

100% TOTAL

(Note—begin assessing stream reach beyond stream transect)

Stream Sinuosity (along stream reach): Low Moderate High Braided

Microhabitats (check all present in stream reach):

- Algae Mats
- Sand
- Undercut Banks
- Large Organic Debris
- Junk (tires, etc.)
- Riprap
- Root Wads
- Leaf Packs
- Overhanging Vegetation
- Fallen Trees
- Rocks
- Other (describe)
- Silt/Muck
- Weed Beds

Adjacent Land Use (along stream reach, check all that apply):

- Row Crop
- Park
- Stairs/Walkway
- Pasture
- Playground
- Rural Residential
- Urban
- Campground
- Conservation Lands
- Industrial
- Boating Accesses
- Animal Feeding
- Timber
- Nature Trails
- Operations/Lots
- Wetland
- Fence
- Prairie
- Steep Slopes
- Other

Human-Use Activities (along stream reach, check all that apply):

Please check activities you've participated in or witnessed at this site.

- | | | | |
|---------------------------------------|--|---|---------------------------------|
| <input type="checkbox"/> Swimming | <input type="checkbox"/> Canoeing/Kayaking | <input type="checkbox"/> Hunting/Trapping | <input type="checkbox"/> Tubing |
| <input type="checkbox"/> Boating | <input type="checkbox"/> Fishing | <input type="checkbox"/> Water Skiing | <input type="checkbox"/> Wading |
| <input type="checkbox"/> Kids Playing | <input type="checkbox"/> Wind Surfing | <input type="checkbox"/> Rafting | <input type="checkbox"/> Other |

Evidence of Human Use (along stream reach, check all that apply): Please check evidence of human use you've witnessed at this site.

- | | | | |
|---|---|---|--|
| <input type="checkbox"/> Streamside Roads | <input type="checkbox"/> ATV/ORV Tracks | <input type="checkbox"/> Fishing Tackle | <input type="checkbox"/> Footprints or Paths |
| <input type="checkbox"/> Rope Swings | <input type="checkbox"/> Evidence of Play | <input type="checkbox"/> Dock/Platform | <input type="checkbox"/> Camping Sites |
| <input type="checkbox"/> Livestock Watering | <input type="checkbox"/> Fire Pit/Ring | <input type="checkbox"/> Other | |

Record all **other land-use practices** that potentially could affect the stream:

Pond/Lake Habitat Assessment Form

Recommended frequency: Monthly, from ice-out to freeze-over.

Date: _____ Time: _____ Site #: _____

of adults (including you): _____ # under 18: _____

Monitoring Team Names:

Site description:

Site location: Open water Shore or dock

Describe the **lake banks above the water level** (the type of slope; soil quality—marshy or sandy, muddy or dry; what sort of vegetation; other observations):

Bank Condition (at edge of the lake at your monitoring site, check one from each column):

Covered Stable
 Uncovered Unstable

Canopy Cover (at edge of the lake at your monitoring site, check one):

0%–25% 25%–50% 50%–75% 75%–100%

Riparian Zone Width (at edge of the lake at your monitoring site, check one):

0–5 meters 5–25 meters Over 25 meters

Riparian Zone Plant Cover (at edge of the lake at your monitoring site, check one):

___ % Trees
___ % Shrubs/Low Trees
___ % Grass/Low Plants
___ % Exposed Soil
___ % Other (riprap, concrete, etc.)
100% TOTAL

Plant Cover Below Water Line (check all present on or under the water within 25 linear feet of your site):

- Free-floating plants Floating, rooted plants Submerged plants (rooted to the bottom)
- Emerging plants (growing from the bottom and sticking up out of the water)
- Algae, free floating Algae mats on the bottom Algae filaments free-floating in the water
- Noticeable green color to the water (possibly indicating an algal or cyanobacterial bloom)

Microhabitats (check all those near your monitoring site within 100 meters/yards or so):

- Sand Undercut Banks Large Organic Debris Junk (tires, etc.)
- Riprap Root Wads Leaf Packs Overhanging Vegetation
- Fallen Trees Rocks Silt/Muck Weed Beds
- Other (describe)

Adjacent Land Use (check all those occurring near your monitoring site within 100 meters/yards or so):

- Row Crop Park Stairs/Walkway Pasture
- Playground Rural Residential Urban Campground
- Conservation Lands Industrial Boating Accesses Animal Feeding
- Timber Nature Trails Operations/Lots Wetland
- Fence Prairie Steep Slopes Other

Human-Use Activities (check all activities you've participated in or witnessed at this site (within 100 meters/yards or so):

- Swimming Canoeing/Kayaking Hunting/Trapping Tubing
- Boating Fishing Water Skiing Wading
- Kids Playing Wind Surfing Rafting Other

Evidence of Human Use (check all evidence of human use you've witnessed near your site (within 100 meters/yards or so):

- Streamside Roads ATV/ORV Tracks Fishing Tackle Footprints or Paths
- Rope Swings Evidence of Play Dock/Platform Camping Sites
- Livestock Watering Fire Pit/Ring Other

Record all **other land-use practices** that potentially could affect the lake:

Other observations and notes:

Biological (Aquatic Macroinvertebrate) Assessment Form

Recommended frequency: no more than three times/year (Spring, Summer, and Fall).

Date: _____ Time: _____

Monitor team names:

Was the stream dry when it was monitored? YES NO

Were **benthic macroinvertebrates** found? (If yes, please check those benthics found. If no, please provide any relevant comments in the “Other Assessment Observations and Notes” section at the end of this form. Why do you think these critters are not present?)

Benthic Macroinvertebrates (check all found):

High-Quality Group
(pollution-intolerant)

- Caddis fly
- Dobsonfly
- Mayfly
- Riffle Beetle
- Snail (not pouch)
- Stone fly
- Water-Penny Beetle

Middle-Quality Group
(somewhat pollution-tolerant)

- Alderfly
- Backswimmer
- Crane Fly
- Crawdad
- Crawling Water Beetle
- Damselfly
- Dragonfly
- Giant Water Bug
- Limpet
- Mussels/Clams
- Orbsnail
- Predaceous Diving Beetle
- Scud
- Sow Bug
- Water Boatman
- Water Mite
- Water Scorpion
- Water Strider
- Whirligig Beetle

Low-Quality Group
(pollution-tolerant)

- Aquatic Worm
 - Blackfly
 - Bloodworm
 - Flatworm
 - Leech
 - Midge Fly
 - Mosquito
 - Pouch Snail
 - Rat-Tailed Maggot
 - Water Scavenger Beetle
 - Other _____
- (no tolerance group assigned)

Benthic Macroinvertebrate Investigation Time (check one):

0–15 minutes 15–30 minutes 30–45 minutes More than 45 minutes

Collection Nets (How many nets are you using to collect critters?):

0 1 2 3 4 5 6 More than 6

Stream Reach Length (How far along the stream did you search?):

0–25 meters 25–50 meters 50–75 meters 75–100 meters 100+ meters

Microhabitats (check all present in stream reach; check if sampled):

Algae Mats: Present Sampled

Leaf Packs: Present Sampled

Logjams: Present Sampled

Rocks: Present Sampled

Root Wads: Present Sampled

Weed Beds: Present Sampled

Fallen Trees: Present Sampled

Undercut Banks: Present Sampled

Silt/Muck: Present Sampled

Junk (tires, garbage, etc.): Present Sampled

Sand: Present Sampled

Overhanging Vegetation: Present Sampled

Riprap: Present Sampled

Other (describe): Present Sampled

Stream Habitat Type (check all types sampled in stream reach): Riffle Run Pool Glide

Aquatic Plant Cover of Streambed (at transect, check one):

0%–25% 25%–50% 50%–75% 75%–100%

Algae Cover of Streambed (at transect, check one):

0%–25% 25%–50% 50%–75% 75%–100%

Other Assessment Observations and Notes:

Crayfish Study Assessment Form

Record all required information and any optional data as you are able. In the northwestern United States there are two options for uploading data: 1) enter each data sheet, one at a time, via a computer with internet service; or 2) enter data in the Excel Data Sheet for the Crayfish Study and submit it to The River Mile Network's Crayfish Study (<https://therivermile.org/network-projects/the-river-mile-crayfish-study/crayfish-data-submission-2/>). If you choose the latter option, follow the directions provided on the website. In other parts of the country, your local fish and game office might be interested in the species and quantity of crayfish you found.

*Required Information

Contact ID*: _____ **Site ID*:** _____ **Date*:** (mm/dd/yyyy) _____ **Time*:** (hh:mm) _____

Grade Level* (choose multiple):

- | | | |
|------------------------------|-------------------------------|----------------------------------|
| <input type="checkbox"/> 1st | <input type="checkbox"/> 6th | <input type="checkbox"/> 11th |
| <input type="checkbox"/> 2nd | <input type="checkbox"/> 7th | <input type="checkbox"/> 12th |
| <input type="checkbox"/> 3rd | <input type="checkbox"/> 8th | <input type="checkbox"/> College |
| <input type="checkbox"/> 4th | <input type="checkbox"/> 9th | <input type="checkbox"/> Other |
| <input type="checkbox"/> 5th | <input type="checkbox"/> 10th | |

Bank Substrate* (select one):

- Mud (silt/clay)
- Sand (particle diameter 0.06–2 mm)
- Granule (particle diameter 2–4 mm)
- Pebble (particle diameter 4–6.4 mm)
- Cobble (particle diameter 6.4–25.6 cm)
- Boulder (particle diameter >25.6 cm)
- Sheer Cliff

Bank Conditions* (select one):

- Muddy
- Sandy
- Rocky
- Vegetated

Water Temperature* (°C): _____ **Specific Conductivity** (in μS): _____ **pH:** _____

Dissolved Oxygen (in mg/L): _____ **Air Temperature*** (°C): _____ **Wind Speed** (in mph): _____

Wind Direction:

- | | |
|--|--|
| <input type="checkbox"/> North | <input type="checkbox"/> South |
| <input type="checkbox"/> North-Northeast | <input type="checkbox"/> South-Southwest |
| <input type="checkbox"/> Northeast | <input type="checkbox"/> Southwest |
| <input type="checkbox"/> East-Northeast | <input type="checkbox"/> West-Southwest |
| <input type="checkbox"/> East | <input type="checkbox"/> West |
| <input type="checkbox"/> East-Southeast | <input type="checkbox"/> West-Northwest |
| <input type="checkbox"/> Southeast | <input type="checkbox"/> Northwest |
| <input type="checkbox"/> South-Southeast | <input type="checkbox"/> North-Northwest |

Precipitation on Set Date: YES NO

Describe:

Precipitation on Pull Date: YES NO

Describe:

Collection Information

Collection Type*: Crayfish Trap Net Caught By Hand Found (dead) Unknown

Collection Depth: (meters) _____

Collection Location*: Latitude: _____ Longitude: _____ Altitude (feet): _____

Crayfish Information

Crayfish Species*:

- Northern Crayfish (*Orconectes virilis*)
- Rusty Crayfish (*Orconectes rusticus*)
- Signal Crayfish (*Pacifastacus leniusculus*)
- Red Swamp Crayfish (*Procambarus clarkii*)
- Unknown

Carapace Length (centimeters): _____ Total Length (centimeters): _____ Weight: _____

Crayfish Photo?: YES NO

Document Number/ID: _____

Notes:

Aquatic Macroinvertebrate Identification Key



High water-quality group— Pollution intolerant

1 Stonefly

1/2–1 1/2 inches long, two hair-like tails, no gills on rear half of body, six legs, and hooked antenna

2 Caddisfly

Up to 1 inch long, three pairs of legs on upper third of body, two claws at rear end, may be found with its head sticking out of a case made of sticks, rocks, or leaves

3 Mayfly

1/4–1 inch long, gills present on sides of lower body, six large hooked legs, most often found with three hair-like tails (sometimes only two)

4 Water penny beetle

1/4–1/2 inch long, flat, saucer-shaped body, six tiny legs, fluffy gills

5 Dobsonfly (Hellgrammite)

3/4–4 inches, six legs, stout body with large pinching jaws, short antennae, two short legs (tails) at the back end with claws

6 Riffle beetle

1/16–1/4 inch long, very small oval body covered with tiny hairs, six legs plus two antennae, walks slowly underwater

7 Gilled snail

1/4–1 inch long, opens to the right when the narrow end is pointed upward, opening covered by a thin plate, the operculum, gill breathing

Middle water-quality group— Somewhat pollution tolerant

8 Crayfish (Crawdad)

Up to 6 inches long, one large set of claws, eight legs, resembles small lobster

9 Sowbug

1/4–3/4 inch long, flat, segmented body, long antennae, armored appearance

10 Scud

1/8–1/4 inch long, body higher than it is wide, swims sideways, resembles small shrimp

11 Alderfly

1 inch long, similar to dobsonfly, but with a long, thin, branched tail with no hooks, no gill tufts underneath

**Middle water-quality group—
Somewhat pollution tolerant**

12 Flishfly

Up to 1/2 inch long, similar to dobsonfly with no gill tufts underneath, two short tube-like structures on the tail end



12



13



14

13 Damselfly

1/2–1 inch long, large eyes, six thin, hooked legs, three oar-shaped tails

14 Watersnipe fly

1/4–1 inch long, tapered body, caterpillar-like legs, two stout, pointed tails with feather hairs at back end

15 Crane fly

1/3–2 inches long, plump, caterpillar-like segmented body, four finger-like lobes at the back end



15



16



17

16 Dragonfly

1/2–2 inches long, large eyes, six hooked legs, stocky body without tails


17 Clams and Mussels

Up to 5 inches long, fleshy body enclosed between two clamped shells, when alive, the shells cannot be pried apart

**Low water-quality group –
Pollution tolerant**

18 Aquatic worm

Usually 1 inch long, but can be up to 4 inches long, can be very thin and slender or look like earthworms, no legs or distinguishable head, segmented body



18



19



20

19 Midge fly

Up to 1/4 inch long, worm-like, segmented body, two tiny legs on each side

20 Black fly

Up to 1/4 inch long, body larger at the rear end, black head with fan-like mouth brushes, often curls up into U shape when held

21 Leech

1/4–2 inches long, slimy, segmented body, one suction pad at each end of the body

21



22



22 Pouch snail

Up to 2 inches long, usually opens to the left when the narrow end is pointing up, no operculum (breathes oxygen from air)

From Ashley McFarland, *IDAHO Master Water Stewards Handbook*. University of Idaho Extension Bulletin 882, pp. 49–50. Illustrations by Tommy Moorman. Used with permission.

APPENDIX 4: GLOSSARY

acidic. Water with excess hydrogen (H⁺) ions. Acidic substances include lemon juice (a weak acid) and sulfuric acid (a strong acid). The pH of an acidic solution is less than 7 on a scale from 0 to 14. A pH reading of 7 is neutral (distilled water is neutral with a pH of 7).

aggradation. The opposite of streambed erosion. A process through which excess sediment fills in stream channels, creating wide, shallow, and often multichannel creeks. This decreases aquatic habitat and increases temperature.

aquatic. Associated with water. An aquatic organism spends most or all of its life in the water.

aquifer. A natural underground area where large quantities of groundwater fill the spaces between rocks and sediment. To be considered an aquifer [Idaho's Ground Water Quality Rule](#) notes that the area must provide "economically significant quantities of water to wells and springs."

backwater marsh. An area of shallow standing water connected to a larger body of water; in some ways like a swamp or shallow lake.

bankfull. The water level in a stream that just begins to spill out of the channel into the floodplain.

basic. Water with excess hydroxide (OH⁻) ions. Basic substances include calcium carbonate (limestone, antacid tablets, weak bases) and sodium hypochloride (drain cleaner, a strong base). The pH of a basic solution is greater than 7 on a scale from 0 to 14. A pH reading of 7 is neutral (distilled water, for instance). Sometimes referred to as "alkaline."

bed load. The rocks, sand, and other sediment in a stream that the stream moves around during high water and that flows over during lower water levels.

canopy. Leaves and branches of vegetation above a creek, creating shade.

channel. A linear depression in which a stream flows and that is defined by the lack of terrestrial vegetation due to periodic scouring by the stream.

channelization. The repositioning of natural streams to accommodate a new land use by eliminating meanders or bends. This results in reduced stream length, reduction in aquatic habitat, and reduced connection with groundwater.

condensation. The moment in the water cycle when gaseous water vapor coalesces into liquid drops.

culvert. A large tube that allows a stream to pass under a road without building a bridge.

cut bank. A stream bank that is steep, unstable, and eroding, often found at the outside of a bend or where the natural protective streamside riparian vegetation has been removed.

cyanobacteria. Formerly called "blue-green algae," these photosynthesizing bacteria can create toxins in the water.

dissolved oxygen. Oxygen gas from the atmosphere that has dissolved in the water. It is necessary for most aquatic life.

domestic water. Water used for drinking and other household use.

drainage tile. Perforated pipes that remove excess water from soil below the surface.

ecosystem. A community of living (biological) things that interconnect within a geographical area.

erosion. The gradual destruction of something by natural processes such as wind or water.

evaporation. The part of the water cycle where liquid water turns into a gas.

floodplain. Land adjacent to a stream that accepts floodwaters when flows are higher than bankfull. The surface may appear dry for most of the year, but it is generally occupied by plants adapted to wet soils.

glacial lake. Any lake caused by a glacier. Most glacial lakes are caused by the scouring and depositing of rocks and soil, causing a depression that has filled with water.

glacial till. Unsorted material deposited by a glacier.

glide. One of the four primary stream habitats. A glide is located at the outflow of a pool, where the stream channel gets shallower and water increases in speed toward another habitat type, like a riffle or a run.

gravel bar. A deposit of river rocks in a stream channel.

groundwater. Water found beneath the earth's surface, sometimes forming aquifers.

groundwater recharge. The process of water seeping through the soil to replenish groundwater supplies and aquifers.

habitat. A natural home environment for living things, including plants and animals, containing shelter, food, and water.

high-walled banks. Similar to cut banks, where the stream has cut down into the valley bottom and is actively eroding the land.

hydrologist. A scientist who studies how water flows on, across, under, and through landscapes.

hypothesis. An idea, the validity of which you test through experimentation and study.

infiltration. The process of water percolating through and into the soil.

instream flows. Water that flows in a stream channel; essential for aquatic life.

invasive species. Harmful non-native plants, animals, and pathogens that damage the economy and natural resources. Aquatic invasive species often spread among waterways by hitching a ride on boats and trailers.

irrigation. Pumping and spreading water onto crops and turf.

irrigation canal. A constructed channel that transports water from a stream or lake to supply water to crops and for other agricultural use away from the stream or lake.

kettle lake. A type of small glacial lake that starts as a depression created by a large chunk of partially buried glacier that then fills with water.

kick-net. A type of net used to catch stream or pond macroinvertebrates by kicking or otherwise displacing macroinvertebrates into the water and washing into the net.

larvae. A juvenile stage of a macroinvertebrate. While often used interchangeably with the term *nymph*, technically a larvae is the juvenile life stage of a macroinvertebrate with complete (complex) metamorphosis (occurs with the pupae stage).

lake. A large body of water that contains water all year long that does not freeze solid to the bottom.

laminar. Smooth flowing water lacking disturbance or turbulence.

lentic. Standing water, such as a lake, pond, wetland, or marsh.

load. The amounts of pollutants added to a water body during a given time or per a volume of water. Pollution budgets in waterways are expressed as the loads that the water body can receive while still meeting water-quality standards.

lotic. Moving water, such as a stream or river.

macroinvertebrate. An animal large enough to be seen that does not have a backbone.

metadata. Data that describes other data to provide context.

microhabitat. A small habitat that differs from the surrounding or larger habitat.

mixed methods approach. An approach to research that combines quantitative and qualitative research methods.

nonpoint source pollution. A type of pollution whose source is not readily identifiable as any one particular point, such as pollution caused by runoff from streets, agricultural land, construction sites, or parking lots. Polluted runoff and pollution sources not discharged from a single point.

nymph. A juvenile stage of a macroinvertebrate. While often used interchangeably with the term *larvae*, technically a nymph is the juvenile life stage of a macroinvertebrate with incomplete (simple) metamorphosis (without the pupae stage).

oxbow lake. A lake created in an abandoned stream channel where the stream has meandered into a new location, often curved in shape.

pH. A measure of acidity or alkalinity on a scale of 0–14. A pH of 7 is neutral, less than 7 is acidic, and greater than 7 is basic (alkaline).

photosynthesis. A process whereby plants and a few other organisms (like cyanobacteria) create food from carbon dioxide and water, using sunlight as the energy source. The plants usually use the pigment, chlorophyll, which helps to create oxygen as a waste by-product.

point source pollution. Pollutants that originate from a specific location, such as a pipe, vent, or culvert.

pollution. An undesirable change in the environment, usually the introduction of abnormally high concentrations of hazardous or detrimental substances, such as nutrients or sediment. The presence of any substance that harms life.

pollution abatement. Using water to dilute pollution to concentrations that support some beneficial uses. Some states recognize pollution abatement as a beneficial use of its own.

pond. A body of water that has water in it year-round but that is smaller than a lake, possibly freezing solid to the bottom in winter.

pond volume. The amount of water that fits in a pond.

pool. One of the four primary stream habitats. A pool has a relatively slow current and is usually found at stream channel bends, upstream of riffles, and on the downstream sides of obstructions such as boulders or fallen trees. The stream bottom in a pool is often bowl-shaped and serves as excellent habitat for fish.

precipitation. The part of the water cycle where water in clouds falls as liquid (rain) or solid (snow, hail, ice) to the ground.

primary contact recreation. According to the Idaho Department of Environmental Quality (Idaho DEQ), the water quality appropriate for prolonged and intimate contact by humans or for recreational activities when the ingestion of small quantities of water is likely to occur. Such activities include, but are not restricted to, those used for swimming, water skiing, or skin diving.

qualitative. A research method that explains or describes characteristics of something (a phenomenon) but that does not provide a measurement.

quantitative. A research method that uses numerical data to measure and define something.

reservoir. A human-created lake behind a dam or other impoundment.

riffle. One of the four primary stream habitats. A riffle is an area of the stream that has a swift current and water that is normally “bubbling” due to a rocky streambed. The water in this habitat type has relatively high dissolved oxygen concentrations from tumbling over and around rocks. Riffles also typically contain high numbers of macroinvertebrates and the small fish that feed on them.

riparian. Land and vegetation adjacent to a stream or other water body. Maintaining sufficient healthy riparian vegetation is one of the most important ways to protect water quality and reduce erosion.

riprap. Any material (such as concrete blocks, rocks, car tires, log pilings, etc.) that may have been used to stabilize a stream or lake from erosion.

run. One of the four primary stream habitats. A run possesses a moderate current, medium depth, and smooth (laminar) water surface.

runoff. Water from rain, snowmelt, or irrigation that flows over the ground surface and runs into a waterbody.

Secchi disk. A device used to measure the depth of light penetration in water.

secondary contact recreation. Water quality appropriate for recreational uses on or about the water that are not recognized as primary contact. These activities may include fishing, boating, wading, infrequent swimming, and other activities where ingestion of raw water is not likely to occur (per Idaho DEQ).

sediment. Eroded soil particles (soil, sand, and minerals) and larger materials (rocks) transported by water.

silviculture. Forestry management practices related to cultivating and growing trees and creating healthy forests.

stratification. A summer lake phenomenon where warmer, less dense water floats on top of colder, more dense water, creating a stable warm layer near the surface.

streambank. The sides of a stream that contain the flow, except during floods.

stream flow. The amount of water moving in a stream in a given amount of time.

stream monitoring. The practice of regularly assessing the chemical, physical, and biological characteristics of a stream (its habitat).

stream reach. A specified length of stream.

stream sinuosity. A measure of a stream channel’s tendency to meander back and forth within a stream valley. Strictly speaking, sinuosity is the ratio of the channel length between two points in a channel and the straight-line distance between the same two points.

stream transect. A cross section of a stream.

subsistence. The minimal level of staying alive and healthy.

substrate. The materials that make up the bed and banks of a stream or lake.

subwatershed. An area of land that drains into a stream that eventually drains to another, larger stream.

terrestrial. Related to land, as opposed to water.

topsoil. Relatively rich soil that is good for growing plants.

transparency. A measure of water clarity. Transparency is affected by the amount of material suspended in water (like sediment, algae, and plankton).

transpiration. The evaporation of water from the pores in plant leaves.

turbidity. A measure of the cloudiness of water from the presence of sediment in water that makes it unclear, murky, or opaque.

velocity. The speed at which water moves.

water cycle. The continuous circulation of water in systems throughout the earth involving evaporation and transpiration, condensation, precipitation, and runoff.

water quality. A relative term that describes the suitability of water for a given purpose or beneficial use based on the presence or absence of substances dissolved or suspended in the water.

watershed. An area of land that drains to a specific point in a water body.

Wolman Pebble Count. A statistically relevant technique used to assess stream substrate.

