EHS Laboratory Guidance

Sharps and Pipette Tips Disposal

Introduction/Purpose

For our purposes, a "sharp" is defined as any object which could readily puncture or cut the skin of an individual, including, but not limited to:

- Needles, syringes, knives, razor blades, lancets, capillary tubes, metal shavings, etc. (Figure 1)
- Glass or plastic pipettes and pipette tips
- Any broken glass, glass slides, cover slips, plastic, metal, pottery with sharp edges, etc.
- Anything that could puncture through a garbage bag causing the bag to rupture and spill, or risking injury and exposure to personnel.



Figure 1

Although they are technically not "sharps," disposable pipettes, tips, and other pointed disposable objects can perforate the plastic liner of a waste can and pose an unknown threat to personnel, especially if they are contaminated with laboratory chemicals or other materials.

Note that under the University of Idaho Bloodborne Pathogens Program, the definition of sharp applies only to items that have come in contact with human blood, human blood components, products made from human blood, or other potentially infectious material. Such contaminated sharps are considered "regulated waste."

<u>Good laboratory work practices</u> help reduce hazardous exposures.

- Syringes, needles, razor blades, other sharps, and broken glass must be handled and stored carefully to avoid injury.
- Never pick up broken glass or other sharp objects by hand.
 Small pieces should be swept up using a broom and dustpan.
- Never allow sharps to fall into cup sinks in fume hoods and benchtops. If that should happen, use gloves and tweezers and carefully remove them from the cup sink.
- Put re-useable sharps away at the end of the work period.
 Place in appropriate containers and in a drawer or cabinet.
 DO NOT leave sharps on benches, in fume hoods, window sills, or other "convenient" locations where other workers may be exposed.
- Use safety-engineered sharps (e.g. Luer lock syringes) or needle-less systems (Figure 2).
- Place sharps into appropriate sharps containers immediately after use.



Figure 2

University of Idaho Environmental Health & Safety: (208) 885-6524 EHS Laboratory Guidance: Sharps & Pipette Tips Disposal; 09/30/2020

- Do not shear or break contaminated needles or other contaminated sharps.
- Do not bend, recap or remove contaminated sharps from devices.
- Do not reuse disposable sharps.
- Sharps containers must be stored near where the waste is generated and segregated from other waste.
- Sharps containers must not be filled greater than 2/3 full.

Hazard Categories of Sharps:

Proper disposal depends on the type of contamination <u>and</u> material construction. Sharps and pipette tips can be categorized as follows:

- 1. Non-hazardous. Items that are not contaminated with any biological material, hazardous chemical or radioactive material. Some items can be disposed in the regular trash, but must be packaged properly before disposal (see below).
- 2. Biological-contaminated items. This category includes regulated waste, as defined under the Bloodborne Pathogens Program, and items contaminated with biological material, recombinant DNA, or synthetic nucleic acid. In many cases, the sharps can be autoclaved or chemically deactivated and then disposed as non-hazardous waste.
- 3. Chemical-contaminated items. Common chemical contaminants include chloroform and phenol.
- 4. Radiological-contaminated items.

Collection Procedures:

- 1. Non-hazardous.
 - a. Glass: place non-hazardous glass in commercial glass disposal boxes lined with plastic, available from UI ChemStores or laboratory supply companies. Boxes must be taped on the bottom or placed in a waterproof container on the floor. You can also place empty, unbroken chemical containers (one-Liter or less in size) in the box, as well as empty vials and test tubes. However, do not put any <u>acute hazardous waste</u> containers, even after rinsing, in the box.
 - b. Plastic and metal: place in 5-gallon plastic buckets provided by Environmental Health & Safety (EHS). These buckets come with a plastic liner and are pre-labeled.
- 2. Biological-contaminated items. Note: also refer to <u>UI Institutional Biosafety Committee Policies</u> and Procedures.
 - a. Place in hard-walled, puncture resistant, leak-proof, sealable container that is clearly labelled with the universal biohazard symbol.

Note: Sharps containers are single use containers and should not be emptied and reused.

- b. Autoclave or incinerate, as indicated for the agent and specified in the lab-specific biosafety manual.
 - i. Prior to autoclaving, place an "x" in autoclave indicator tape over the universal biohazard symbol, or over the sharps label.
 - ii. After autoclaving, place biohazard container into a cardboard box, seal well with tape, and label box as "decontaminated sharps."
 - iii. Laboratory staff immediately dispose of properly labelled and well-sealed box in the standard waste stream (e.g. dumpster).

University of Idaho

Environmental Health & Safety: (208) 885-6524

EHS Laboratory Guidance:

Sharps & Pipette Tips Disposal; 09/30/2020

- 3. Chemical-contaminated items.
 - a. Glass and plastic: collect in heavy-walled plastic containers provided by EHS. EHS can also provide 5gallon plastic buckets for larger quantities. The containers are pre-labeled.
 - b. Metal: collect chemical-contaminated items in a separate container provided by EHS. Items will include razor blades, scalpels, lancets, syrettes, needles, and syringes with attached needles.
- 4. Radiological-contaminated items: refer to the <u>UI Radiation</u> <u>Safety Manual</u> for proper procedure.



Disposal Procedures:

- 1. Non-hazardous.
 - a. When full, tape the box lid and bottom shut with duct tape, place the box near the regular (municipal) trash container in the lab. It is the responsibility of the lab to remove and dispose of the containers into the dumpster. Please do not let full sharps boxes or containers sit in the lab. Contact EHS if help is needed for disposal.
 - b. Metal and plastic sharps: Do not overfill. Email EHS at <u>safety@uidaho.edu</u> when the bucket is full. EHS staff will pick up the full bucket and deliver a new bucket.
- 2. Biologically-contaminated: Follow Biohazardous Waste and Sharps Disposal Procedure.
- 3. Chemically-contaminated:
 - Chemically contaminated sharps must not be autoclaved.
 - Submit a Chemical Waste Collection Request to EHS.
- 4. Radiological-contaminated items: Follow Radiation Safety Manual procedures.